1784

CREDITON OKEFIELD

1931 – 40

780308

Se

Fo

~~ation no 1784~~ 1784

COPY FOR OFFICIAL USE.

FICE.—BRITISH RAINFALL ORGANIZATION.

NFALL IN 1931.

400

D TO THE PREVIOUS DAY.

An observer who does not conform … ding made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·08	·00	·26	·00	·00	·06	·00	·23	·00	·00	·01	1
2	·17	·04	·00	·65	·01	·01	·01	·00	·54	·03	·15	·05	2
3	·31	1·00	1·01	·00	·00	·00	·01	·00	·23	·00	1·00	·07	3
4	·03	·00	·38	·01	·03	·26	·16	·26	·09	·03	·00	·01	4
5	·00	·13	·14	·10	·03	·39	·00	·00	·00	·00	·10	·14	5
6	·00	·10	·00	·04	·04	·18	·07	·00	·00	·22	·11	·50	6
7	·00	·03	·00	·00	·32	·34	·41	·36	·00	·08	1·24	·08	7
8	·00	·11	·00	·47	·00	·37	·05	·09	·00	·00	·18	·05	8
9	·01	·12	·00	·03	·00	·01	·02	·00	·00	·00	·26	·01	9
10	·01	·09	·00	·01	·19	·01	·05	·01	·08	·00	·16	·00	10
11	·24	·46	·00	·00	·01	·15	·03	·00	·01	·00	·26	·00	11
12	·03	·15	·00	·00	·00	·00	·45	·07	·05	·22	·00	·00	12
13	·00	·06	02	·00	·05	·01	·11	·10	·05	·02	·00	·00	13
14	·03	·07	·00	·64	·14	·17	·41	·41	·00	·00	·36	·00	14
15	·02	·12	·00	·10	·08	·00	·00	·25	·00	·00	·00	·02	15
16	·05	·11	·00	·06	·12	·30	·00	·00	·00	·00	·00	·04	16
17	·01	·05	·00	·02	·00	·00	·43	·70	·00	·00	·01	·00	17
18	·05	·00	·00	·06	·00	·12	·10	·08	·01	·00	·19	·00	18
19	·05	·13	·14	·00	·00	·31	·10	·48	·02	·00	·36	·00	19
20	·01	·11	·22	·00	·00	·00	·00	·00	·00	·00	·48	·00	20
21	·08	·03	·01	·00	·14	·00	·00	·02	·00	·01	·01	·00	21
22	·12	·03	·00	·00	·12	·00	·00	·00	·00	·00	·01	·00	22
23	·26	·03	·00	·24	·49	·00	·01	·59	·00	·00	·19	·00	23
24	·18	·00	·00	·78	·04	·13	·48	·01	·00	·00	·00	·00	24
25	·45	·03	·00	·56	·01	·00	·28	·00	·00	·00	·07	·03	25
26	·01	·08	·00	·28	·00	·00	·26	·00	·00	·00	·68	·03	26
27	·09	·20	·00	·00	2·00	·00	·07	·00	·00	·02	·26	·00	27
28	·13	·18	·14	·03	·20	·03	·00	·08	·00	·09	·01	·20	28
29	·10		·15	·00	·07	·00	·04	·18	·00	·08	·07	·18	29
30	·05	×	·00	·01	·05	·00	·00	·01	·03	·01	·00	·00	30
31	·71	×	·05	×	·11	×	·03	·00	×	·00	×	·44	31
TOTAL	3·21	2·54	2·26	3·85	4·25	2·79	3·64	3·70	1·34	·81	6·16	1·86	YEAR'S TOTAL 36·41
*Days with ·01 in. or more.	26	24	10	19	21	16	23	17	11	11	22	16	216
*Days with ·04 in. or more.	16	19	8	14	16	11	17	13	7	5	18	10	154

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Seymour T. Pitt

[P.T.O.

S [redacted] ~~tation no 1784~~ COPY FOR OFFICIAL USE. 1784

Fo FFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Okefield Crediton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 325 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·08	·00	·26	·00	·00	·06	·00	·23	·00	·00	·01	1
2	·17	·04	·00	·65	·01	·01	·01	·00	·54	·03	·15	·05	2
3	·31	~~1~~·00	1·01	·00	·00	·00	·01	·00	·23	·00	1·00	·07	3
4	·03	·00	·38	·01	·03	·26	·16	·26	·09	·03	·00	·01	4
5	·00	·13	·14	·10	·03	·39	·00	·00	·00	·00	·10	·14	5
6	·00	·10	·00	·04	·04	·18	·07	·00	·00	·22	·11	·50	6
7	·00	·03	·00	·00	·32	·34	·41	·36	·00	·08	1·24	·08	7
8	·00	·11	·00	·47	·00	·37	·05	·09	·00	·00	·18	·05	8
9	·01	·12	·00	·03	·00	·01	·02	·00	·00	·00	·26	·01	9
10	·01	·09	·00	·01	·19	·01	·05	·01	·08	·00	·16	·00	10
11	·24	·46	·00	·00	·01	·15	·03	·00	·01	·00	·26	·00	11
12	·03	·15	·00	·00	·00	·00	·45	·07	·05	·22	·00	·00	12
13	·00	·06	02	·00	·05	·01	·11	·10	·05	·02	·00	·00	13
14	·03	·07	·00	·64	·14	·17	·41	·41	·00	·00	·36	·00	14
15	·02	·12	·00	·10	·08	·00	·00	·25	·00	·00	·00	·02	15
16	·05	·11	·00	·06	·12	·30	·00	·00	·00	·00	·00	·04	16
17	·01	·05	·00	·12	·00	·00	·43	·70	·00	·00	·01	·00	17
18	·05	·00	·00	·06	·00	·12	·10	·08	·01	·00	·19	·00	18
19	·05	·13	·14	·00	·00	·31	·10	·48	·02	·00	·36	·00	19
20	·01	·11	·22	·00	·00	·00	·00	·00	·00	·00	·48	·00	20
21	·08	·03	·01	·00	·14	·00	·00	·02	·00	·01	·01	·00	21
22	·12	·03	·00	·00	·12	·00	·00	·00	·00	·00	·01	·00	22
23	·26	·03	·00	·24	·49	·00	·01	·59	·00	·00	·19	·00	23
24	·18	·00	·00	·78	·04	·13	·48	·01	·00	·00	·00	·00	24
25	·45	·03	·00	·56	·01	·00	·28	·00	·00	·00	·07	·03	25
26	·01	·08	·00	·28	·00	·00	·26	·00	·00	·00	·68	·03	26
27	·09	·20	·00	·00	2·00	·00	·07	·00	·00	·02	·26	·00	27
28	·13	·18	·14	·03	·20	·03	·00	·08	·00	·09	·01	·20	28
29	·10		·15	·00	·07	·00	·04	·18	·00	·08	·07	·18	29
30	·05	×	·00	·01	·05	·00	·00	·01	·03	·01	·00	·00	30
31	·71	×	·05	×	·11	×	·03	·00	×	·00	×	·44	31
TOTAL	3·21	2·54	2·26	3·85	4·25	2·79	3·64	3·70	1·34	·81	6·16	1·86	YEAR'S TOTAL 36·41
*Days with ·01 in. or more.	26	24	10	19	21	16	23	17	11	11	22	16	216
*Days with ·04 in. or more.	16	19	8	14	16	11	17	13	7	5	18	10	154

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Seymour

[P.T.O.

✓ ✓ ✓ Ck

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 1784

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Okefield Crediton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 325 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·00	·00	·16	·00	·00	·03	·20	·03	·01	·02	·01	1
2	·02	·00	·00	·09	·01	·00	·02	·05	·20	·03	·03	·21	2
3	·00	·00	·05	·00	·00	·32	·10	·00	·52	·07	·00	·07	3
4	·01	·00	·00	·00	·00	·01	·00	·17	·00	·00	·16	·00	4
5	·15	·00	·08	·00	·00	·00	·00	·00	·31	·00	·00	·00	5
6	·42	·00	·02	·30	·08	·00	·05	·00	·24	·00	·00	·00	6
7	·04	·00	·01	·11	·08	·00	·00	·00	·33	1·08	·00	·00	7
8	·00	·00	·48	·02	·21	·00	·00	·00	·12	·09	·00	·00	8
9	·78	·02	·00	·15	·02	·00	·00	·00	·00	·05	·00	·00	9
10	·30	·00	·01	·31	·01	·01	·00	·00	·02	·40	·00	·00	10
11	·12	·00	·00	·16	·14	·00	·00	·00	·03	·15	·00	·10	11
12	·15	·00	·00	·03	·24	·00	·00	·00	·03	·31	·00	·02	12
13	·07	·00	·00	·09	·01	·00	·36	·28	·01	·91	·00	·19	13
14	·22	·00	·00	·20	·29	·00	·00	·00	·01	·06	·02	·03	14
15	·00	·00	·00	·31	·06	·00	·01	·00	·00	·05	·11	·01	15
16	·18	·00	·00	·04	·00	·00	·04	·00	·00	·02	·00	·00	16
17	·00	·00	·00	·01	·01	·00	·01	·00	·00	·05	·00	·00	17
18	·00	·00	·00	·00	·10	·00	·00	·00	·65	·01	·32	·00	18
19	·01	·00	·00	·01	·10	·00	·00	·00	·08	·29	·01	·00	19
20	·03	·00	·06	·05	·75	·00	·00	·08	·06	·61	·25	·09	20
21	·01	·00	·06	·13	·00	·00	·00	·52	·03	·42	·08	·12	21
22	·01	·00	·01	·01	·01	·00	·04	·05	·49	·20	·24	·01	22
23	·00	·01	·00	·00	·03	·00	·22	·00	·01	·46	·17	·07	23
24	·00	·00	·00	·00	·02	·00	·42	·00	·06	·21	·02	·01	24
25	·00	·00	·32	·01	·01	·00	·17	·00	·03	·40	·04	·01	25
26	·00	·00	·04	·07	·00	·00	·36	·00	·12	·12	·10	·00	26
27	·00	·00	·18	·14	·11	·00	·09	·00	·00	·17	·05	·02	27
28	·00	·00	·06	·08	·11	·00	·04	·00	·00	·00	·01	·04	28
29	·01	·00	·45	·16	·28	·25	·00	·78	·65	·54	·00	·33	29
30	·01	×	·08	·09	·04	·76	·58	·02	·66	·21	·72	·02	30
31	·00	×	·06	×	·13	×	·16	·00	×	·01	×	·41	31
													YEAR'S TOTAL
TOTAL	2·63	·03	1·91	2·73	2·85	1·35	2·70	2·15	4·63	6·93	2·35	1·77	32·03
*Days with ·01 in. or more.	19	2	15	24	24	5	17	9	22	27	17	19	200
*Days with .04 in. or more.	11	0	11	18	15	3	13	8	13	22	11	10	135

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) Seymour F. Pope

P.T.O.

SKJ

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1784

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Okefield Crediton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 325 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31	·32	·15	·00	·06	·04	·00	·00	·00	·00	·07	·83	1
2	·18	·00	·40	·00	1·04	·43	·00	·00	·00	·00	·03	·12	2
3	·04	·10	·15	·00	·00	·00	·00	·00	·00	·00	·00	·00	3
4	·13	·01	·00	·00	·09	·00	·00	·00	·00	·00	·00	·00	4
5	·05	·01	·22	·00	·17	·00	·00	·00	·00	·06	·00	·00	5
6	·05	·36	·01	·00	·34	·00	·03	·00	·01	·12	·00	·00	6
7	·01	·21	·01	·00	·08	·00	·01	·00	·00	·13	·00	·01	7
8	·03	·04	·05	·00	·06	·00	·18	·05	·00	·04	·00	·00	8
9	·00	·06	·00	·00	·90	·00	·32	·00	·00	·13	·01	·00	9
10	·00	·12	·00	·00	·00	·00	·14	·02	·00	·66	·07	·00	10
11	·09	·00	·00	·00	·00	·00	·12	1·76	·06	·08	·00	·00	11
12	·00	·00	·00	·06	·03	·15	·22	·00	·58	·01	·00	·03	12
13	·01	·00	·00	·00	·24	·06	·19	·15	·00	·15	·09	·00	13
14	·03	·00	·15	·00	·00	·00	·02	·09	·00	·08	·06	·00	14
15	·25	·00	·56	·00	·00	·00	·47	·00	·01	·65	·04	·00	15
16	·00	·01	·22	·00	·00	·02	·00	·01	·00	·14	·00	·00	16
17	·06	·04	·37	·00	·00	·09	·00	·61	·01	·00	·00	·00	17
18	·08	·61	·27	·00	·00	·20	·01	·00	·00	·00	·04	·00	18
19	·17	·01	·00	·00	·00	·10	·00	·01	·14	·00	·64	·02	19
20	·00	·04	·00	·00	·04	·38	·00	·13	·16	·00	·00	·01	20
21	·00	·01	·00	·00	·00	·20	·00	·22	·00	·10	·00	·01	21
22	·00	·00	·00	·04	·00	·00	·00	·31	·17	·02	·01	·00	22
23	·00	·72	·00	·16	·00	·14	·00	·98	·16	·39	·00	·00	23
24	·00	·42	·00	·03	·00	·00	·00	·02	·16	·10	·00	·00	24
25	·00	·60	·00	·08	·00	·10	·00	·00	·03	·01	·00	·08	25
26	·00	·29	·00	·21	·32	·00	·00	·00	·04	·11	·00	·02	26
27	·00	·01	·00	·00	·01	·00	·00	·00	·01	·27	·01	·32	27
28	·00	·25	·00	·22	·12	·00	·21	·00	·00	·26	·00	·06	28
29	·07	×	·00	·08	·00	·00	·02	·00	·00	·00	·00	·06	29
30	·02	×	·15	·15	·00	·00	·02	·00	·14	·04	·00	·10	30
31	·06	×	·05	×	·01	×	·00	·00	×	·05	×	·00	31
TOTAL	1·64	3·64	2·76	1·03	3·51	1·91	1·96	2·78	1·62	3·00	1·07	1·67	YEAR'S TOTAL 26·59
*Days with ·01 in. or more.	18 ✓	21 ✓	14 ✓	9 ✓	15 ✓	12 ✓	14 ✓	12 ✓	13 ✓	22 ✓	11 ✓	13 ✓	17
*Days with ·04 in. or more.	13 ✓	14 ✓	12 ✓	8 ✓	12 ✓	11 ✓	8 ✓	7 ✓	8 ✓	19 ✓	7 ✓	7 ✓	126 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Seymour

P.T.O.

✓ ✓ ✓ ck.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1784

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Okefield Crediton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 325 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·00	·00	·00	·00	·00	·00	·24	·01	·01	·21	·30		1
2	·16	·00	·03	·00	·00	·00	·00	·10	·54	·02	·36	·15		2
3	·01	·00	·00	·00	·00	·00	·00	·35	·00	·07	·00	·32 ·38		3
4	·15	·00	·11	·09	·42	·00	·00	·04	·02	·20	·00	·42		4
5	·00	·00	·07	·02	·27	·26	·00	·90	·00	·11	·15	·56		5
6	·00	·00	·35	·11	·35	·01	·00	·01	·00	·42	·06	·44		6
7	·07	·00	·00	·00	·00	·00	·00	·11	·00	·07	·02	·29		7
8	·00	·00	·00	·00	·08	·00	·00	·01	·01	·00	12	·59		8
9	·01	·00	·39	·00	·00	·00	·00	·00	·00	·04	·15	·15		9
10	·21	·00	·38	·27	·00	·00	·00	·09	·00	·01	·04	·05		10
11	·33	·00	·06	·45	·00	·00	·00	·22	·00	·00	·00	·50		11
12	·13	·01	·00	·01	·00	·00	·03	·39	·00	·03	·00	·11		12
13	·22	·00	·00	·46	·00	·02	·01	·00	·00	·00	·05	·31		13
14	·46	·01	·37	·01	·01	·00	·00	·00	·00	·12	·17	·28		14
15	·16	·00	·12	·00	·10	·00	·06	·00	·01	·27	·06	·57		15
16	·01	·01	·16	·00	·02	·00	·00	·00	·03	·01	·01	·35		16
17	·21	·00	·07	·11	·06	·00	·01	·00	·22	·08	·00	·11		17
18	·11	·00	·31	·87	·00	·00	·00	·00	·06	·00	·00	·16		18
19	·07	·00	·16	·01	·01	·06	·00	·00	·06	01	·00	·14		19
20	·06	·01	·05	·08	·01	·00	·09	·00	·06	·00	·00	·01		20
21	·00	·00	·17	·00	·00	·25	·00	·03	·00	·10	·02	·40		21
22	·03	·01	·86	·00	·00	·00	·09	·01	·39	·62	·00	·88		22
23	·05	·00	·01	·08	·00	1·19	·00	·00	·21	·00	·00	·11		23
24	·06	·10	·05	·07	·00	·19	·14	·00	·01	·08	·00	·09		24
25	·22	·06	·00	·21	·00	·00	·01	·00	·00	·17	·00	·51		25
26	·02	·00	·05	·06	·00	·10	·04	·00	·04	·01	·06	·06		26
27	·00	·00	·00	·02	·00	·17	·00	·01	·03	·09	·03	·22		27
28	·00	·00	·00	·01	·00	·01	·03	·35	·30	·04	·01	·77		28
29	·00	×	·00	·00	·00	·00	·00	·17	·08	·09	·02	·04		29
30	·01	×	·00	·00	·00	·00	·01	·02	·01	·10	·01	·10		30
31	·00	×	·00	×	·02	×	·10	·04	×	·02	×	·09	Year's Total.	31
TOTAL	2·74	·21	2·97	2·94	1·35	2·26	·62	3·09	2·09	2·19	1·55	9·08	31·09	
* Days with .01 in. or more.	22	7	19	18	11	10	12	18	18	25	18	31	209	
* Days with .04 in. or more.	16	2	17	12	6	7	6	12	10	16	11	30	145	

40-9999

† Spare column, no entries required.

(Signed) Seymour Hope [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1784

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935. File no 897556/29

Kept at Okefield Crediton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 325 ft.

✓ ✓ ✓ GR.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·10	·52	·00	·00	·01	·02	·00	·26	·14	·04	·28		1
2	·00	·04	·10	·00	·00	·06	·00	·00	·05	·12	·11	·18		2
3	·02	·01	·17	·01	·06	·10	·00	·00	·36	·90	·22	·10		3
4	·02	·42	·00	·17	·13	·10	·00	·00	·05	·14	·21	·30		4
5	·03	·30	·08	·05	·00	·03	·00	·00	·17	1·36	·02	·65		5
6	·00	·01	·00	·21	·00	·30	·00	·00	·00	·02	·00	·31		6
7	·00	·00	·00	·20	·00	·02	·00	·00	·00	·20	·08	·10		7
8	·00	·00	·00	·21	·00	·00	·06	·00	·00	·23	·13	·08		8
9	·00	·00	·00	·32	·00	·06	·00	·00	·13	·48	·30	·00		9
10	·02	·00	·16	·30	·00	·13	·00	·00	·00	·00	·61	·00		10
11	·26	·00	·02	·00	·00	·15	·00	·00	·11	·02	·38	·02		11
12	·08	·05	·00	·00	·00	·15	·00	·01	·01	·00	·05	·00		12
13	·12	·12	·00	·27	·00	·01	·00	·00	·06	·00	·26	·00		13
14	·00	·04	·00	·13	·01	·10	·00	·00	·05	·00	·95	·33		14
15	·00	·07	·00	·48	·14	·23	·00	·00	·30	·00	·18	·29		15
16	·00	·09	·15	·10	·00	·06	·03	·00	·80	·02	·70	·00		16
17	·00	·04	·00	·03	·85	·32	·03	·21	·15	·00	·02	·00		17
18	·00	·00	·00	·40	·02	·01	·19	·33	·27	·06	·03	·14		18
19	·00	·00	·01	·05	·15	·09	·03	·00	·04	15 ·15	·28	·01		19
20	·00	·20	·00	·28	·32	·01	·00	·00	·01	·00	·22	·00		20
21	·00	·31	·01	·18	·00	·00	·06	·00	·03	·17	·00	·00		21
22	·00	·08	·13	·49	·00	·00	·00	·00	·07	·02	·00	·01		22
23	·00	·02	·17	·05	·14	·00	·00	·42	·15	·29	·00	·27		23
24	·07	·38	·01	·00	·65	·02	·00	·32	·05	·09	·00	·22		24
25	·38	·29	·00	·08	·01	·05	·00	·00	·00	·00	·01	·29		25
26	·01	·56	·00	·00	·00	·01	·00	·13	·14	·03	·02	·45		26
27	·00	·11	·01	·00	·00	·01	·03	·05	·04	·08	·04	·45		27
28	·01	·07	·00	·00	·00	·00	·09	·17	·07	·17	·05	·02		28
29	·00	X	·00	·00	·00	·00	·00	·01	·07	·02	·19	·36		29
30	·03	X	·00	·00	·04	·12	·00	·73	·17	·02	·62	·40		30
31	·00	X	·00	X	·07	X	·00	·01	X	·60	X	·24		31
TOTAL	✓ 1·13	✓ 3·31	✓ 1·54	✓ 4·01	✓ 1·99	✓ 2·15	✓ ·48	✓ 2·39	✓ 3·55	✓ 5·33	✓ 5·12	✓ 4·90	Year's Total ✓ 35·90	~~average for 31 years 33·38~~
* Days with .01 in. or more.	13 ✓	21 ✓	13 ✓	20 ✓	13 ✓	24 ✓	8 ✓	11 ✓	24 ✓	23 ✓	25 ✓	23 ✓	218 ✓	
* Days with .04 in. or more.	6	18 ✓	8 ✓	18 ✓	10 ✓	15 ✓	3 ✓	8 ✓	21 ✓	16 ✓	19 ✓	19 ✓	161 ✓	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Seymour [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1784

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]0.

REGISTER OF RAINFALL IN 1936.

Kept at Okefield Crediton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 325 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Omission?

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·15	·01	·06	·00	·05	·89	·00	-	—	·05	·08		1
2	·00	·02	·00	·06	·00	·19	·44	·03	-	—	·05	·04		2
3	·01	·01	·06	1·03	·00	·06	·14	·03	·56	—	·15	·03		3
4	·01	·00	·15	·01	·00	·05	·00	·00	·54	—	·11	·19		4
5	·46	·06	·16	·00	·00	·00	·28	·01	·11	—	·01	·21		5
6	·07	·00	·03	·00	·00	·04	·16	·02	·08	—	·17	—		6
7	·08	·00	·12	·00	·00	·00	·23	·00	·06	—	·44	·05		7
8	·17	·00	·19	·00	·00	·00	·31	·00	·01	—	·79	·09		8
9	·30	·50	·34	·00	·00	·00	·55	·00	·06	—	·22	·01		9
10	·04	·36	·00	·00	·00	·00	·01	·00	-	—	·33	—		10
11	·37	·01	·00	·00	·08	·15	·05	·04	·09	—	·57	·09		11
12	·01	·00	·00	·04	·01	·00	·33	·01	·54	·07	·10	—		12
13	·00	·01	·01	·06	·00	·00	·19	·00	·02	·08	·10	·56		13
14	·00	·04	·00	·00	·00	·01	·75	·00	·25	·11	·01	·25		14
15	·00	·01	·00	·00	·00	·00	·04	·00	·15	—	·13	·10		15
16	·00	·13	·00	·18	·32	·00	·11	·00	·03	—	·15	·07		16
17	·15	·88	·00	·00	·01	·00	·21	·00	-	·07	·05	·17		17
18	·22	·17	·08	·00	·00	·29	·22	·01	-	·04	—	·02		18
19	·60	·02	·13	·05	·00	·22	·04	·02	-	·05	—	—		19
20	·03	·51	·30	·01	·00	·00	·01	·02	·36	—	—	·01		20
21	·02	·00	·16	1·10	·00	·05	·06	·00	·01	—	—	—		21
22	·16	·34	·21	·00	·00	·00	·04	·00	·01	·01	—	·02		22
23	·01	·08	·11	·16	·03	·00	·00	·00	·01	·02	·01	—		23
24	·16	·01	·10	·00	·20	·00	·06	·00	·04	·21	·01	·02		24
25	·50	·00	·31	·09	·00	·00	·24	·00	·03	·30	—	—		25
26	·18	·07	·23	·02	·00	·00	·00	·00	·04	·19	—	—		26
27	·15	·01	·13	·00	·00	·00	·21	·00	-	·31	—	—		27
28	·74	·01	·29	·01	·00	·02	·09	·00	-	·01	—	·20		28
29	·03	·04	·00	·00	·00	·05	·02	·00	-	·08	·04	·15		29
30	·16	✕	·00	·00	·03	·09	·04	·00	-	·11	—	—		30
31	·19	✕	·39	✕	·01	✕	·12	·00	✕	—	✕	·18		31
													Year's Total	
TOTAL	4·84	3·44	3·51	2·88	·69	1·27	5·84	·19	3·00	1·60	3·49	2·54	33·29	
* Days with .01 in. or more.	26	22	21	14	8	13	28	9	20	15	20	21	217	
* Days with .04 in. or more.	18	13	18	10	3	11	25	1	13	11	16	15	154	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Seymour 2 Tofts

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1784

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Crediton, Okefield

in the County of S. Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

" Ground " Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·01	·05	·45	–	–	–	–	·02	·16	·01	·38		1
2	·10	·16		·17	–	–	–	–	·10	–	·01	·02		2
3	–	·16	·01	·07	·05	–	·01	–	–	·01	·01	·01		3
4	·20	·20		·36	·08	–	·01	–	–	–	–	·78		4
5	·32	–		·02	–	–	·38	·01	–	–	–	·31		5
6	·17	·41	·33	·17	·02	–	·21	–	–	·02	–	·02		6
7	–	·51	·05	·20	–	·02	–	–	·02	–	·01	·11		7
8	–	·05			·42	·08	·11	–	–	–	·11			8
9	–	·01	·12	·09	·04	–	·06	·01	·77	·01	–			9
10	·06	·01	·83	·83	–	·10	·02	·06	–	–	–	·18		10
11	·02	–	·23	·24	·37	·11	·54	·19	·14	–	–	·08		11
12	·17	·34	·04	·02	–	·32	·20	·17	·05	–	–	·26		12
13	–	·15	·59	·22	–	·24	·01	·42	·04	–	–	·03		13
14	–	·01	·08	·01	–	–	·02	·01	·35	·01	–	·21		14
15	·59	·05	·21	·46	–	–	·01	·01	·44	–	–	·20		15
16	·25	·07	·66	·10	–	–	·01	·19	·15	–	·25			16
17	·64	·08	·38		–	–	–	·01	·06	–	·13			17
18	·19	·20	·17		–	·24	–	–	·07	–	·18	·21		18
19	·10	·08	·13	·09	·04	–	–	–	·01	–	·23	·10		19
20	·43	·08	·05	·19	·11	–	–	–	·09	–	–	·35		20
21	·36	·68	·05	·03	·34	–	·03	–	·07	·06	·04	·01		21
22	·19	·02	·11		·15	·14	·06	–	–	·52	·29	·01		22
23	·34	·22			·04	–	–	–	–	·33	·38			23
24	·41	·69	·03		–	–	–	–	·01	·88	·01	·01		24
25	·12	·71	·37		–	–	–	–	·01	·14	·01	·01		25
26	·01	·38	·01		·06	–	–	–	–	–	–	·01		26
27	·01	·55			–	–	–	·01	–	·66	–			27
28	·25	·22			–	·01	–	–	–	·07	–	·01		28
29	·10	–			–	–	–	–	–	·51	·25			29
30	·29	✕			–	–	–	–	·05	·02	·25			30
31	·50	✕		✕	–	✕	–	–	✕	·60	✕			31
TOTAL	5·99	6·05	4·50	3·72	1·72	1·26	1·68	1·09	2·45	4·00	2·17	3·31	Year's Total 37·94	✓
* Days with .01 in. or more.	25	26	21	18	12	9	15	11	18	15	16	22	208	✓
* Days with .04 in. or more.	22	21	18	14	11	7	7	5	13	10	10	12	150	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1784

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Crediton Okefield

in the County of S Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 325 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·15				·59	·28	·17	–	·20	·09	·15		1
2		·09		·05	·01		·01	—	–	·26	·01	·13		2
3					·17	·05	·05	·63	–	·33	·01	—		3
4	·01				·08	·04	·24	1·17	–	·25	–	·06		4
5	·01		·01			·01	·03	·01	–	·61	·01	·14		5
6	·13					·05	·76	—	·19	·01	–	·02		6
7	·15						·34	·20	·08	·07	–	·11		7
8	·70	·05					·25	·03	–	·13	·01	·03		8
9	·25	·07					—	·02	–	·02	·01	·57		9
10	·14	·04				·04	·04	·04	–	·03	-	·37		10
11	·05	·01				·01	·03	·65	–	·01	·26	·92		11
12	·17	·02			·05		·01	—	·01	·31	·41	·02		12
13	·04				·04		—	—	–	·04	·22	·66		13
14	·43				·09		·21	—	·06	—	·01	·01		14
15	·07				·11		—	·02	–	·09	·23	·33		15
16	·07	·02			·01		—	·03	–	·01	·35	·01		16
17		·07			·11		—	—	–	·21	·03	·02		17
18	·24				·15	·06	—	·01	·32	·02	·40	—		18
19							·02	—	·08	—	·33	—		19
20							—	—	·02	·01	·18	—		20
21	·02						—	·01	·04	—	·23	·14		21
22	·01			·04		·05	—	·76	·03	·01	·31	·07		22
23				·08		·01	—	·03	-	—	·14	·02		23
24			·05		·05		—	·01	·04	—	·40	—		24
25	·14	·16	·10		·24		·18	—	·01	·04	·98	·05		25
26	·33	·17	·02		·24		·02	—	–	·17	·02	·10		26
27	·21	·07			·33	·10	·27	·40	–	·04	·20	—		27
28	·27	·13	·02		·18	·03	—	·41	·03	·01	·06	·02		28
29	·25				·14		—	—	·04	·19	·11	·06		29
30	·05	✕	·02		·04	·08	—	—	·14	—	·18	·07		30
31	·47	✕		✕	·23	✕	—	—	✕	·15	✕	·20		31
TOTAL	4·21	1·05	·22	·17	2·30	1·12	2·74	4·60	1·09	3·22	5·22	4·28	Year's Total 30·22	
* Days with .01 in. or more.	23	13	6	3	18	13	16	18	14	25	26	25	200	
* Days with .04 in. or more.	19	10	2	3	16	9	10	9	9	16	18	17	138	

† Spare column, no entries required.

(*Signed*) J. T. Foster [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1784

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Crediton, Okefield

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 325 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	—	·05	·03	·01	-	·10	·06	-	—	1·01	·02		1
2	·31	—	—	·13	—	-	·01	·25	·17	—	·14	·14		2
3	·14	—	·01	·35	—	-	-	·18	·45	—	·29	·42		3
4	·01	—	·21	·53	·17	-	33	·01	-	·58	·23	·33		4
5	—	—	·01	·18	—	-	31	-	-	·29	·50	·07		5
6	·52	·01	·04	14	—	-	·28	·17	-	·10	·12	—		6
7	·01	·03	·04	-	—	·02	02	·10	·01	—	·10	·26		7
8	—	·12	·03	-	·04	-	·06	04	·01	·79	·29	·15		8
9	·02	·02	·04	-	—	-	-	·03	-	·17	·02	·03		9
10	·29	—	·01	.	—	·03	-	·13	·13	·06	·02	·34		10
11	·01	—	·09	.	—	-	·01	-	-	·25	·04	-		11
12	·07	·10	—	-	—	·04	-	-	·01	·04	·02	-		12
13	·01	—	—	·15	—	·02	·08	-	·13	·56	·02	-		13
14	·48	—	—	·06	·03	·07	53	-	·03	·08	·10	·04		14
15	·50	—	—	·01	·04	·37	·64	-	-	·01	·26	·03		15
16	·19	-	·01	·12	·01	-	·30	.	-	—	·35	-		16
17	·94	·01	—	·01	·01	·09	·17	.	-	— }	·16 }	-		17
18	·02	·04	·06	-	—	·02	1·01	.	-	— }	·95	·03		18
19	·17	·01	—	.	—	-	·11	.	-	—	—	·06		19
20	·35	—	—	.	—	45	·07	·93	-	—	—	·02		20
21	·04	·14	·09	·03	·02	·06	·01	.	-	—	—	—		21
22	·83	·28	·24	·03	—	30	·27	-	-	—	·12	·01		22
23	·05	·02	·05	·26	-	·18	·24	-	-	·02	·68	-		23
24	·87	—	·58	·11	—	·57	·28	.	-	·13	—	-		24
25	·66	·17	—	.	—	-	·23	·03	-	·13	·30	·01		25
26	·02	·07	—	·10	—	-	·01	·51	-	·14	·49	·01		26
27	—	·17	—	·01	—	·04	·02	·01	-	—	·22	-		27
28	—	·05	—	·09	—	·02	-	·01	-	—	·40	·06		28
29	·01		—	·03	—	·01	·06	.	-	·19	·08	—		29
30	—	✕	·04	·30	—	·03	·08	.	-	·33	·05	-		30
31	—	✕	—	✕	—	✕	·03	08	✕	·59	✕	·01		31
TOTAL	6·67	1·24	1·60	2·67	·33	2·32	5·26	2·54	·94	4·46	6·96	2·04	Year's Total 37·03	✓
* Days with .01 in. or more.	25	15	17	20	8	17	26	15	8	18	26	19	214	✓
* Days with .01 in. or more.	17	9	12	13	3	10	19	10	4	16	22	10	145	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 1784 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

400

Kept at Crediton, Okefield

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 325 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·04	-	·02	·04	·01	—	—	—	—	·24	—		1
2	-	·11	—	·05	—	—	·02	—	—	—	·76	·01		2
3	·03	·83	-	·01	—	—	—	—	—	·14	1·19	·15		3
4	·01	·20	-	·15	—	—	·17	—	—	·09	·09	·05		4
5	·03	·01	-	—	—	—	·02	—	—	·02	·47	·16		5
6	·13	·29	-	—	—	—	—	—	—	·10	·12	·37		6
7	·05	·01	-	·01	—	—	·19	—	·01	—	·00	·07		7
8	·01	·01	-	—	—	—	·01	—	·01	·22	·05	·31		8
9	-	—	-	—	—	—	·25	·10	·01	·09	·64	·26		9
10	-	—	-	—	—	—	·12	·07	·10	·09	·31	·65		10
11	-	·02	·01 ✓	·02	—	—	·30	—	—	—	·64	·04		11
12	-	—	·08	·02	—	·06	·82	—	·71	—	·28	·10		12
13	-	-	·28	·01	—	—	·01	—	·02	·42	·79	·29		13
14	-	·07	·04	·12	·05	—	·10	·02	·30	·35	·11	—		14
15	·01	-	-	·23	·01	—	·05	—	·16	·01	·39	—		15
16	·10	·79	·52	·12	—	—	·06	—	·03	·21	·06	·03		16
17	-	·25	·30	—	—	—	·24	—	·01	·01	·03	—		17
18	·25	·62	·26	·51	—	—	·08	·04	·02	·17	·05	·12		18
19	-	·07	·09	·14	—	—	·23	—	·38	·01	·10	—		19
20	-	—	—	·02	—	—	·01	·09	·04	·15	·03	—		20
21	-	—	-	—	·17	·02	·10	—	—	·01	·40	—		21
22	-	-	·13	·04	·08	·60	—	—	·18	·05	-	—		22
23	-	·05	·12	·04	·18	—	—	—	—	·57	-	·01		23
24	·02	—	·08	—	·01	·01	·33	—	—	—	-	·01		24
25	·15	-	·12	·08	·14	·08	—	—	—	—	-	—		25
26	·48	·13	—	·11	·29	·06	·12	—	—	—	·01	—		26
1·99 27	·58	·05	·05	·07	·41	·01	·05	—	—	—	-	·02		27
10 28	·40	·03	·02	·05	·01	—	—	·03	—	—	-	—		28
29	·18	·11	·05	1·20	—	·04	—	—	—	·02	-	·12		29
30	·03	×	·01	·19	·01	—	—	—	—	·13	-	·15		30
31	·17	×	·01	×	—	×	—	—	×	·38	×	·56		31
TOTAL	2·63	3·69	2·17	3·21	1·40	·89	3·28	·35	1·98	3·24	6·76	3·48	Year's Total 33·08	✓
* Days with .01 in. or more.	17	19	17	22	12	9	21	6	14	21	21	20	199	✓
* Days with .04 in. or more.	10 ✓	14 ✓	13 ✓	15	8 ✓	5 ✓	16 ✓	4	7 ✓	15 ✓	18 ✓	15	140	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. F. Pope

[P.T.O.

1785

1785 .

COPLESTONE HOUSE

1931 – 40

780308

Sectio

FORM

Kep

in

Diar

Heig

FOR OFFICIAL USE.

CE.—BRITISH RAINFALL ORGANIZATION.

ALL IN 1931 .

THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	—	·19	—	—	·06	—	·54	—	—	·01	1
2	·22	·07	—	·67	·01	·01	—	—	·27	·04	·20	·10	2
3	·22	—	1·09	—	—	—	—	—	·22	—	1·50	·16	3
4	·05	—	·29	·02	·11	·20	·17	·29	·22	·03	·02	·02	4
5	—	·10	·12	·14	—	·47	·01	·02	—	—	·21	·43	5
6	—	·09	—	·06	·04	·21	·59	—	—	·23	·11	·03	6
7	—	·04	—	—	·31	·23	·46	·13	—	·09	·73	·05	7
8	·01	·10	—	·49	—	·34	·02	·08	—	—	·05	·01	8
9	—	·15	—	·01	—	—	·10	—	—	—	·26	·02	9
10	—	·13	—	—	·30	·02	·10	·06	—	—	·20	—	10
11	·35	·66	—	—	—	·16	·05	·01	·02	—	·25	—	11
12	—	·21	—	—	—	—	1·42	—	·10	·25	—	—	12
13	·01	·05	—	—	·07	·01	·15	·06	—	·02	—	—	13
14	·04	·08	—	—	·17	·27	·36	·20	·01	—	·45	—	14
15	·02	·15	—	·05	·07	·01	—	·25	·04	—	—	—	15
16	·07	·23	—	·10	·16	·31	—	·30	·06	—	—	·06	16
17	·04	·06	—	·03	—	—	·49	—	·01	—	—	—	17
18	·05	—	·01	·12	—	·08	·10	·71	—	—	·23	—	18
19	·05	·13	·10	·09	—	·73	·21	·08	·02	—	·42	—	19
20	—	·12	·22	—	—	—	—	·52	—	—	·25	—	20
21	·05	·02	·01	—	·13	—	—	—	—	—	·03	—	21
22	·23	·03	—	—	·14	—	—	·10	—	—	·02	—	22
23	·31	·01	—	·26	·50	·02	·03	·03	—	—	·22	—	23
24	·15	—	—	1·10	·02	·43	·69	·61	—	—	—	—	24
25	·28	·05	—	·36	—	—	·24	—	—	—	·06	·05	25
26	·02	·10	—	·33	—	—	·35	—	—	—	·77	·04	26
27	·13	·26	—	—	1·22	—	·07	—	—	·02	·32	—	27
28	·15	·27	·15	·04	·01	·08	·01	·02	—	·10	·01	·30	28
29	·15	×	·09	—	·12	—	·06	·19	—	·10	·07	·19	29
30	·09	×	—	—	·06	—	·01	·03	·03	·01	—	·01	30
31	·89	×	·10	×	·11	×	·03	—	×	—	×	·51	31 40·38
99 TOTAL	3·58	3·16	2·18	4·06	3·55	3·58	5·78	3·69	1·54	·89	6·38	1·99 ~~2·15~~	YEAR'S TOTAL ~~40·54~~
Days with ·01 in. or more.	23	24	10	17	18	17	24	19	12	10	22	17	213
Days with ·04 in. or more.	19	21	8	14	15	12	18	14	7	6	18	11	163

40-9999

(Signed) Mary Pope.

P.T.O.

1785

Sectio

FOR OFFICIAL USE.

MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Coplestone House.

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 315 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	—	·19	—	—	·06	—	·54	—	—	·01	1
2	·22	·07	—	·67	·01	·01	—	—	·27	·04	·20	·10	2
3	·22	—	1·09	—	—	—	—	—	·22	—	1·50	·16	3
4	·05	—	·29	·02	·11	·20	·17	·29	·22	·03	·02	·02	4
5	—	·10	·12	·14	—	·47	·01	·02	—	—	·21	·43	5
6	—	·09	—	·06	·04	·21	·59	—	—	·23	·11	·03	6
7	—	·04	—	—	·31	·23	·46	·13	—	·09	·73	·05	7
8	·01	·10	—	·49	—	·34	·02	·08	—	—	·05	·01	8
9	—	·15	—	·01	—	—	·10	—	—	—	·26	·02	9
10	—	·13	—	—	·30	·02	·10	·06	—	—	·20	—	10
11	·35	·66	—	—	—	·16	·05	·01	·02	—	·25	—	11
12	—	·21	—	—	—	—	1·42	—	·10	·25	—	—	12
13	·01	·05	—	—	·07	·01	·15	·06	—	·02	—	—	13
14	·04	·08	—	—	·17	·27	·36	·20	·01	—	·45	—	14
15	·02	·15	—	·05	·07	·01	—	·25	·04	—	—	—	15
16	·07	·23	—	·10	·16	·31	—	·30	·06	—	—	·06	16
17	·04	·06	—	·03	—	—	·49	—	·01	—	—	—	17
18	·05	—	·01	·12	—	·08	·10	·71	—	—	·23	—	18
19	·05	·13	·10	·09	—	·73	·21	·08	·02	—	·42	—	19
20	—	·12	·22	—	—	—	—	·52	—	—	·25	—	20
21	·05	·02	·01	—	·13	—	—	—	—	—	·03	—	21
22	·23	·03	—	—	·14	—	—	·10	—	—	·02	—	22
23	·31	·01	—	·26	·50	·02	·03	·03	—	—	·22	—	23
24	·15	—	—	1·10	·02	·43	·69	·61	—	—	—	—	24
25	·28	·05	—	·36	—	—	·24	—	—	—	·06	·05	25
26	·02	·10	—	·33	—	—	·35	—	—	—	·77	·04	26
27	·13	·26	—	—	1·22	—	·07	—	—	·02	·32	—	27
28	·15	·27	·15	·04	·01	·08	·01	·02	—	·10	·01	·30	28
29	·15	×	·09	—	·12	—	·06	·19	—	·10	·07	·19	29
30	·09	×	—	—	·06	—	·01	·03	·03	·01	—	·01	30
31	·89	×	·10	×	·11	×	·03	—	×	—	×	·51	31 40·38
99 TOTAL	3·58	3·16	2·18	4·06	3·55	3·58	5·78	3·69	1·54	·89	6·38	1·99 ~~2·15~~	YEAR'S TOTAL ~~40·54~~
Days with ·01 in. or more.	23	24	10	17	18	17	24	19	12	10	22	17	213
Days with ·04 in. or more.	19	21	8	14	15	12	18	14	7	6	18	11	163

40-9999

(Signed) Mary Pope.

P.T.O.

1785

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Coplestone House

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 315 ft.

Station No 1785

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
32	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	—	—	·18	—	·01	·10	·22	·09	—	·04	·01	1
2	·04	—	—	·10	·01	—	·03	·04	·64	·01	·03	·29	2
3	·02	—	·06	—	—	·27	·06	—	·33	·24	·01	·10	3
4	—	—	—	—	—	—	·02	·15	·01	—	·25	—	4
5	·32	—	·10	—	—	—	—	—	·40	—	—	·01	5
6	·69	—	·02	·27	·02	—	·04	—	·31	—	—	—	6
7	·06	—	·02	·07	·02	—	—	—	·33	1·18	—	—	7
8	—	—	·42	·02	·21	—	—	—	·03	·26	—	—	8
9	·95	·02	—	·22	·03	—	—	—	—	·02	—	—	9
10	·36	—	—	·29	—	—	—	—	·03	·37	—	—	10
11	·09	—	—	·27	·14	—	—	—	·04	·12	—	·08	11
12	·30	—	—	·01	·21	—	·04	—	·05	·31	—	·02	12
13	·08	—	—	·11	—	—	·34	·21	—	·95	—	·11	13
14	·29	—	—	·17	·24	—	—	·01	·02	·15	·03	·04	14
15	—	—	—	·30	·05	—	—	—	—	·09	·10	·01	15
16	·20	—	—	·05	—	—	·03	—	—	·02	—	—	16
17	—	—	—	·02	—	—	—	—	·01	·08	—	—	17
18	—	—	—	—	·14	—	—	—	·38	—	·23	—	18
19	·02	—	—	·06	·22	—	—	—	·11	·24	·01	—	19
20	—	—	—	·01	·65	—	·01	·03	—	·70	·26	·12	20
21	·01	—	·06	·08	·01	—	—	·51	·04	·56	·04	·17	21
22	·01	—	·01	·03	·03	—	·09	·02	·37	·20	·31	·01	22
23	—	—	—	—	·01	—	·23	—	·02	·52	·20	·19	23
24	—	—	—	—	·03	—	·32	—	·06	·25	·04	·01	24
25	—	—	·30	·10	·03	—	·32	—	·02	·51	·08	·01	25
26	—	—	·02	·09	—	—	·39	—	·04	·22	·13	—	26
27	—	—	·26	·08	·13	—	·06	—	—	·21	·03	·02	27
28	—	—	·10	·12	·14	—	·09	—	—	—	·03	·03	28
29	·01	—	·51	·12	·31	·24	—	·73	·76	·66	·02	·39	29
30	·01	×	·23	·08	·02	·65	·57	·01	·47	·33	·70	·01	30
31	—	×	·07	×	·08	×	·25	—	×	·02	×	·42	31
99 TOTAL	3·59	·02	2·18	2·84	2·73	1·17	2·99	1·93	4·56	8·22	2·54	2·05	YEAR'S TOTAL 34·82
*Days with ·01 in. or more.	18	1	14	24	22	4	18	10	23	25	19	20	198
*Days with ·04 in. or more.	12	—	10	19	12	3	14	6	16	21	12	10	135

40-9999

(*Signed*) Mary Pope [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1785

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Coplestone House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 315 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
33	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·41	·12	—	·07	·04	—	—	—	—	·11	1·08	1
2	·25	—	·31	—	·86	·46	—	—	—	—	·02	·10	2
3	·04	·11	·11	—	—	·01	—	—	—	—	—	—	3
4	·15	·01	—	—	·13	—	—	—	—	—	—	—	4
5	·08	·01	·26	—	·22	—	—	—	—	·05	—	—	5
6	·07	·39	·02	—	·22	—	·01	—	·01	·15	—	—	6
7	·02	·18	·02	—	·07	—	·01	·01	—	·07	—	·01	7
8	·02	·04	·06	—	·07	—	·26	·04	—	·03	—	—	8
9	—	·04	—	—	·87	—	·20	—	—	·25	·01	—	9
10	·03	·11	—	—		—	·05	·08	—	·99	·07	—	10
11	·08	—	—	·01	—	—	·13	·78	·44	·12	—	—	11
12	—	—	—	·09	·10	·17	·28	—	—	·02	—	·02	12
13	·02	—	—	—	·16	·01	·22	·20	—	·13	·10	—	13
14	·01	—	—	—	—	—	·03	·05	—	·02	·07	—	14
15	·41	—	·20	—	—	—	·15	·02	—	·09	·08	·01	15
16	·01	·01	·76	—	—	·04	—	·01	—	·16	—	—	16
17	·04	·05	·18	—	—	·15	—	·01	·02	—	—	—	17
18	·12	—	·30	—	—	·24	—	—	·01	—	·03	—	18
19	·18	·01	·37	—	—	·08	—	—	·18	—	·74	·01	19
20	—	·03	—	—	·03	·39	—	·21	·12	—	·01	—	20
21	—	·01	—	—	—	·12	—	·30	—	·10	—	·01	21
22	—	—	—	—	—	·01	—	·38	·24	·02	·01	—	22
23	—	·82	—	·19	—	·14	—	·01	·15	·49	—	—	23
24	—	·16	—	·05	—	—	—	—	·07	·05	—	—	24
25	—	·79	—	·04	—	·17	—	—	·01	·01	—	·07	25
26	—	·33	—	·29	·34	—	—	—	—	·23	—	·01	26
27	—	·02	—	·01	—	—	—	—	—	·28	·01	·30	27
28	—	·28	—	·16	—	—	·20	—	—	·29	—	·05	28
29	·06	X	—	·05	—	—	·04	—	·01	·01	—	·05	29
30	·04	X	·14	·11	—	—	·01	—	·12	·09	—	·09	30
31	·19	X	·05	X	·01	X	—	—	X	·07	X	·01	31 26·93
99 TOTAL	2·17	3·81	2·90	1·00 ~~1·05~~	3·15	2·03	1·59	2·10	1·38	3·72	1·26	1·82	YEAR'S TOTAL ~~26·98~~
*Days with ·01 in. or more.	20	20	14	11	13	14	13	13	12	23	12	14	179
*Days with .04 in. or more.	14	13	12	9	11	11	9	8	7	17	6	7	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Mary Pope.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A·** for the entry of Daily Observations. Station No. 1785

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Coplestone House

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 315 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
34	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	—	—	—	—	—	—	·21	·01	·02	·24	·29		1
2	·16	—	·06	—	—	—	—	·06	·52	·01	·35	·19		2
3	·01	·01	—	·01	·19	—	—	·81	—	·11	—	·32		3
4	·17	—	·09	·15	·49	—	—	·06	—	·38	—	·31		4
5	—	—	·12	·02	·29	·32	—	1·06	—	·24	16	·73		5
6	—	—	·32	·16	·36	—	—	·01	·01	·37	·04	·41		6
7	·12	—	—	—	—	—	—	·13	—	·09	·08	·33		7
8	—	—	—	—	·09	—	—	·01	·02	—	·13	·87		8
9	—	—	·29	·07	—	—	—	—	—	·04	·48	·11		9
10	·24	—	·20	·33	—	—	—	·14	—	·01	·08	·02		10
11	·40	—	·06	·56	—	—	—	·07	—	—	—	52		11
12	·20	—	—	—	—	—	·06	·44	—	—	—	·10		12
13	·30	—	—	·37	—	·01	—	—	—	·03	·04	·24		13
14	·55	—	·43	—	—	—	—	—	—	·13	·14	·15		14
15	·08	—	·17	—	·15	—	·02	—	—	·22	·09	·72		15
16	·01	—	·17	—	·02	—	—	—	·31	·02	—	·42		16
17	·29	—	·08	·15	·06	—	—	—	·01	·09	—	·14		17
18	·12	—	·22	·54	—	—	—	—	·02	—	—	·20		18
19	·03	—	·16	·03	·02	·07	—	—	·08	·01	—	·13		19
20	—	—	·05	·08	—	—	·09	—	·03	—	·01	·06		20
21	—	—	·23	—	·01	·25	—	·05	—	·09	·03	·30		21
22	·06	—	·04	·05	—	·01	·49	·01	·36	—	—	·73		22
23	·06	—	·01	·28	—	1·30	—	—	·20	—	—	·09		23
24	—	·07	·05	·02	—	·23	·07	—	·02	·05	—	·09		24
25	·27	·08	—	·19	—	·03	—	—	—	·22	—	·56		25
26	·01	—	·09	·04	—	·16	·07	—	·07	·03	·05	·10		26
27	—	—	—	·02	—	·11	—	·05	·01	·09	·06	·22		27
28	—	—	—	·02	—	—	·07	·29	·38	·03	·03	·62		28
29	—	×	—	—	—	—	—	·33	·04	·11	·01	·06		29
30	·02	×	—	—	—	—	—	·06	·04	·15	—	·10		30
31	—	×	—	×	·15	×	·12	·10	×	·13	×	·08		31
99 TOTAL	3·18	·16	2·84	3·09	1·83	2·49	·99	3·89	2·13	2·67	2·02	9·21	Year's Total 34·50	
*Days with ·01 in. or more.	20	3	19	19	11	10	8	18	17	24	17	31	197	
*Days with .04 in. or more.	15	2	18	13	8	7	7	15	~~8~~9	6	13	30	153	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Mary Pope

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1785.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at Coplestone House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 315 ft.

Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	—	—	—	—	—	—	·21	·01	·02	·24	·29		1
2	·16	—	·06	—	—	—	—	·06	·52	·01	·35	·19		2
3	·01	·01	—	·01	·19	—	—	·81	—	·11	—	·32		3
4	·17	—	·09	·15	·49	—	—	·06	—	·38	—	·31		4
5	—	—	·12	·02	·29	·32	—	1·06	—	·24	·16	·73		5
6	—	—	·32	·16	·36	—	—	·01	·01	·37	·04	·41		6
7	·12	—	—	—	—	—	—	·13	—	·09	·08	·33		7
8	—	—	—	—	·09	—	—	·01	·02	—	·13	·87		8
9	—	—	·29	·07	—	—	—	—	—	·04	·48	·11		9
10	·24	—	·20	·33	—	—	—	·14	—	·01	·08	·02		10
11	·40	—	·06	·56	—	—	—	·07	—	—	—	·52		11
12	·20	—	—	—	—	—	·06	·44	—	—	—	·10		12
13	·30	—	—	·37	—	·01	—	—	—	·03	·04	·24		13
14	·55	—	·43	—	—	—	—	—	—	·13	·14	·15		14
15	·08	—	·17	—	·15	—	·02	—	—	·22	·09	·72		15
16	·01	—	·17	—	·02	—	—	—	·31	·02	—	·42		16
17	·29	—	·08	·15	·06	—	—	—	·01	·09	—	·14		17
18	·12	—	·22	·54	—	—	—	—	·02	—	—	·20		18
19	·03	—	·16	·03	·02	·07	—	—	·08	·01	—	·13		19
20	—	—	·05	·08	—	—	·09	—	·03	—	·01	·06		20
21	—	—	·23	—	·01	·25	—	·05	—	·09	·03	·30		21
22	·06	—	·04	·05	—	·01	·49	·01	·36	—	—	·73		22
23	·06	—	·01	·28	—	1·30	—	—	·20	—	—	·09		23
24	—	·07	·05	·02	—	·23	·07	—	·02	·05	—	·09		24
25	·27	·08	—	·19	—	·03	—	—	—	·22	—	·56		25
26	·01	—	·09	·04	—	·16	·07	—	·07	·03	·05	·10		26
27	—	—	—	·02	—	·11	—	·05	·01	·09	·06	·22		27
28	—	—	—	·02	—	—	·07	·29	·38	·03	·03	·62		28
29	—		—	—	—	—	—	·33	·04	·11	·01	·06		29
30	·02	×	—	—	—	—	—	·06	·04	·15	—	·10		30
31	—	×	—	×	·15	×	·12	·10	×	·13	×	·08		31
TOTAL	3·18	·16	2·84	3·09	1·83	2·49	·99	3·89	2·13	2·67	2·02	9·21	Year's Total 34·50	
*Days with ·01 in. or more.	20	3	19	19	11	10	8	18	17	24	17	31	197	
*Days with ·04 in. or more.	15	2	18	13	8	7	7	15	9	16	13	30	153	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Mary Pope

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1785

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Coplestone House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 315 approx

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
35	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·12	·61	—	—	·03	·01	—	·19	·12	·03	·29		1
2	—	·05	·09	—	—	·20	—	—	·03	·26	·12	·21		2
3	·04	·01	·19	·02	·15	·10	—	—	·49	·31	·18	·08		3
4	·04	·47	—	·14	·02	·09	—	—	·06	·20	·12	·22		4
5	·03	·49	·09	·07	—	·17	—	—	·18	1·25	·05	·06		5
6	—	—	—	·20	—	·41	—	—	—	·08	·01	·33		6
7	—	—	—	·25	—	·04	—	—	—	·23	·01	·11		7
8	—	—	—	·26	—	—	—	—	—	·29	·12	·10		8
9	—	—	—	·51	—	·04	—	—	·06	·68	·48	·01		9
10	·02	—	·22	·47	—	·07	—	—	·01	·01	·01	·02		10
11	·23	—	·02	—	—	·15	—	—	·10	·06	·49	·02		11
12	·10	·12	—	—	—	·15	—	·02	—	—	·05	—		12
13	·10	·08	—	·31	—	—	—	—	—	·01	·32	—		13
14	·01	·04	—	·10	—	·10	—	—	·43	·01	1·08	·34		14
15	—	·08	—	·45	·11	·45	—	—	·08	—	·20	·30		15
16	—	·11	·07	·13	—	·01	·06	—	·88	·02	·73	—		16
17	—	·03	—	·02	·86	·34	·05	·09	·13	—	·01	—		17
18	—	—	—	·42	·05	—	·22	·64	·39	·07	·02	·15		18
19	—	—	—	·07	·20	·14	·06	—	·07	·32	·31	—		19
20	—	·32	—	·54	·15	—	·02	—	—	—	·20	—		20
21	—	·44	—	·10	—	—	·03	—	·03	·10	—	—		21
22	—	·05	·26	·28	—	—	—	—	·13	·03	—	—		22
23	—	·02	·15	·32	·15	—	—	·41	·09	·36	—	·30		23
24	·07	·29	·02	·01	·08	—	—	·30	·04	·16	—	·20		24
25	·35	·29	—	·05	·01	·07	—	—	—	—	—	·22		25
26	—	·64	—	—	—	·01	—	·15	·16	·05	·02	·46		26
27	—	·10	—	—	—	—	·10	·07	·08	·15	·07	·53		27
28	—	·12	—	—	—	—	·09	·25	·17	·08	·05	·01		28
29	—	×	—	—	—	·02	—	—	·16	·02	·28	·37		29
30	·03	×	—	—	·04	·15	—	·76	·12	·04	·72	·44		30
31	—	×	—	×	·02	×	—	·01	×	·51	×	·29		31
99 TOTAL	1·10	3·87	1·72	4·72	1·84	2·74	·64	2·70	4·08	5·42	5·68	5·05	Year's Total 39·5	6
* Days with .01 in. or more.	12	20	10	21	12	20	9	10	23	26	25	23	→ 232	11
* Days with .04 in. or more.	8	17	8	18	9	16	6	8	20	20	18	19	167	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary Pope

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1785.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Coplestone House Copplestone

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 315. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·17	·13	·05	—	·02	1·07	·01	—	—	·08	·04		1
2	—	·03	—	·06	—	·26	·12	·03	·15	—	·09	·01		2
3	·01	·01	·14	·82	—	·02	·14	—	·22	—	·09	·04		3
4	·02	—	·12	·01	—	·04	·01	—	·65	—	·08	·23		4
5	·63	·10	·09	—	—	—	·67	·03	·02	—	·02	·25		5
6	·09	—	·02	—	—	·02	·48	·02	·04	—	·21	—		6
7	·10	—	·09	—	—	—	·08	—	·09	—	·56	·05		7
8	·25	—	·27	—	—	—	·56	—	—	—	1·08	·12		8
9	·48	·89	·14	—	—	—	·22	—	·13	—	·32	—		9
10	·04	·39	—	—	—	—	·01	—	—	—	·36	—		10
11	·38	—	—	—	—	·15	·06	·08	·10	—	·63	·11		11
12	·02	—	—	·05	·01	—	·36	—	·30	·03	·06	—		12
13	·13	·02	·03	·13	—	—	·22	—	·02	·12	·06	·70		13
14	—	·03	—	—	—	·01	·85	—	·14	·10	·01	·34		14
15	—	—	—	—	·06	—	·03	—	·15	—	·18	·10		15
16	—	·09	—	·04	·26	—	·07	—	·01	—	·14	·11		16
17	·36	·81	—	—	·02	—	·17	—	—	·09	·05	·26		17
18	·08	·18	·04	—	—	·30	·32	—	—	·10	—	·02		18
19	·63	·01	·14	·10	—	·07	·02	·02	—	·03	—	—		19
20	·03	·49	·31	·03	—	—	·03	·02	·30	—	—	—		20
21	·03	·06	·17	1·10	—	·03	—	—	—	—	—	—		21
22	·20	·36	·15	—	—	—	·04	—	—	—	—	·02		22
23	·02	·09	·09	·17	·02	—	—	—	—	·02	—	—		23
24	·16	·01	·15	·01	·19	—	·05	—	·05	·25	—	·01		24
25	·42	—	·42	·16	—	·01	·15	—	·04	·36	—	—		25
26	·27	·10	·17	·03	—	—	—	—	·04	·14	—	—		26
27	·15	·01	·08	—	—	—	·15	—	·03	·32	—	—		27
28	·74	—	·39	·01	—	·02	·05	—	—	—	—	·12		28
29	·03	·04	·01	—	—	·05	·07	—	—	·08	·07	·18		29
30	·19	×	—	—	—	·16	·05	—	—	·09	—	—		30
31	·23	×	·37	×	—	×	·10	—	×	—	×	·17	35·04	31
TOTAL 29	5·70	3·89	3·52	2·77	·56 ~~·57~~	1·16	6·05	·21	2·48	1·73	4·09	2·88	Year's Total. ~~35·05~~	
* Days with .01 in. or more.	27	20	22	15	7	14	28	7	18	13	18	19	208	
* Days with .04 in. or more.	19	13	19	10	3	7	23	1	14	10	16	15	150	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Mary Pope.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1785.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Coplestone House Copplestone

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 315 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
37	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·01	·06	·30	—	—	·01	—	·04	·12	—	·41		1
2	·10	·17	—	·13	—	—	—	—	·09	·20	·01	·01		2
3	—	·25	·02	·07	·43	—	—	—	·01	—	—	·01		3
4	·16	·19	—	·28	·11	—	·02	·01	—	—	—	·64		4
5	·41	—	—	·02	—	—	·57	—	—	—	—	·39		5
6	·18	·40	·38	·15	·03	—	·07	—	—	·02	—	—		6
7	—	·62	·04	·25	—	·02	—	—	·04	·01	·03	·02		7
8	—	·04	·01	—	·53	·04	·09	—	·03	—	·07	—		8
9	—	·02	·09	·09	·03	—	·03	·06	·68	—	—	—		9
10	·05	·04	·75	1·03	·01	·07	·03	·07	·02	—	—	·19		10
11	·04	—	·22	·19	·37	·10	·74	1·14	—	—	—	·16		11
12	·23	·40	·10	·01	·05	·36	·09	·18	·19	—	·01	·30		12
13	—	·12	·62	·14	·01	·23	—	·18	·03	—	—	·06		13
14	—	·02	·05	—	—	—	·23	·03	·06	·01	—	·24		14
15	·56	·05	·24	·58	—	—	·03	·01	·20	—	—	·18		15
16	·32	·14	·61	·08	—	—	·03	·18	·40	—	·19	—		16
17	·83	·10	·57	—	—	—	—	·01	·18	—	·12	—		17
18	·04	·19	·19	—	—	·22	—	—	·11	—	·19	·18		18
19	·11	·04	·09	·08	·14	—	·01	—	·15	—	·30	·08		19
20	·47	·05	·02	·19	·05	—	—	—	·02	—	·01	·20		20
21	·48	·77	·01	·03	·45	—	·01	—	·15	·13	·06	·01		21
22	·12	·01	·06	—	·20	·09	·08	—	·05	·52	·57	·01		22
23	·42	·23	—	—	·02	—	—	—	—	·29	·30	·01		23
24	·34	·77	·05	—	—	—	—	—	—	·70	·01	·01		24
25	·06	·79	·43	·01	·05	—	—	—	·01	·23	—	·01		25
26	·01	·25	·03	—	—	—	—	—	—	—	—	·01		26
27	—	·47	—	—	—	—	—	—	—	·89	—	—		27
28	·25	·19	—	—	—	·01	—	—	—	·06	—	·01		28
29	·09	×	—	—	—	—	—	—	—	·33	·14	—		29
30	·25	×	—	—	—	·01	—	—	·15	·05	·21	—		30
31	·54	×	—	×	—	×	—	—	×	·47	×	—		31
99 TOTAL	6·23	6·33	4·64	3·63	2·48	1·15	2·04	1·87	2·61	4·03	2·22	3·14	Year's Total 40·37	
* Days with .01 in. or more.	24	26	22	18	15	10	15	10	20	15	15	22	212	
* Days with .04 in. or more.	23	22	17	14	10	7	7	6	14	12	10	12	154	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary Pope [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1785.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Coplestone House

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 315 ft. approx

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
38	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·22	—	—	—	·61	·23	·34	—	·21	·10	·16		1
2	—	·07	—	·07	·03	·02	—	—	—	·31	·01	·15		2
3	—	—	—	—	·19	·04	·08	1·02	—	·44	·01	—		3
4	—	—	—	—	·10	·02	·37	·70	—	·25	—	·06		4
5	·01	—	—	—	—	·01	·06	·01	—	·59	·01	·19		5
6	·15	—	—	—	—	·05	1·00	—	·16	·03	—	·04		6
7	·09	—	—	—	—	—	·24	·03	·08	·09	—	·14		7
8	·79	·07	—	—	—	—	·20	·03	—	·23	—	·03		8
9	·31	·10	—	—	—	·01	—	1·10	—	·04	—	·59		9
10	·05	·01	—	—	—	·08	·09	·01	—	·06	—	·25		10
11	·09	·01	—	—	—	·02	·04	·70	—	·04	·40	·75		11
12	·29	·01	—	—	·03	·01	—	·01	—	·30	·57	·03		12
13	·06	—	—	—	·09	—	—	—	—	·05	·06	1·06		13
14	·53	—	—	—	·09	—	·28	—	·06	—	—	·01		14
15	·08	—	—	—	·09	—	—	·04	—	·15	·19	·27		15
16	·20	·02	—	—	—	—	—	·05	—	—	·33	—		16
17	·01	·11	—	—	·24	—	—	—	—	·14	·02	·01		17
18	·21	—	—	—	·15	·09	—	·04	·29	·03	·35	—		18
19	—	—	—	—	—	—	·02	·01	·10	—	·32	—		19
20	—	—	—	—	—	—	—	—	·02	—	·19	—		20
21	·06	—	—	·01	—	—	—	·04	·13	—	·25	·16		21
22	·01	—	—	·10	—	·06	—	·77	—	·01	·27	·04		22
23	—	—	—	·19	—	·01	—	·02	—	—	·26	·01		23
24	—	—	·06	—	·13	—	—	—	·04	—	·43	—		24
25	·19	·19	·04	—	·10	—	·14	—	·09	·06	1·25	~~·05~~		25
26	·39	·14	·04	—	·34	·04	·02	—	—	·30	·05	·09		26
27	·25	·10	—	—	·33	·10	·24	·39	—	·10	·22	—		27
28	·21	·16	·03	—	·18	·07	—	·38	·02	—	·09	·04		28
29	·18	×	—	—	·24	·02	—	—	·18	·20	·09	·05		29
30	·05	×	·02	—	·03	·08	—	—	·11	—	·24	·05		30
31	·49	×	·01	×	·17	×	—		×	·17	×	·25		31
99 TOTAL	4·70	1·21	·20	·37	2·53	1·34	3·01	5·69	1·28	3·80	5·71	4·48	Year's Total 34·32	
* Days with .01 in. or more.	23	13	6	4	17	18	14	19	12	22	23	24	195	
* Days with .04 in. or more.	20	9	3	3	14	10	12	12	10	19	19	19	150	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary Pope

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1785.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

File No 891432/39

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at COPLESTONE HOUSE COPPLESTONE

in the County of DEVON.

Diameter of Funnel of Gauge 5 in. Snowden

Height of top of Gauge above Ground — ft. 11 in. [illegible]

„ Ground „ Sea Level 315 ft. approx

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
39	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·22	—	·05	·05	·02	—	·08	·01	—	—	1·14	·02		1
2	·23	—	—	·05	—	—	—	·26	·18	—	·10	·20		2
3	·12	—	·01	·32	—	—	—	·03	·42	—	·63	·58		3
4	·01	—	·22	·75	·17	—	·20	·10	·01	·57	·20	·38		4
5	·01	—	·01	·26	·01	—	·34	—	—	·22	·63	·04		5
6	·58	—	·07	·11	—	—	·26	·05	—	·03	·12	—		6
7	·05	·02	·02	—	—	1·40	·03	·07	—	—	·15	·34		7
8	—	·20	·05	—	·07	—	·10	·02	—	·86	·38	·13		8
9	·02	·02	·05	—	—	—	—	·07	—	·08	·06	·07		9
10	·20	·01	·01	—	—	·03	—	·10	·18	·08	·02	·37		10
11	·03	·01	·11	—	—	—	·01	—	—	·20	·04	·01		11
12	·12	·12	—	·01	—	·03	—	—	·08	·06	·02	—		12
13	·01	·02	—	·16	·01	·04	·22	—	·03	·54	·03	—		13
14	·58	—	·01	·04	·04	·06	·49	—	·03	·05	·18	·03		14
15	·59	—	—	·09	·06	·41	·82	—	—	·03	·25	·02		15
16	·16	·01	·01	—	·03	—	·98	—	—	—	·35	—		16
17	·91	·01	—	—	—	·05	·30	—	—	—	·10	—		17
18	·02	·06	·04	—	—	·08	·84	—	—	—	1·04	·06		18
19	·22	—	—	—	—	·34	·03	·02	—	—	·01	·05		19
20	·47	—	—	—	·01	·43	·22	·46	—	—	—	·01		20
21	·04	·19	·14	·02	·04	·14	·03	—	—	—	—	—		21
22	·75	·31	·25	·06	—	·30	·20	—	—	—	·09	—		22
23	·01	·01	·08	·25	—	—	·43	—	—	·04	·68	—		23
24	1·09	—	·48	·12	—	·59	·14	—	—	·10	·01	—		24
25	·64	·20	—	·01	—	·01	·06	·21	—	·20	·49	—		25
26	·03	·11	—	·30	—	—	·02	·11	—	·09	·58	—		26
27	—	·19	·01	·01	—	·03	·02	·28	—	·01	·20	—		27
28	—	·04	—	·14	—	·03	—	—	—	—	·36	·09		28
29	·01	×	—	—	—	·01	·03	—	—	·18	·12	—		29
30	—	×	·05	·33	—	·04	·09	·02	—	·46	·05	—		30
31	—	×	—	×	—	×	·01	·07	×	·49	×	—		31
99 TOTAL	7·12	1·53	1·67	3·08	·46	4·02	5·95	1·88	·93	4·29	8·03	2·40	Year's Total 41·36	✓
* Days with .01 in. or more.	26	17	19	19	10	18	25	16	7	19	28	16	220	✓
* Days with .04 in. or more.	17	9	12	15	5	12	17	11	4	16	23	11	15[illegible]	✓

† Spare column, no entries required.

(*Signed*) Mary Pope

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1785

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at COPLESTONE HOUSE COPPLESTONE.

in the County of DEVON.

Diameter of Funnel of Gauge 5. in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 315 ft. approx.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
40	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·06	—	·08	·03	—	—	—	—	—	·24	—		1
2	—	·18	—	·05	—	—	·03	—	—	—	1·18	·02		2
3	·03	·58	—	·09	—	—	·01	—	—	·03	1·12	·11		3
4	·02	·23	—	·12	—	—	·20	—	—	·08	·05	·07		4
5	·02	·02	—	—	—	—	·04	—	—	·14	·43	·14		5
6	·11	·20	—	—	—	—	·01	—	—	·18	·14	·39		6
7	·07	·01	—	·01	—	—	·09	—	·03	·01	·01	·13		7
8	·01	·01	—	—	—	—	·01	—	·01	·17	·17	·33		8
9	—	—	—	—	—	—	·26	·08	·04	·10	·76	·34		9
10	—	—	—	—	—	—	·12	·04	·18	·10	·18	·52		10
11	—	·02	—	·03	—	·02	·53	—	—	—	·81	·02		11
12	—	—	·13	·01	—	·10	1·08	—	·76	—	·21	·01		12
13	—	·01	·35	·01	—	—	·01	—	·02	·38	·88	·16		13
14	—	·06	·05	·09	·05	—	·04	·03	·37	·53	·18	·37		14
15	·01	·01	—	·28	—	—	·08	—	·17	—	·42	·02		15
16	·12	·97	·61	·05	—	—	·06	—	·03	·09	·04	·06		16
17	—	·27	·35	—	—	—	·41	—	·03	—	·01	·01		17
18	·34	·65	·19	·56	—	—	·06	·05	·06	·13	·04	·15		18
19	—	·08	·09	·22	—	—	·37	—	·25	·01	·12	—		19
20	—	—	—	·03	—	—	·16	·08	·04	·16	·06	·01		20
21	—	·01	—	—	·15	·18	·01	·01	—	·01	·29	—		21
22	—	—	·14	·08	·02	·33	—	—	·16	·07	—	—		22
23	—	·05	·12	·01	·21	—	·01	—	·01	·55	—	—		23
24	—	—	·03	—	·01	—	·24	—	—	·01	—	·01		24
25	·19	—	·11	·05	·26	·13	—	—	—	—	—	—		25
26	·54	·11	—	·11	·15	·03	·13	—	—	—	·03	—		26
27	·60	·04	·12	·07	·45	·02	·02	—	—	—	—	—		27
28	·40	·13	·03	·17	·01	—	—	·03	—	—	—	—		28
29	·27	·04	·05	1·39	—	·04	—	—	—	·04	—	·09		29
30	·06	×	—	·08	—	—	—	—	—	·20	—	·24		30
31	·08	×	·01	×	—	×	—	—	×	·41	×	·40		31
99 TOTAL	2·87	3·68	2·38	3·59	1·34	·85	3·98	·32	2·15	3·41	7·36	3·60	Year's Total 3553	
* Days with .01 in. or more.	16	22	15	22	10	8	24	7	15	21	22	22	204	
* Days with .04 in. or more.	11	15	12	16	6	5	16	4	9	16	19	16	144	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Mary Pope.

P.T.O.

1786

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIST

31.

Kept at Bradn
in the County of Devon

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

1786
BRADNINCH
1931 — 40

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·03	–	·18	–	·04	·07	–	·30	·02	–	–	1
2	·23	·03	–	·69	–	–	–	–	·28	·01	·16	·10	2
3	·05	–	1·03	–	–	–	·02	·01	·21	·01	·93	·11	3
4	–	–	·15	·03	–	·04	·24	·46	·22	·03	·02	·01	4
5	–	·37	·14	·19	·08	·55	·01	·02	–	–	–	·12	5
6	–	·08	–	·01	·05	·20	·15	–	–	·15	·15	·66	6
7	–	·03	–	–	·36	·31	·26	·37	–	·03	·68	·10	7
8	–	·19	–	·33	–	·41	·01	·03	–	·02	·48	·09	8
9	–	·10	–	–	–	·01	·03	–	–	–	·10	·01	9
10	–	·08	–	–	·17	·03	·06	·03	·04	–	·26	–	10
11	·28	·61	–	–	·02	·25	·05	·01	·02	–	·17	–	11
12	·04	·20	–	–	·06	–	·19	–	·05	·12	–	·02	12
13	–	·07	–	–	·06	–	·36	·06	–	–	·56	–	13
14	·05	·06	–	–	·10	·20	·52	·15	·03	–	–	–	14
15	·01	·16	–	·04	·12	–	–	·37	·01	–	–	·02	15
16	·03	·15	–	·12	·15	·53	–	·17	·09	–	–	–	16
17	–	·05	–	·08	–	–	–	–	·02	–	–	–	17
18	·05	–	–	·10	–	·03	·49	·87	–	–	·20	–	18
19	·09	·08	·06	·09	–	·01	·04	·09	·03	–	·44	–	19
20	–	·13	·24	–	–	–	·02	·63	–	–	·12	–	20
21	·22	·05	·03	–	·11	–	–	–	–	–	·01	–	21
22	·17	·03	–	·03	·11	–	–	·01	–	–	·04	–	22
23	·27	–	–	·34	·63	–	·02	–	–	–	·18	·03	23
24	·14	–	–	·54	·09	–	·64	·29	–	–	–	–	24
25	·23	·06	–	·58	·02	–	·16	–	–	–	·18	–	25
26	–	·12	–	·20	–	–	·22	–	–	–	·65	–	26
27	·14	·28	–	–	·75	–	·10	–	–	·05	·21	·05	27
28	·15	·18	·09	·02	·13	–	–	·02	–	–	–	·01	28
29	·07	×	·11	–	·04	–	·10	·17	–	·08	·05	·25	29
30	·06	×	–	·01	·03	–	·01	–	·10	–	–	·06	30
31	·67	×	·01	×	·08	×	·01	–	×	·02	×	·43	31
TOTAL	2·95	3·14	1·86	3·58	3·10	2·61	3·78	3·76	1·40	·54	5·59	2·06	YEAR'S TOTAL 34·37
*Days with ·01 in. or more.	19 ~~2~~	23 ~~4~~	9 ~~2~~	18 ~~5~~	~~3~~ 19	~~4~~ 13	~~8~~ 24	~~7~~ 18	~~5~~ 13	~~7~~ 11	~~2~~ 20	~~6~~ 16	203 ~~55~~
*Days with ·04 in. or more.	17	19	7	13	16	9	16	11	8	4	18	10	148

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. R. Hepburn

P.T.O.

Section **A** for the entry of

1786

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bradninch
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level 300 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·03	–	·18	–	·04	·07	–	·30	·02	–	–	1
2	·23	·03	–	·69	–	–	–	–	·28	·01	·16	·10	2
3	·05	–	1·03	–	–	–	·02	·01	·21	·01	·93	·11	3
4	–	–	·15	·03	–	·04	·24	·46	·22	·03	·02	·01	4
5	–	·37	·14	·19	·08	·55	·01	·02	–	–	–	·12	5
6	–	·08	–	·01	·05	·20	·15	–	–	·15	·15	·66	6
7	–	·03	–	–	·36	·31	·26	·37	–	·03	·68	·10	7
8	–	·19	–	·33	–	·41	·01	·03	–	·02	·48	·09	8
9	–	·10	–	–	–	·01	·03	–	–	–	·10	·01	9
10	–	·08	–	–	·17	·03	·06	·03	·04	–	·26	–	10
11	·28	·61	–	–	·02	·25	·05	·01	·02	–	·17	–	11
12	·04	·20	–	–	·06	–	·19	–	·05	·12	–	·02	12
13	–	·07	–	–	·06	–	·36	·06	–	–	·56	–	13
14	·05	·06	–	–	·10	·20	·52	·15	·03	–	–	–	14
15	·01	·16	–	·04	·12	–	–	·37	·01	–	–	·02	15
16	·03	·15	–	·12	·15	·53	–	·17	·09	–	–	–	16
17	–	·05	–	·08	–	–	–	–	·02	–	–	–	17
18	·05	–	–	·10	–	·03	·49	·87	–	–	·20	–	18
19	·09	·08	·06	·09	–	·01	·04	·09	·03	–	·44	–	19
20	–	·13	·24	–	–	–	·02	·63	–	–	·12	–	20
21	·22	·05	·03	–	·11	–	–	–	–	–	·01	–	21
22	·17	·03	–	·03	·11	–	–	·01	–	–	·04	–	22
23	·27	–	–	·34	·63	–	·02	–	–	–	·18	·03	23
24	·14	–	–	·54	·09	–	·64	·29	–	–	–	–	24
25	·23	·06	–	·58	·02	–	·16	–	–	–	·18	–	25
26	–	·12	–	·20	–	–	·22	–	–	–	·65	–	26
27	·14	·28	–	–	·75	–	·10	–	–	·05	·21	·05	27
28	·15	·18	·09	·02	·13	–	–	·02	–	–	–	·01	28
29	·07	×	·11	–	·04	–	·10	·17	–	·08	·05	·25	29
30	·06	×	–	·01	·03	–	·01	–	·10	–	–	·06	30
31	·67	×	·01	×	·08	×	·01	–	×	·02	×	·43	31
TOTAL	2·95	3·14	1·86	3·58	3·10	2·61	3·78	3·76	1·40	·54	5·59	2·06	YEAR'S TOTAL 34·37
*Days with ·01 in. or more.	19 ~~2~~	23 ~~4~~	9 ~~2~~	18 ~~5~~	~~3~~ 19	~~4~~ 13	~~8~~ 24	~~7~~ 18	~~5~~ 13	~~7~~ 11	~~2~~ 20	~~6~~ 16	203 ~~55~~
*Days with ·04 in. or more.	17	19	7	13	16	9	16	11	8	4	18	10	148

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. R. Hepburn

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bradninch

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 300 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	–	–	·11	·15	·22	·15	·07	·07	–	·05	–	1
2	·06	–	–	·09	·03	–	–	·03	·85	·01	·08	·35	2
3	–	–	–	–	–	·35	·05	–	–	–	–	·06	3
4	·02	–	–	–	–	·01	·04	·13	–	–	·16	–	4
5	·20	–	·04	–	·01	–	–	–	·25	–	–	·05	5
6	·28	–	·02	·24	–	–	·03	·01	·43	–	–	–	6
7	·07	–	·05	·18	·01	–	·08	–	·65	1·74	–	·02	7
8	–	–	·75	·02	·25	–	–	–	–	·17	–	–	8
9	1·04	·02	–	·24	–	–	–	–	·11	·02	–	–	9
10	·26	–	–	·19	·08	·05	–	–	–	·37	–	–	10
11	·04	–	–	·05	–	–	–	–	–	·86	–	·07	11
12	·25	–	–	–	·37	–	–	–	·14	·35	·02	·02	12
13	·08	–	–	·14	–	–	–	·56	–	·79	–	·07	13
14	·23	–	–	·12	·22	–	·43	–	–	·09	·07	·05	14
15	·02	–	–	·17	·11	–	–	–	–	·06	–	·02	15
16	·20	–	–	·08	–	–	·71	–	·01	·02	–	·01	16
17	–	–	–	–	·02	–	–	–	–	·07	–	–	17
18	·05	–	–	–	·21	–	–	–	·88	–	·85	–	18
19	–	–	–	·02	·24	–	–	–	·02	·56	·61	–	19
20	·03	–	·02	·01	1·12	–	·01	·03	·06	·59	·21	·16	20
21	–	–	·12	·08	–	–	·02	·15	·04	·39	·13	·28	21
22	·02	–	–	·03	·09	–	–	·17	·55	·21	·31	·03	22
23	–	·03	–	–	–	–	·25	–	–	·64	·05	·19	23
24	–	–	–	–	–	–	·64	–	·07	·08	·06	–	24
25	–	–	·43	–	·05	–	·04	–	·05	·36	·09	·03	25
26	–	–	·12	·16	–	–	·21	–	–	·15	·08	·02	26
27	–	–	·28	·43	·15	–	·14	–	–	·13	–	·12	27
28	–	–	·08	·10	·18	–	·04	–	–	–	·08	–	28
29	–	–	·54	·14	·28	·25	–	·72	·56	·49	–	·52	29
30	·01	×	·05	·05	·02	1·04	·40	·04	·83	·09	·92	–	30
31	–	×	–	×	·04	×	·27	–	×	·05	×	·71	31
TOTAL	2·97	·05	2,50	2·65	3·63	1·92	3·51	1·91	5·57	7·79	2·62	2·88	YEAR'S TOTAL 38·00
*Days with ·01 in. or more.	~~3~~ 18	2	~~2~~ 12	~~4~~ 21	~~5~~ 20	~~x~~ 6	~~3~~ 17	~~2~~ 10	2 17	~~3~~ 24	~~3~~ 16	~~7~~ 19	~~40~~ 182
*Days with .04 in. or more.	13	– 0	10	17	15	5	14	7	15	21	13	12	142

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. R. Hepburn

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dunmore, Bradninch
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ...... in.
,, Ground ,, Sea Level 300 ft.

Days J.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·46	·37	·19	–	·13	·02	–	–	·02	–	·12	1·06		1
2	·25	–	·35	–	·63	·44	–	–	–	–	·03	·05		2
3	·02	·10	·16	–	–	–	–	–	–	–	–	–		3
4	·16	·01	–	–	·11	–	–	–	–	–	–	–		4
5	·06	–	·39	–	·14	–	–	–	–	–	–	–		5
6	–	·49	·13	–	·12	–	·07	–	–	·10	–	–		6
7	·03	·25	–	–	·09	–	·03	–	–	·12	–	–		7
8	·05	·07	·03	–	·68	–	·07	·02	–	·02	–	–		8
9	–	·03	–	–	·25	–	·67	·01	–	·12	–	–		9
10	·11	–	–	–	·02	–	·12	·10	–	·74	·02	–		10
11	–	–	–	–	–	·04	·06	·69	–	·08	–	–		11
12	–	–	–	·17	·07	·07	·28	·15	–	·37	–	–		12
13	–	–	–	–	·10	·10	·18	·05	·67	·18	·06	–		13
14	·03	–	–	–	–	–	·27	–	–	–	·16	–		14
15	·37	–	·34	–	–	–	·41	–	–	·09	·01	·03		15
16	–	·13	·70	–	–	·01	–	–	–	·10	–	–		16
17	·03	·10	·18	–	–	·08	–	·02	·01	–	–	–		17
18	–	–	·50	–	–	·07	–	–	·05	–	·01	–		18
19	–	–	·19	–	–	–	–	–	·09	–	·39	–		19
20	–	·06	–	–	–	·25	–	·05	·04	–	–	–		20
21	–	–	–	–	–	·45	–	·12	–	·09	·01	·02		21
22	–	–	–	·16	–	·17	–	·33	·28	·01	·01	–		22
23	–	1·27	–	·31	–	·20	–	–	·07	·32	–	–		23
24	–	·31	–	·19	–	–	–	–	·20	–	–	–		24
25	–	·81	–	·29	–	·22	–	–	·05	–	–	·14		25
26	–	·31	–	·03	·38	–	–	–	·02	·27	–	–		26
27	–	·02	–	–	–	–	–	–	·03	·14	–	·49		27
28	–	·13	–	·23	·47	–	·25	–	–	·24	–	·01		28
29	·20	×	–	·15	–	–	·03	–	–	–	–	·04		29
30	[illegible]	×	·09	·20	–	–	·02	–	·25	–	–	·08		30
31	·08	×	·13	×	·01	×	–	–	×	·04	×	·02		31
TOTAL	1·85	4·46	3·38	1·73	3·20	2·12	2·46	1·54	1·78	3·08	·82	1·94	Year's Total 28·21	
*Days with ·01 in. or more.	4 13	3 16	1 13	X 9	2 11	2 13	3 13	3 10	4 13	2 17	6 10	~~4~~ 10	35	151
*Days with ·04 in. or more.	9 ✓	13 ✓	12 ✓	8 ✓	12 ✓	17 ✓	10 ✓	7 ✓	9 ✓	15 ✓	4 ✓	6 ✓	116 ✓	

40-9999
*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) H. R. Hepburn

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bradninch

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	–	–	–	–	–	–	·51	–	–	·38	·81		1
2	·13	–	·05	–	–	–	–	·04	·84	·01	·13	·27		2
3	·03	·01	–	–	–	–	–	·15	–	·21	–	·45		3
4	·12	–	·25	·02	·32	–	–	–	·16	·36	–	·38		4
5	·02	–	·38	·01	·24	·11	–	1·06	–	·25	–	·61		5
6	·01	–	·03	·12	·57	–	–	–	–	·22	·16	·35		6
7	·05	–	–	–	–	·02	–	·12	–	·12	·08	·60		7
8	–	–	–	–	·15	–	–	–	–	–	·35	·50		8
9	·02	–	·25	·13	–	–	–	–	–	·01	·03	·28		9
10	·26	–	·30	·34	–	–	–	·09	–	·04	·04	·02		10
11	·33	–	–	·56	–	–	–	·01	–	–	–	·66		11
12	·08	–	·02	·07	–	–	–	·62	–	–	–	·16		12
13	·38	–	–	·53	–	–	–	–	–	·04	–	·41		13
14	·51	–	·40	·02	–	–	–	–	–	–	·09	·53		14
15	·04	–	·09	–	·13	–	–	–	–	–	·05	·29		15
16	·05	·02	·20	–	·01	–	–	–	·29	–	·02	·27		16
17	·19	–	·06	–	–	–	–	–	·03	·25	–	·21		17
18	·10	–	·24	·76	–	–	–	–	·43	·03	–	·23		18
19	–	–	·17	·07	·03	·03	–	·01	·10	·01	–	·13		19
20	–	–	·09	·14	·01	–	·32	–	·17	–	–	·02		20
21	–	·01	·10	–	–	·33	–	·05	·02	·12	·02	·26		21
22	·04	·01	·04	–	–	–	·62	·11	·45	·02	·01	1·04		22
23	·04	–	·04	·25	–	·63	·15	–	·30	·10	–	·32		23
24	–	·25	·09	·04	–	·15	–	–	·03	–	–	·16		24
25	·24	·13	–	·29	–	·13	–	–	–	·42	–	·62		25
26	·01	–	·04	·11	–	·29	·02	–	·02	·02	·07	·24		26
27	–	–	–	·02	–	·04	–	·01	–	·15	–	·43		27
28	·01	–	–	·05	–	–	·02	·51	·26	·02	·01	·48		28
29	–	–	–	–	–	–	–	·15	–	·10	–	·11		29
30	·03	×	–	–	–	–	·02	–	·14	·11	–	·13		30
31	–	×	–	×	·05	×	·01	·08	×	·01	×	·12		31
TOTAL	2·73	·43	2·84	3·53	1·51	1·73	1·16	3·52	3·24	2·62	1·44	11·09	Year's Total 35·84	
*Days with ·01 in. or more.	23 ~~7~~	6 ~~4~~	19 ~~2~~	18 ~~4~~	9 ~~3~~	9 ~~2~~	7 ~~4~~	15 ~~3~~	14 ~~4~~	22	14 ~~5~~	~~2~~ 31	~~48~~	187
*Days with ·04 in. or more.	16	2	17	14	6	7	3	12	10	14	9	29	139	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H R Hepburn

P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 1786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dunmore, Bradninch

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·02	·60	–	–	·07	·02	–	·13	·07	·11	·32		1
2	–	·11	·04	–	–	·09	–	–	·10	·07	·07	·14		2
3	·01	·06	·13	–	·15	·18	–	–	·37	·43	·55	·01		3
4	·02	·31	–	·14	–	·26	–	–	·07	·02	·04	·28		4
5	–	·23	·03	·04	–	·19	–	–	·20	1·15	·02	·19		5
6	–	–	–	·30	–	·40	–	–	–	·08	·09	·04		6
7	–	–	–	·32	–	–	–	–	–	·33	·04	·08		7
8	–	–	–	·39	–	–	–	–	·07	·16	·12	·06		8
9	–	–	–	·30	–	·14	–	–	–	·45	·21	–		9
10	·01	–	–	·24	–	·08	–	–	–	–	–	·08		10
11	·28	–	·26	–	–	·31	–	–	·09	·03	·58	–		11
12	·08	·21	–	–	–	·23	–	·12	·01	–	·02	–		12
13	–	·01	–	·33	–	·04	–	–	–	·02	·31	–		13
14	–	·24	–	·13	–	·18	–	–	·22	·01	1·10	·28		14
15	·06	·01	–	·58	·12	·20	–	–	·01	–	·26	–		15
16	–	·05	·13	·11	–	·02	–	–	·94	–	·89	·27		16
17	–	–	–	·04	·92	·28	·01	·20	·10	–	·04	·13		17
18	–	–	–	·50	·04	·05	·15	·07	·39	·04	·03	–		18
19	–	·02	–	·12	·19	·02	·26	–	·07	·05	·29	–		19
20	–	·20	–	·14	·52	–	·04	–	·08	·13	·24	–		20
21	–	·60	·03	·13	–	–	·06	–	–	·04	–	–		21
22	–	–	·15	·12	–	–	–	·37	·05	–	–	–		22
23	–	·02	·14	·04	·09	–	–	·30	·11	·36	–	·30		23
24	·09	·51	–	·01	·03	–	–	–	·26	·04	–	·27		24
25	·33	·20	–	·08	·04	·08	–	–	–	–	–	·23		25
26	–	1·61	–	–	·01	·01	–	·15	·17	·02	·06	·58		26
27	·01	·10	–	–	–	–	·03	·04	·06	·12	·04	·59		27
28	–	·16	–	–	–	–	–	·15	·09	·13	·02	·02		28
29	–	×	–	–	–	–	–	–	·07	–	·20	·53		29
30	·06	×	–	–	–	·10	–	·83	·06	·06	·53	·40		30
31	–	×	–	×	–	×	–	·03	×	·52	×	·26		31
TOTAL	·98	4·67	1·51	4·16	2·11	2·93	·57	2·26	3·72	4·33	5·86	4·91	Year's Total. 38·01	
* Days with .01 in. or more.	11 ~~5~~	19 ~~5~~	9 ~~2~~	20 ~~1~~	10 ~~2~~	20 ~~3~~	7 ~~3~~	10 ~~1~~	23 ~~2~~	23 ~~5~~	24 ~~4~~	21 ~~3~~	~~36~~	197
* Days with .04 in. or more.	6	14	7	19	8	17	4	9	21	18	20	18	161	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) H R. Hepburn [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Bradninch
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·14	–	·05	–	·25	1·08	–	–	–	·02	·14		1
2	–	·01	–	·09	–	·27	·17	·03	·02	–	·18	·01		2
3	·03	–	·01	·96	–	·04	·14	–	·75	–	·03	·02		3
4	·01	–	·19	–	–	·05	–	–	·41	–	·21	·17		4
5	·38	–	·02	–	–	–	·15	·03	·07	–	·11	·15		5
6	·05	–	·02	–	–	·04	·17	–	·14	–	·10	·02		6
7	·38	–	·15	–	–	–	·13	–	·01	–	·45	·05		7
8	·06	–	·35	–	–	–	·29	–	·02	–	·59	–		8
9	·36	·17	·23	–	–	–	·19	–	·11	–	·30	–		9
10	·03	·12	–	–	–	·05	–	–	–	–	·37	–		10
11	·28	·18	–	–	–	·09	·03	·05	·11	–	·66	·07		11
12	·08	–	–	·07	–	·04	·55	–	·30	–	·12	·01		12
13	·12	–	–	–	–	–	·16	–	·01	·04	–	·61		13
14	–	–	·03	·02	–	–	·95	–	·23	·07	·03	·23		14
15	–	·04	–	–	·05	–	·05	–	·11	–	·19	·10		15
16	–	–	–	·15	·25	–	·09	–	·08	–	·02	·14		16
17	·22	1·05	–	–	·04	–	·21	–	–	·08	·07	·16		17
18	·04	·40	·03	–	–	·71	·27	–	–	·06	–	·08		18
19	·53	–	·21	·22	–	–	·14	·07	–	–	–	·01		19
20	·12	·24	·17	·14	–	·04	·03	·02	·33	–	·01	·02		20
21	–	·31	·35	·69	–	·10	·01	–	–	–	–	–		21
22	·18	·22	·14	–	–	–	·17	–	–	–	–	·02		22
23	·03	·06	·21	·15	·03	–	·06	–	–	·05	–	–		23
24	·22	–	·05	–	·14	–	·27	–	·04	·19	–	–		24
25	·21	–	·38	·13	–	–	·14	–	·11	·35	–	–		25
26	·21	·10	·04	–	–	–	–	–	·03	·03	–	–		26
27	·17	·03	·04	–	–	–	·22	–	·01	·36	–	–		27
28	·73	–	·49	·01	–	–	·59	–	–	·16	–	·23		28
29	·03	·09	·06	–	–	·03	·08	–	–	·01	·11	·25		29
30	·27	×	–	–	·01	–	·05	–	–	·21	–	–		30
31	·23	×	·44	×	·04	×	·08	–	×	–	×	·28		31
TOTAL	5·00	3·16	3·61	2·68	·56	1·71	5·44	·20	2·89	1·61	3·57	2·77	Year's Total 33·20 ✓	
* Days with .01 in. or more.	26	25	25	12	7	12	28	5	19	12	8	21	~~44~~	186 ✓
* Days with .04 in. or more.	20	13	16	10	5	11	25	2	13	10	3	14	~~152~~	142 ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. R. Hepburn [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1931

Kept at Bradninch

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·03	–	–	–	–	–	–	·03	·04	–	·70		1
2	·11	·11	·04	·36	–	–	–	–	·06	–	–	·04		2
3	–	·57	–	·03	·07	–	·01	–	–	–	–	·04		3
4	·08	·26	–	·05	·06	–	–	–	–	–	–	·50		4
5	·36	–	–	·01	–	–	·79	–	–	–	–	·21		5
6	·09	·45	·26	·18	·02	–	·16	–	·02	–	–	–		6
7	–	·46	–	·30	–	·02	–	–	·01	–	·08	·30		7
8	·04	·07	·04	–	·54	–	·18	–	–	–	·01	–		8
9	–	–	·13	·12	·07	–	–	·11	·81	–	–	–		9
10	·20	·02	·77	·63	·19	·12	–	·41	–	–	–	·08		10
11	·03	–	·23	·29	·10	·05	·63	·03	–	–	–	·18		11
12	·30	·33	·04	·07	–	·39	·09	·38	·12	–	–	·04		12
13	–	·13	·66	·25	–	–	–	·23	·14	–	–	·34		13
14	–	–	·19	·04	–	–	·13	–	·04	–	–	·07		14
15	·57	·09	·34	·46	–	–	·07	–	·22	–	–	·34		15
16	·15	·05	·20	–	–	–	·01	·23	·87	–	·07	–		16
17	1·02	–	·92	–	–	–	–	–	·09	–	07	–		17
18	·04	·36	·26	–	–	·13	–	–	·10	–	·26	·14		18
19	·12	·02	·02	·39	·20	–	–	–	·23	–	·21	·05		19
20	·53	·04	·02	·11	·03	–	–	–	–	–	–	·38		20
21	·65	·71	·30	·12	·37	–	·05	–	·08	·03	·11	·01		21
22	·05	–	·66	–	·39	–	·16	–	·04	·62	·73	·02		22
23	·36	·41	–	–	·07	–	–	–	–	·18	·15	·01		23
24	·53	·43	·14	–	–	–	–	–	·02	1·58	–	–		24
25	–	·65	·28	–	–	–	–	–	–	·07	·02	·02		25
26	–	·57	·05	–	·14	–	–	–	–	·49	–	–		26
27	–	·29	–	–	–	–	–	–	–	–	–	–		27
28	–	·22	–	–	–	–	–	–	–	·29	–	–		28
29	·80	X	–	–	–	–	–	–	–	·38	·35	·02		29
30	–	X	–	–	–	·05	–	–	·05	·04	·30	–		30
31	·53	X	–	X	–	X	–	–	X	·26	X	–		31 40·76
TOTAL	6·69	6·27	4·95	3·41	2·25	·76	2·28	1·39	2·93	3·08	2·36	3·49	Year's Total 40·76	
* Days with .01 in. or more.	24	22	20	16	13	5	11	6	17	11	12	20	~~26~~	✓ 177
* Days with .04 in. or more.	~~20~~ 22	19	18	14	11	4	9	5	13	10	10	15	~~148~~	✓ 150

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. R. Hepburn [P.T.O.

3·49

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bradninch

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 300 ft.

Days

w.f.7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·12	–	–	~~·7~~	·69	·08	·15	–	·33	·04	·18		1
2	–	·01	–	·05	·01	–	–	·12	–	·20	–	·22		2
3	–	–	–	–	·19	·03	·01	–	–	·31	·02	·10		3
4	–	–	–	–	·02	·04	·23	1.56	–	·12	–	–		4
5	·01	–	–	–	–	·04	·01	–	–	·33	–	–		5
6	·08	–	–	–	–	·13	1·02	–	·21	·03	–	·09		6
7	·16	–	–	–	–	–	·32	–	·30	–	–	·07		7
8	·76	–	–	–	–	–	·11	·06	–	·26	–	·07		8
9	·34	·14	–	–	–	–	–	–	–	·02	·02	·52		9
10	·10	–	–	–	–	·07	·05	·24	–	–	–	·96		10
11	·01	–	–	–	–	–	–	1.24	–	–	·29	·72		11
12	·18	–	–	–	·16	–	·02	–	–	·45	·39	·17		12
13	·31	–	–	–	·08	–	–	–	–	–	·42	·62		13
14	·48	–	–	–	·19	–	·34	·01	·07	·01	·01	–		14
15	·05	–	–	–	·16	–	–	·03	–	·22	·42	·32		15
16	·04	·03	–	–	·03	–	–	·02	–	–	·28	·01		16
17	–	·14	–	–	·13	–	–	–	·02	·23	·03	–		17
18	·18	–	–	–	–	·10	–	–	·18	·06	·24	–		18
19	–	–	–	–	–	–	–	–	·07	–	·53	–		19
20	·02	–	–	–	–	–	–	·01	·01	–	·27	–		20
21	–	–	–	–	–	·05	–	·04	·30	–	·18	–		21
22	–	–	–	·06	–	–	–	·55	–	·05	·39	–		22
23	–	–	–	·06	–	–	–	·03	–	–	·07	–		23
24	–	–	·14	–	·17	·03	–	·07	·05	–	·37	–		24
25	·22	–	·05	–	·14	–	·41	–	–	·04	·80	–		25
26	·32	·46	·01	–	·37	–	·26	–	–	·15	·08	·37		26
27	·17	·14	–	–	·14	·06	·24	·34	–	·03	·35	–		27
28	·23	·11	–	–	·15	·04	–	·35	·01	–	·01	–		28
29	·30	×	·01	–	·22	–	–	–	·12	·27	·18	·07		29
30	·11	⊠	·02	–	·04	·12	–	–	·16	–	·22	·12		30
31	·28	⊠	–	⊠	·16	⊠	–	–	⊠	·23	⊠	·33		31
TOTAL	4·35	1·15	·23	·17	2·36	1·40	3·10	4·82	1·50	3·34	5·61	4·94	Year's Total 32·97	✓
* Days with .01 in. or more.	21~~3~~	~~2~~8	~~3~~5	~~4~~3	~~3~~17	12~~2~~	~~5~~13	~~5~~16	12~~8~~	~~4~~19	~~5~~23	17~~1~~	~~34~~	166 ✓
* Days with .04 in. or more.	18	6	2	3	14	10	10	11	9	15	18	16	132	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H.R. Hepburn

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bradninch

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

Days.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	–	·11	·03	·03	–	·18	·12	·13	–	·25	·07		1
2	·24	–	–	·24	–	–	–	·37	·46	–	·12	·13		2
3	·17	–	–	·37	·21	–	·01	·15	·02	–	·12	·60		3
4	·03	–	·36	·14	–	–	·44	·01	–	·41	·42	·34		4
5	–	–	–	·17	–	–	·63	·14	–	·22	·67	–		5
6	·58	–	·04	·09	–	–	·27	·04	–	·18	·32	–		6
7	·05	·11	·03	–	–	–	·02	·06	–	–	·56	·34		7
8	–	·18	–	–	–	–	·11	·07	–	·82	·42	·02		8
9	·02	·03	·03	–	–	–	–	·10	–	·11	–	·08		9
10	·13	–	–	–	–	·03	–	·08	·09	·13	·05	·23		10
11	–	·01	·09	–	–	–	–	–	–	·19	·01	–		11
12	–	·07	–	·11	–	–	–	–	–	·02	·01	–		12
13	·02	–	–	·09	·01	·02	·23	–	·10	·52	·03	–		13
14	·47	·01	–	·07	·08	·07	·41	–	–	·09	·27	·05		14
15	·34	–	–	·08	·12	–	1·20	–	·02	–	·46	–		15
16	·19	–	·04	·06	–	·80	·22	–	–	·02	·32	–		16
17	·76	·05	–	–	·03	·13	·55	–	–	–	·23	–		17
18	·01	·06	·05	–	–	·21	·85	–	–	–	·59	–		18
19	·19	–	–	–	–	·68	–	–	–	–	–	·11		19
20	·13	–	–	–	·02	·47	–	·98	–	–	–	–		20
21	–	·22	·08	·01	·06	·08	·02	–	–	–	–	–		21
22	·70	·24	·15	·04	–	·07	·22	–	–	–	·43	–		22
23	·02	–	·05	·27	–	–	·16	–	–	–	·44	–		23
24	–	–	·24	·10	–	·48	·13	–	–	·08	–	–		24
25	1·34	·14	·01	·04	–	–	·10	·35	–	·27	·37	–		25
26	·73	·14	–	·12	–	·05	·01	–	–	–	·39	–		26
27	–	·16	–	–	–	·05	–	·61	–	–	·16	–		27
28	–	·09	–	·32	–	·02	·01	–	–	–	·73	·07		28
29	–	×	–	·08	–	·03	·15	–	–	·19	·14	–		29
30	–	×	–	·25	–	·02	·07	–	–	·26	·01	–		30
31	–	×	–	×	–	×	·02	·06	×	·47	×	·02		31
TOTAL	6·18	1·51	1·28	2·68	·56	2·61	6·01	2·54	·82	3·98	7·50	2·06	Year's Total 37·73	
* Days with .01 in. or more.	~~5~~ 20	~~3~~ 14	~~3~~ 13	~~2~~ 20	~~4~~ 8	~~5~~ 16	~~6~~ 23	~~2~~ 14	~~2~~ 6	~~2~~ 16	~~4~~ 25	~~3~~ 12	~~40~~ 187	
* Days with .04 in. or more.	15	11	10	18	4	11	17	12	4	14	21	10	147	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H.R. Hepburn

P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Dunmore, Bradninch

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

Day

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·02	–	·04	–	–	–	–	–	–	·22	–		1
2	–	·08	–	·09	–	–	·02	–	–	–	·88	·06		2
3	–	·55	–	·17	–	–	–	–	–	·20	·97	·14		3
4	–	·22	–	–	–	–	·11	–	–	·18	·05	·05		4
5	·05	·01	–	–	–	–	·01	–	–	·01	·64	·16		5
6	·18	·39	–	–	–	–	·03	·02	–	·09	·11	·42		6
7	–	–	–	·03	–	–	·11	–	–	·02	–	·11		7
8	·06	–	–	–	–	–	–	–	–	·44	·56	·41		8
9	–	–	–	–	–	–	·58	·14	·01	·19	·19	·48		9
10	–	–	–	–	–	–	·38	–	·04	–	·18	·30		10
11	–	–	–	·02	–	–	·35	–	–	–	·74	·01		11
12	–	–	·11	–	–	·12	·32	–	·70	–	·18	–		12
13	–	·02	·36	·07	–	–	–	–	·03	·56	·89	–		13
14	–	–	·03	–	·23	–	·07	–	·12	·46	–	·45		14
15	–	–	–	·27	·05	–	·26	–	·31	·49	·44	·19		15
16	–	1·05	·64	·03	–	–	·10	–	·06	–	–	–		16
17	–	·07	·47	·24	–	–	·07	–	–	·01	·34	·05		17
18	–	·48	·30	·28	–	–	·04	·03	·23	·05	–	–		18
19	–	–	·03	·12	–	–	·02	–	·06	·02	·12	–		19
20	–	·04	·01	·03	–	–	·16	·18	·01	·15	–	–		20
21	–	–	·01	–	·22	–	–	–	–	–	·53	·06		21
22	–	–	·10	·19	–	·71	–	–	·08	·02	–	–		22
23	–	·06	·15	·03	·04	–	–	–	·01	·10	–	–		23
24	–	–	–	–	·02	–	·48	–	–	–	–	–		24
25	·47	–	·01	·08	·42	·04	–	–	–	–	·02	–		25
26	·87	·39	–	·06	·03	–	·15	–	–	–	–	–		26
27	·27	·27	–	·10	·20	–	–	–	–	–	–	–		27
28	·26	·15	–	·88	·02	–	–	–	–	–	–	–		28
29	–	·01	·17	·05	–	·06	–	–	–	–	–	·32		29
30	·10	×	–	–	–	–	–	–	–	·30	–	·28		30
31	·15	×	·01	×	–	×	–	–	×	·39	×	·55		31
TOTAL	2·41	3·81	2·40	2·78	1·23	·93	3·26	·37	1·66	3·68	7·06	4·04	Year's Total 33·63	✓
* Days with .01 in. or more.	+9	~~4~~ 16	~~6~~ 14	5 19	~~6~~ 9	+4	~~4~~ 18	~~2~~ 4	~~4~~ 12	~~5~~ 18	X 17	X 17	~~38~~	157 ✓
* Days with .04 in. or more.	9	12	8	14	3	4	14	2	8	13	16	16	119	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. R. Hepburn

[P.T.O.

1787

CULLOMPTON.

1931 – 40

780308

1787

FOR OFFICIAL USE.

OFFICE.—BRITISH RAINFALL ORGANIZATION.

INFALL IN 1931.

150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·36				1
2				·71									2
3			·96								·90		3
4													4
5													5
6										·19		·62	6
7													7
8													8
9													9
10													10
11		·70											11
12													12
13													13
14													14
15													15
16						·73							16
17													17
18								·91					18
19													19
20													20
21													21
22													22
23													23
24							·72						24
25													25
26													26
27					·89								27
28													28
29													29
30		×											30
31	·79	×		×		×			×		×		31
TOTAL	3.51	3.12	1.68	3.30	3.25	3.01	4.30	4.07	1.36	0.62	5.64	1.92	YEAR'S TOTAL 35.78
*Days with ·01 in. or more.	21	24	10	19	20	15	25	18	14	10	24	13	213
*Days with ·04 in. or more.	17	19	8	14	16	11	16	15	8	7	17	9	157
40-9999	89.2	79.3	42.7	83.7	82.6	76.5	109.2	103.3	34.6	15.7	144.2	48.7	909.7

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

1787

FOR OFFICIAL USE.

OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Cullompton

in the County of Devon

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 202 ft.

150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·36				1
2				·71									2
3			·96								·90		3
4													4
5													5
6										·19		·62	6
7													7
8													8
9													9
10													10
11		·70											11
12													12
13													13
14													14
15													15
16						·73							16
17													17
18								·91					18
19													19
20													20
21													21
22													22
23													23
24							·72						24
25													25
26													26
27					·89								27
28													28
29													29
30		×											30
31	·79	×		×		×			×		×		31
TOTAL	3.51	3.12	1.68	3.30	3.25	3.01	4.30	4.07	1.36	0.62	5.64	1.92	YEAR'S TOTAL 35.78
*Days with ·01 in. or more.	21	24	10	19	20	15	25	18	14	10	24	13	213
*Days with ·04 in. or more.	17	19	8	14	16	11	16	15	8	7	17	9	157
40-9999	89.2	79.3	42.7	83.7	82.6	76.5	109.2	103.3	34.6	15.7	144.2	48.7	909.7

(Signed)..........

P.T.O.

*See Instruction 2 (*f*) on other side.

1787

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

279

FORM

REGISTER OF RAINFALL IN 1932.

150

Kept at Cullompton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 202 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7										1·76			7
8													8
9	·99	·03											9
10													10
11													11
12													12
13								·58					13
14													14
15													15
16													16
17													17
18													18
19													19
20					1·10								20
21													21
22													22
23													23
24							·49						24
25													25
26													26
27				·47									27
28													28
29			·68										29
30		×				1·08	·49		1·03		·95		30
31		×		×		×			×		×	·80	31
TOTAL	3·59	0·03	2·60	3·15	3·73	1·73	2·83	1·92	5·34	7·48	2·56	3·04	YEAR'S TOTAL 38·00
*Days with ·01 in. or more.	16	1	11	23	21	5	19	9	19	24	15	19	182
*Days with ·04 in. or more.	12	0	9	20	15	5	13	6	17	19	13	12	141
40-9999	91·3	0·7	66·0	80·1	94·7	43·9	72·0	48·7	135·7	189·8	165·1	77·2	965·2

(Signed)........................ [P.T.O.

*See Instruction 2 (*f*) on other side.

1787

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Cullompton

in the County of Devon

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground........ft........in.

,, Ground ,, Sea Level 202 ft.

150.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37											·76	1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9					·66		·89						9
10										·83			10
11						·62		·53					11
12									·57				12
13													13
14													14
15													15
16			·75										16
17													17
18													18
19											·43		19
20													20
21													21
22													22
23		·98											23
24													24
25													25
26													26
27													27
28				·39									28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	1·90	4·45	3·59	2·12 6	2·34	1·93	3·05	1·29	1·44	3·18	0·89	1·65	YEAR'S TOTAL 27·87
*Days with ·01 in. or more.	18	18	16	10	13	13	13	12	13	20	12	12	170
*Days with ·04 in. or more.	14	14	12	9	12	~~18~~ 8	12	8	10	14	5	5	123 ~~133~~
40-9999	48·3	113·1	91·1	53·9 4	59·5	49·0	77·5	32·7	36·6	80·8	22·6	42·0	

(Signed)..................

*See Instruction 2 (*f*) on other side.

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. 1787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Cullompton

in the County of Devon

150

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 202 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1·38	1
2									·89				2
3													3
4										·50			4
5								·98					5
6					·70								6
7													7
8											·33		8
9													9
10													10
11													11
12													12
13													13
14	·73		·42										14
15													15
16													16
17													17
18				·69									18
19													19
20													20
21													21
22							1·45						22
23						·58							23
24		·28											24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·62	0·41	2·72	3·44	1·66	1·90	1·96	3·00	3·05	2·93	25·13 1·47	12·47	YEAR'S TOTAL 37·63
*Days with ·01 in. or more.	21	6	19	19	10	10	9	17	19	27	15	31	203
*Days with ·04 in. or more.	11	2	15	14	6	8	5	13	12	19	11	30	146
40-9999	66·6	10·3	69·1	87·5	42·2	48·2	49·7	76·2	77·4	74·4	37·3	316·8	

1681

(Signed) ....

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Cullompton
in the County of Devon
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 202 ft.

150
TL

279

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·45										1
2													2
3													3
4													4
5										·74			5
6						·50							6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14											1·34		14
15													15
16									·87				16
17					·93								17
18				·67									18
19							·28						19
20													20
21													21
22													22
23													23
24													24
25	·31	1·00											25
26												·61	26
27													27
28													28
29													29
30		×						·89					30
31		×		×		×			×		×		31
TOTAL	·84	4·70.	1·30	4·73	2·06.	3·66	0·61	2·13	4·18	4·15	5·85	5·03 ✓	YEAR'S TOTAL 39·24
*Days with ·01 in. or more.	11	22	10	21	13	21	8	10	24	26	27	22	215
*Days with .04 in. or more.	6	16	7	18.	9.	17	5.	9	21	17	19	17	161

40-9999

*See Instruction 2 (f) on other side.

M

(Signed) ....

P.T.O.

1787

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~279~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible].

REGISTER OF RAINFALL IN 1936.

Kept at Cullompton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 202 ft.

mm. 150 400

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3				·59					·54					3
4														4
5														5
6														6
7											·64			7
8														8
9														9
10														10
11														11
12														12
13														13
14							·98							14
15												·68		15
16					·26									16
17		23·0												17
18						·35								18
19								·07						19
20														20
21														21
22														22
23														23
24														24
25										·44				25
26														26
27														27
28	0·67		0·55											28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	4·92	3·13	3·97	2·42	0·65	1·77	6·29	0·28	3·06	1·81	3·71	3·65	Year's Total. 35·66	✓
* Days with .01 in. or more.	26	20	23	13	5	16	31	8	20	13	16	17	208	✓
* Days with .04 in. or more.	22	15	18	11	5	12	22	4	15	13	16	16	169	✓
40-9999	125·0	79·6	100·9	61·4	16·6	44·9	159·8	7·2	77·7	46·0	94·3	92·8		

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

FOR OFFICIAL USE. 1787 279

Section A for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Cullompton
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 202 ft.

T.L. 150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1												·67	1
2													2
3													3
4													4
5							·62						5
6													6
7													7
8					·43								8
9									·83				9
10				·71									10
11													11
12						·28							12
13								·26					13
14													14
15													15
16													16
17	1·29		·99										17
18													18
19													19
20													20
21													21
22											·54		22
23													23
24										1·12			24
25		1·18											25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	7·41	6·69	4·96	3·43	2·41	·75	2·53	·99	2·71	3·65	2·31	3·40	YEAR'S TOTAL 41·24
Days with 0·2 mm. or more.	23	25	21	15	14	8	11	8	15	12	13	17	182
Days with 1·0 mm. or more.	21	20	19	14	13	6	10	4	14	11	11	13	156
	188·1	169·8	126·0	87·1	61·1	19·0	64·3	25·1	68·9	92·6	58·8	86·7	1047·5

(144w)
40-9999

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1938.

Kept at Cullompton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 202 ft.

T. L.

Inches from
1st August 1938.

150

400

white form
[illegible] year

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1						·69								1
2														2
3														3
4								1·18						4
5														5
6							·85							6
7									·31					7
8	·74													8
9														9
10												·82		10
11														11
12										·50				12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22				·10										22
23														23
24			·13											24
25											·98			25
26		·31												26
27														27
28														28
29					39									29
30		×												30
31		×		×		×			×		×			31
TOTAL	129·4	32·6	4·2	5·7	63·9	33·7	73·8	103·9 4·09	40·1 1·58	88·4 3·48	162·1	127·5	Year's Total 865·3	
* Days with 0.2 mm. or more.	23	10	2	4	19	13	15	19	16	21	22	23	187	
* Days with 1.0 mm. or more.	20	8	2	3	15	8	11	13	12	16	19	14	144	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 5·09 1·28 ·17 ·22 2·52 1·33 2·91 (Signed) 4·09 1·58 3·48 6·38 5·02 34·07 P.T.O.

1·67

COPY FOR OFFICIAL USE ~~49~~

Section **A** for the entry of Daily Observations

Station No. 1787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Cullompton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 202 ft.

T.L.

150

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									.46					2
3				.46								.75		3
4			.45		.22									4
5														5
6														6
7														7
8										.80				8
9														9
10														10
11														11
12														12
13														13
14														14
15						.85	1.35							15
16														16
17														17
18														18
19														19
20								1.48						20
21														21
22	.96	.29												22
23											.75			23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	6.98	1.79	1.29	2.58	.60	3.17	6.53	3.00	1.00	4.23	8.09	2.55	Year's Total 41.81	
* Days with .01 in. or more.	23	14	19	18	12	17	22	15	7	20	26	15	208	
* Days with .04 in. or more.	16	10	9	13	4	11	18	12	5	16	23	12	149	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

279

Section **A** for the entry of Daily Observations

Station No. 1787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Cullompton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 202 ft.

T.C. 150

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9							·61	·10				·48		9
10														10
11											1·12			11
12									·74					12
13														13
14					·26									14
15														15
16		1·09	·59							·66				16
17														17
18														18
19														19
20								·10						20
21														21
22						·55								22
23														23
24														24
25														25
26	·81													26
27														27
28														28
29				·79										29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	2·44	3·76	2·90	2·81	1·23	·96	3·88	·26	2·06	4·18	8·11	3·91	36·45	
* Days with .01 in. or more.	14	19	19	20	9	7	22	6	11	21	23	19	190	
* Days with .04 in. or more.	10	16	12	16	6	4	16	2	9	15	19	14	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

1787/1

Section **A** for the entry
AIR MINIST

1787/1

CULLOMPTON COURT
1931 —— 40

780308

COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.

S Devon /6

FORM 1090. **REGI**

93 1 .

Kept at Court - Cu
in the County of Devo
Diameter of Funnel of Gauge
Height of top of Gauge above Gr
,, Ground ,, Sea

gage Kent

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18			·04		·18	·05			1
2	·17	·07		·73	·03				·38		·13	·13	2
3	·05	·03	·90	·01					·17			·08	3
4	·02		·14	·01	·01	·04	·30	·35	·12		·81	·01	4
5		·35	·05	·13	·09	·48	·02	·07		·03	·02	·13	5
6		·6		·02	·04	·32	·09			·17	·16	·64	6
7		·04			·23	·26	·73	·21		·05	·76	·09	7
8		·22		·25		·35	·01	·05			·10	·06	8
9		·11		·01		·02	·02				·44	·02	9
10	·20	·07			·10	·03	·04	·02	·07		·25	·02	10
11		·65				·24	·03		·02		·31	·01	11
12	·06	·12					·22		·06	·07			12
13		·07			·05	·25	·29	·07		·05			13
14	·04	·06			·13		·69	·24	·01		·50		14
15	·01	·15		·04	·09			·38	·01		·01		15
16	·01	·11		·08	·16	·73	·02	·31	·06				16
17	·01	·04		·08		·01	·42		·04				17
18	·02			·13		·07	·04	·88			·23		18
19	·06	·04	·06	·04		·17	·03	·05	·03		·19		19
20	·01	·13	·26					·42	·11		·36		20
21	·32		·04	·01	·08			·01			·02		21
22	·22	·02			·07			·04			·07		22
23	·42	·02		·38	·62		·02				·16	·01	23
24	·18			·40	·21		·68	·35			·02	·01	24
25	·35	·04		·36	·01		·04				·16	·01	25
26		·11		·21			·31				·66	·01	26
27	·13	·25			1·04		·17	·01		·01	·11	·01	27
28	·16	·12	·05	·02	·18			·12		·06		·13	28
29	·09		·11		·06		·06	·04		·04	·03	·19	29
30	·04	×			·03				·06	·02			30
31	·72	×	·01	×	·07	×	·02		×	·01	×	·35	31
TOTAL	3·29	2·88	1·62	3·09	3·30	2·97	4·29	3·62	1·32	·56	5·50	1·91	YEAR'S TOTAL 34·35
*Days with ·01 in. or more.	22	23	9	19	20	13	22	18	14	11	22	18	211
*Days with ·04 in. or more.	16	20	8	13.	16	10	15	15	9	7	17	9	158

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) E. Hardell ! MRCS
LRCP. [P.T.O.

1787/1

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

S Devon /6

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at "Court" - Cullompton.
in the County of Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 200 ft.

G from Tonbridge Kent

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18			·04		·18	·05			1
2	·17	·07		·73	·03				·38		·13	·13	2
3	·05	·03	·90	·01					·17			·08	3
4	·02		·14	·01	·01	·04	·30	·35	·12		·81	·01	4
5		·35	·05	·13	·09	·48	·02	·07		·03	·02	·13	5
6		·6		·02	·04	·32	·09			·17	·16	·64	6
7		·04			·23	·26	·73	·21		·05	·76	·09	7
8		·22		·25		·35	·01	·05			·10	·06	8
9		·11		·01		·02	·02				·44	·02	9
10	·20	·07			·10	·03	·04	·02	·07		·25	·02	10
11		·65				·24	·03		·02		·31	·01	11
12	·06	·12					·22		·06	·07			12
13		·07			·05	·25	·29	·07		·05			13
14	·04	·06			·13		·69	·24	·01		·50		14
15	·01	·15		·04	·09			·38	·01		·01		15
16	·01	·11		·08	·16	·73	·02	·31	·06				16
17	·01	·04		·08		·01	·42		·04				17
18	·02			·13		·07	·04	·88			·23		18
19	·06	·04	·06	·04		·17	·03	·05	·03		·19		19
20	·01	·13	·26					·42	·11		·36		20
21	·32		·04	·01	·08			·01			·02		21
22	·22	·02			·07			·04			·07		22
23	·42	·02		·38	·62		·02				·16	·01	23
24	·18			·40	·21		·68	·35			·02	·01	24
25	·35	·04		·36	·01		·04				·16	·01	25
26		·11		·21			·31				·66	·01	26
27	·13	·25			1·04		·17	·01		·01	·11	·01	27
28	·16	·12	·05	·02	·18			·12		·06		·13	28
29	·09		·11		·06		·06	·04		·04	·03	·19	29
30	·04	×			·03				·06	·02			30
31	·72	×	·01	×	·07	×	·02		×	·01	×	·35	31
TOTAL	3·29	2·88	1·62	3·09	3·30	2·97	4·29	3·62	1·32	·56	5·50	1·91	YEAR'S TOTAL 34·35
*Days with ·01 in. or more.	22	23	9	19	20	13	22	18	14	11	22	18	211
*Days with ·04 in. or more.	16	20	8	13.	16	10	15	15	9	7	17	9	158

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) E. S. Fardell M.R.C.S. L.R.C.P. [P.T.O.

1787/1

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 1787/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Court Cullompton
in the County of Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13				·05	·11	·25	·23			·08	·01	1
2	·04		·01	·13	·10	·01	·03	·01	·25	·01	·02	·33	2
3	·01			·09		·15	·05		·70	·03	·03	·05	3
4								·09			·17		4
5	·01		·03				·01		·19				5
6	·21		·02	·18			·03		·46				6
7	·58		·04	·13	·05		·02		·32	1·74			7
8	·08		·63	·02	·20				·30	·32			8
9	·94	·03		·18									9
10	·39			·31	·01	·04			·05	·11			10
11	·63			·07	·06				·05	·34		·08	11
12	·39			·01	·48				·07	·33		·01	12
13	·09			·18	·02		·32	·53		·72		·26	13
14	·34			·13	·16			·03		·04	·11		14
15	·01			·24	·14		·02			·05	·01	·06	15
16	·15			·14	·01		·09			·02			16
17	·01			·02	·01		·01		~~·45~~	·03		·03	17
18					·21				·45		·31	·02	18
19	·03			·02	·14				·09	·43	·01		19
20	·05	~~·02~~	·02	·08	1·20				·02	·59	·15	·14	20
21	·01	~~·11~~	·11	·16				·10	·03	·42	·04	·28	21
22		~~·03~~	·03	·06	·01		·01	·12	·73	·26	·32		22
23					·01		·15	·01	·01	·57	·06	·25	23
24							·44		·06	·09	·08	·01	24
25		~~·34~~	·34		·09		·07		·01	·30	·11	·02	25
26		~~·07~~	·07	·15			·25		·03	·19	·07		26
27		~~·45~~	·45	·43	·13		·14			·18	·03	·04	27
28			·03	·03	·29		·15					·06	28
29			·65	·12	·31	·29	·48	·75	·57	·59	·08	·54	29
30		×	·15	·03		1·06		·03	1·02	·09	·98	·03	30
31		×		×	·02	×	·19		×	·01	×	·60	31
TOTAL	3·50	·03	2·58	2·91	3·70	1·66	2·71	1·90	5·41	7·46	2·66	2·82	YEAR'S TOTAL 37·34
*Days with ·01 in. or more.	19	1	14	23	22	6	19	10	20	24	18	19	195
*Days with ·04 in. or more.	12	0	8	17	15	5	12	6	15	19	13	12	134

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) E. S. Fardell.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1787/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Court. Cullompton

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·56	·33	·16		·07				·03		·04	·67		1
2	·25		·46		·52	·33				·01	·02	·07		2
3	·03	·09	·15		·01									3
4	·16	·01	·01		·11									4
5	·12		·42		·11						·01			5
6	·04	·51	·05		·14		·08			·09				6
7	·02	·22	·02		·04					·11		·01		7
8	·03	·06	·03		·04		·07			·05				8
9		·05			·65		·25	·01		·13				9
10		·30					·77	·01		·79	·01			10
11	·08					·73	·42	·62		·12				11
12				·13	·03	·06	·14		·59	·02		·01		12
13					·11	·03	·32	·10		·12	·03			13
14	·03						·06	·06		·13	·21			14
15	·37		·23				·80	·04		·12	·02	·03		15
16			·70			·02				·09				16
17	·02	·08	·38			·03		·02	·04					17
18	·07		·42			·05	·01				·01			18
19	·09		·21								·47			19
20		·05	·01			·14		·05			·03	·02		20
21		·02				·06		·13		·10				21
22				·21	·09	·03		·29	·18		·01			22
23		·38		·36		·21			·09	·25				23
24		1·18		·13				·01	·10	·02				24
25		·60		·19		·38			·04	·03		·12		25
26		·59		·24	·16				·02			·02		26
27		·02			·15					·54		·52		27
28		·06		·44	·01		·15			·32		·05		28
29	·06			·10			·11					·02		29
30	·02	×	·19	·35			·02		·16			·08		30
31	·13	×	·11	×		×			×	·06	×			31
TOTAL	2·08	4·55	3·55	2·15	2·24	2·07	3·20	1·34	1·25	3·10	·86	1·62	Year's Total 28·01	
*Days with ·01 in. or more.	17	17	16	9	15	12	13	11	9	19	11	12	161	
*Days with .04 in. or more.	11	14	12	9	12	8	11	7	7	15	3	6	115	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) E. A. Farrell

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1787/1.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Cullompton

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ..... in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02							42			18	1·30		1
2	·10	·01	04					09	·89	03	12	26		2
3	03							03		10		43		3
4	09	~~21~~	21	08	27			03	34	56		35		4
5	01		02		22	10		98		17	13	84		5
6			39	09	71					43	10	46		6
7	04					20		08		12	02	59		7
8					16					01	35	47		8
9	02		23	11				01		03	21	33		9
10	22		24	27				02		02	08	02		10
11	32		01	49				·14				72		11
12	09	·01		06				21				08		12
13	35			49						03		67		13
14	71		40	01						01	07	65		14
15	08		14		11					08	07	24		15
16	06		24						02		01	19		16
17	26		04	04	03		·01		27	10		26		17
18	06		19	70					08	01		18		18
19			22	04		01		01	10	01		22		19
20			07	14			·15		07	02		02		20
21	01		06		·03	23		03		11	03	18		21
22		01	06				1·38	08	39	04	03	1·00		22
23	01	01	03	23		59			18	01		25		23
24		26	07	04		26	·20	03	10	10		07		24
25	29	08		32		14				32		75		25
26	01		02	13		12	01		03	02	04	04		26
27				03		11			02	10	01	43		27
28	01			02			01	57	24	04	01	72		28
29								12	11	11	02	13		29
30	02	×					·02		·03	06	01	19		30
31		×		×		×	·06	05	×	05	×	10		31
TOTAL	2·81	·38	2·68	3·29	1·53	1·76	1·84	2·84	2·87	2·69	1·49	12·14	Year's Total 36·32	
*Days with ·01 in. or more.	22	6	19	18	7	9	8	17	15	27	18	31	197	
*Days with ·04 in. or more.	13.	2.	15	15	5	8	4	10	11	16	10	29	138	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. S. Jardeck

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1787/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Court. Cullompton
in the County of Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·05	·45			·05	·06		·15	·08	·10	·34		1
2		·05	·03			·09			·10	·09	·07	·17		2
3		·03	·07	·01	·04	·18	·01		·48	·40	·34			3
4	·01	·29		·11	·07	·26			·07	·76	·12	·22		4
5		·27	·03	·05		·26			·20	·17	·08	·02		5
6		·01	·02	·37		·54				·35	·05	·16		6
7				·34		·01				·21	·03	·06		7
8				·45					·06	·58	·15	·09		8
9				·42		·14			·01	·03	·22			9
10	·03		·27	·21		·07				·03				10
11	·21	·01	·01	·03		·32			·08		·51	·03		11
12	·04	·07				·40		·05	·02		·02			12
13	·04	·16		·31		·05			·01	·02	·20			13
14		·07		·15	·02	·01			·02	·02	1·35	·34		14
15		·17		·58	·12	·31			·22		·19	·18		15
16		·06	·06	·15		·06			·76	·02	·82	·01		16
17		·01		·07	·95	·26		·18	·14		·07	·09		17
18		·01		·69	·18	·03	·11	·05	·54	·04				18
19		·03		·03	·50	·03	·28		·07	·11	·21			19
20		·20		·21			·04		·01		·22			20
21		·57	·02	·10			·04		·09	·04	·01			21
22		·07	·13	·14					·03					22
23		·01	·18	·09	·07			·29	·14	·35		·21		23
24	·10	·54		·02	·03			·32	·16	·06		·22		24
25	·28	·98		·03	·06	·03						·29		25
26		·82			·01			·17	·15		·03	·62		26
27		·09	·01				·01	·04	·06	·09	·04	·58		27
28		·12					·02		·12	·08	·02	·01		28
29								·07	·08	·02	·08	·53		29
30	·05	×				·09		·84	·17	·07	·67	·46		30
31		×		×	·01	×		·04	×	·60	×	·33		31
TOTAL	·78	4·69	1·28	4·56	2·06	3·19	·57	2·05	3·96	4·20	5·60	4·96	Year's Total. 37·90	
* Days with .01 in. or more.	9	24	12	22	11	20	8	10	26	23	24	21	210	
* Days with .04 in. or more.	6	17	6	17	8	15	5	10	21	17	19	17	158	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. Harker

P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1787/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Court Cullompton
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. \ in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·13	·01	·11		·25	·72				·03	·09		1
2				·09		·23	·24	·03			·05	·04		2
3	·02		·03	·65		·01	·10	·03	·80		·17	·03		3
4	·03	·01	·15			·03			·23		·14	·21		4
5	·44	·03	·05				·11	·03	·34		·01	·19		5
6	·08		·04			·03	·13	·06	·15		·19			6
7	·08		·15				·35		·02		·65	·04		7
8	·25		·33				·30				·68			8
9	·37	·08	·28			·04	·21		·11		·12			9
10	·04	·19				·01					·22			10
11	·26	·05				·11		·02	·10		·74	·05		11
12	·02			·06		·02	·38		·28		·19	·40		12
13	·10		·01				·26			·06	·06	·37		13
14		·03	·04	·04		·03	·86		·18	·04	·05	·07		14
15		·01			·05		·08		·09		·11	·10		15
16		·10		·13	·27		·10		·11		·13	·23		16
17	·14	·92			·16		·25			·08		·10		17
18	·12	·40	·09		·06	·15	·42			·04	·01			18
19	·49	·06	·07	·25		·34	·04	·06		·03				19
20	·06	·26	·20	·06		·06			·22			·04		20
21	·02		·11	·67		·11			·02		·01			21
22	·13	·58	·51	·02			·22			·01				22
23	·05	·07	·33	·14	·01					·04	·01			23
24	·14	·03	·02		·12		·23		·07	·25		·01		24
25	·30		·25	·09			·18		·15	·34	·02			25
26	·17	·11	·27	·07			·01		·03	·13				26
27	·14	·07	·05				·08		·02	·38				27
28	·68		·54	·02			·93			·02	~~12~~	·28		28
29	·16	·06	·05			·18				·13	·12	·23		29
30	·15	✕	·02			·04	·01			·22				30
31	·33	✕	·43	✕		✕	·05		✕	·06	✕	·51		31
TOTAL	4·81	3·19	4·03	2·40	·67	1·64	6·26	·23	2·92	1·83	3·71	2·99	Year's Total 34·66	✓
* Days with .01 in. or more.	27	19	24	14	6	16	24	6	17	15	21	18	207	✓
* Days with .04 in. or more.	23	14	19	12	5	10	22	2	13	12	15	16	163	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. Hardell

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1787/1.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Court. Cullompton

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·02		·14							·06	·64		1
2	·13	·30		·17			·01		·04	·03	·01	·07		2
3	·01	·46	·10	·03	·15		·01		·09	·01	·01	·01		3
4	·08	·42			·09			·01			·01	·46		4
5	·40	·02	·03	·03			·34					·11		5
6	·11	·28	·19	·15	·04		·50			·01	·01	·05		6
7		·63	·04	·45		·03	·01		·01			·34		7
8		·02		·01	·30	·02	·04				·11	·07		8
9	·02	·01	·11	·13	·19		·07		·83			·10		9
10	·26	·02	·72	·79		·10	·02	·24				·19		10
11	·03		·26	·20	·32	·03	·44	·02	·01			·05		11
12	·31	·25	·11	·02		·23	·12	·16	·14			·40		12
13		·07	·72	·25	·01	·12	·01	·27	·02			·02		13
14		·02	·13	·08			·31	·01	·05			·09		14
15	·62	·14	·07	·40			·37		·31		·01	·27		15
16	·15	·09	·59	·09	·01		·01	·25	·41		·03			16
17	·87	·07	1·06				·03	·02	·08	·01	·07			17
18	·49	·14	·29			·11	·03		·19		·19	·12		18
19	·09	·11	·08	·22	·09				·08		·25	·06		19
20	·56	·07	·04	·28	·15				·22	·01		·35		20
21	·42	·55	·23	·12	·30		·06		·07	·08	·08	·03		21
22	·25	·02	·08		·37		·15		·06	·60	·45	·03		22
23	·23	·27	·01		·11		·01			·25	·57	·01		23
24	·78	·62	·08						·04	1·05	·02	·01		24
25	·01	·72	·30		·03					·14	·01	·02		25
26	·01	·68	·05		·14					·01	·01			26
27	·62	·35		·01						·38				27
28	·01	·06				·02				·10		·01		28
29	·09					·01				·58	·16	·01		29
30	·37	×				·03			·03	·04	·29			30
31	·29	×		×		×			×	·33	×			31
TOTAL	7·36	6·41	5·29	3·57	2·30	·70	2·54	·98	2·68	3·63	2·35	3·52	Year's Total 41.33	✓ ✓
* Days with .01 in. or more.	27	27	22	19	15	10	19	8	18	16	19	25	225	✓ ✓
* Days with .04 in. or more.	21	20	20	14	12	4	10	4	14	10	10	16	155	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. S. Gardell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1787/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Cullompton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·13					·14	·14	·03	·26	·07	·21		1
2		·06	·05		·01	·72	·03			·29	·09	·33		2
3	·01				·02		·12	·05		·37	·03	·01		3
4					·13	·03	·28	1·43	·03	·14		·09		4
5	·02				·07	·07	·04	·05	·02	·32	·01	·04		5
6	·08					·05	·70		·08	·04		·03		6
7	·35					·12	·40		·25	·04	·02	·09		7
8	·82	·03				·01	·19	·05		·32	·01	·02		8
9	·29	·11				·06	·08	·32		·03	·01	·54		9
10	·20	·04						·52				·79		10
11	·13	·01				·01	·02	·36			·29	·67		11
12	·24	·01			·12		·02			·49	·45	·10		12
13	·10				·12			·03		·03	·51	·67		13
14	·72				·15		·31		·07		·01	·01		14
15	·15				·21		·02	·02		·16	·19	·32		15
16	·17	·03			·03			·05		·02	·44	·01		16
17	·01	·14			·02			·01	·04	·23	·02	·03		17
18	·18	·01			·04	·12		·04	·10	·05	·37			18
19	·03							·02	·08		·54			19
20									·04		·41			20
21	·02					·01			·34		·21	·13		21
22	·01			·10		·04		·41	·03		·39	·03		22
23				·06				·03			·15	·03		23
24			·11		·18			·06	·06		·24			24
25	·19	·23	·03		·24		·38	·04		·05	·98	·06		25
26	·39	·31	·01		·33		·01			·15	·08	·06		26
27	·17	·72			·73	·12	·40	·31		·03	·39			27
28	·24	·13	·01		·05	·04		·44	·02		·02	·01		28
29	·28		·01		·34	·01			·08	·25	·25	·03		29
30	·09	✗	·02		·00	·21			·21		·18	·13		30
31	·35	✗		✗	·15	✗			✗	·21	✗	·40		31
TOTAL	5·24	1·36	·24	·16	2·46	1·62	3·14	4·38	1·48	3·48	6·36	4·84	Year's Total 34·76	✓
* Days with .01 in. or more.	25	14	7	2	19	15	16	20	16	20	27	26	207	✓
* Days with .04 in. or more.	19	9	2	2	15	10	11	15	11	16	19	16	145	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. S. Pardell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** Station No. 1787/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Court Cullompton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15		·13	·04	·02		·13	·12	·14		·11	·10		1
2	·12		~~·13~~	·21				·37	·50		·20	·09		2
3	·22		·03	·47	·01			·22	·19		·12	·52		3
4	·02		·45	·34	·22		·50	·03	·01	·27	·38	·44		4
5			·03	·16	·03		·57	·09		·34	·70	·06		5
6	·67	·01	·04	·05			·50	·05		·13	·22			6
7	·03	·16	·01							·62	·57	·44		7
8		·25	·02		·03		·16	·09	·01	·27	·55	·16		8
9	·02	·04	·03					·06		·12	·04	·08		9
10	·18					·04		·13	·07	·19	·02	·26		10
11	·01	·01	·10					·02		·05	·02			11
12	·02	·02				·02				·49	·01			12
13	·01			·22	·02	·04	·22			·07	·04			13
14	·49	·01		·03	·02	·08	·64		·15		·24	·04		14
15	·30		·03	·03	·12	·80	1·35				·40	·05		15
16	·21			·10	·05	·01	·05				·35			16
17	·82	·05			·04	·44	·15			·02	·28			17
18	·01	·05	·06			·13	·94			·03	·65	·04		18
19	·22	·02					·20				·01	·07		19
20	·50				·01	·67	·04	1·36				·02		20
21	·07	·26	·09	·01	·07	·05		·01						21
22	·95	·26	·10			·27	·25		·01		·36	·01		22
23	·01		·05	·27		·01	·11			·01	·77	·01		23
24	·48		·12	·07		·40	·10	·01		·12	·01			24
25	1·07	·17	·01				·14	·08		·09	·41			25
26	·05	·17		·04		·02		·18		·17	·44			26
27		·15				·04		·01		·01	·12	·01		27
28	·01	·10	·02	·20		·04					·58	·06		28
29	·02			·11		·01	·18			·25	·11			29
30		×	·02	·25		·07	·07	·01		·18	·06			30
31		×		×		×	·10	·10	×	·68	×	·01		31
TOTAL	6·66	1·73	1·34	2·60	·64	3·14	6·40	2·94	1·08	4·11	7·77	2·47	Year's Total 40·88	
* Days with .01 in. or more.	26	16	18	17	12	18	20	18	8	20	28	19	220	
* Days with .04 in. or more.	16	11	9	14	5	13	20	12	5	16	23	14	168	

† Spare column, no entries required.

(*Signed*) E. S. Cardell [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1787/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at "Point" Cullompton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·02		·16	·02						·18			1
2		·05		·12			·02			·01	·01	·01		2
3	·03	·48		·03						·19	·27	·12		3
4		·20		·11			·05			·25	·77	·04		4
5	·01	·01					·01			·04	1·06	·16		5
6	·21	·40					·05			·23	·13	·42		6
7	·06	·02		·03			·10			·53	·63	·07		7
8	·01						·02	·01		·06	·29	·33		8
9							·49	·07	·01	·11	·13	·40		9
10			·01				·25	·05	·03		·77	·37		10
11		·05		·02			·39				1·05	·03		11
12			·10			·13	·53		·75		·21			12
13		·02	·36				·07		·06	·38	·96	·10		13
14		·01	·08	·06	·28		·02	·03	·16	·44	·01	·58		14
15		·04	·02	·11	·11		·41		·24	·07	·50	·02		15
16	·03	1·05	·52	·07			·08		·11	·70	·22	·03		16
17		·10	·42				·04		·05	·01	·02	·01		17
18	·19	·48	·19	·53			·13		·02	·06	·07	·08		18
19		·04	·06	·12			·15		·43		·16			19
20			·43	·07			·13	·09	·07	·15	·06	·02		20
21					·20		·05	·02	·12		·50			21
22			·15	·37		·75			·02	·03				22
23		·05	·17	·07	·03					·02	·02			23
24			·06		·04	·01	·42				·01	·01		24
25	·14		·04	·06	·05	·05						~~·27~~		25
26	·73	·42		·09	·40	·01	·08				·01			26
27	·45	·10	·04	·08	·18		·03				·02			27
28	·34	·03		·07	·04									28
29	·10	·20	·25	·72		·03				·02		·27		29
30		✕	·03	·11						·27		·13		30
31	·09	✕		✕		✕			✕	·54	✕	·48		31
TOTAL	2·40	3·78	2·93	3·00	1·35	·98	3·52	·27	2·07	4·11	8·06	3·68	Year's Total 36·15	/
* Days with .01 in. or more.	14	20	17	20	10	6	22	6	13	20	25	21	194	
* Days with .04 in. or more.	9	14	14	17	8	3	17	3	9	15	18	14	141	

† Spare column, no entries required.

(*Signed*) E. S. [illegible]

* See Instruction 3 (f) on other side.

[P.T.O.

1788

1788

KENTISBEARE

1931 —— 40

780308

Section **A** for the entr

AIR MINIS

AINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REG

1931.

Kept at Kentisbe

in the County of Dev

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·04	—	·22	·01	tr	·05	—	·25	·03	—	—	1
2	·30	·02	—	·72	tr	—	tr	—	·67	—	·14	·13	2
3	·03	—	·83	tr	—	—	·01	tr	·18	—	·96	·08	3
4	·01	—	·10	·01	—	·09	·31	·16	·14	·06	—	tr	4
5	—	·30	·01	·09	tr	·42	·01	·05	—	tr	·02	·14	5
6	—	·07	—	·04	·04	·44	·28	—	—	·17	·25	·70	6
7	—	·02	—	·21	·22	·18	·23	·16	—	·06	·93	·07	7
8	—	·25	—	tr	—	·33	·01	·02	—	·01	·34	·07	8
9	—	·12	—	tr	tr	·02	·03	—	—	—	·04	·04	9
10	—	·03	—	—	·05	·04	·05	·02	·21	—	·24	—	10
11	·19	·54	—	—	·01	·26	·08	—	·01	—	·28	tr	11
12	tr	·05	—	—	—	—	·58	—	·08	·11	—	—	12
13	—	·07	·01	—	·06	tr	·27	·16	tr	·04	—	—	13
14	·03	·04	—	—	·11	·50	·71	·32	·04	—	·46	—	14
15	tr	·08	—	·03	·10	—	—	·56	·01	—	—	tr	15
16	—	·10	—	·05	·14	·69	·03	·25	·09	—	—	—	16
17	·01	·05	—	·04	—	tr	·39	—	·02	—	—	—	17
18	·02	—	tr	·10	—	·04	·03	·79	tr	—	·24	—	18
19	·05	·03	·04	·10	—	·12	·15	·06	—	—	·49	—	19
20	—	·09	·24	tr	—	—	—	·50	—	—	·12	tr	20
21	·26	tr	·04	tr	·08	—	—	—	—	—	tr	—	21
22	·25	tr	tr	·02	·08	—	—	tr	—	tr	·07	—	22
23	·41	tr	—	·42	·58	tr	·02	—	tr	—	·22	tr	23
24	·13	~~·04~~	—	·42	·18	—	·69	·38	tr	—	·03	tr	24
25	·30	·04	—	·23	tr	—	·05	—	—	—	·12	—	25
26	—	·09	—	·08	—	—	·36	—	—	—	·57	·01	26
27	·13	·24	—	—	·78	—	·25	—	—	·01	·03	tr	27
28	·20	·10	·05	·01	·12	—	·01	·01	—	·07	—	·09	28
29	·07		·12	—	·06	—	·07	·09	tr	·04	·05	·11	29
30	·05	×	—	—	·09	—	·01	·04	·04	—	—	—	30
31	·49	×	·01	×	·02	×	tr	—	×	tr	×	·33	31
TOTAL	2·93	2·37	1·45	2·79	2·73	3·13	4·68	3·57	1·74	0·60	5·60	1·77	YEAR'S TOTAL 33·36
*Days with ·01 in. or more.	18	21	10	17	18	12	25	16	12	10	20	11	190
*Days with ·04 in. or more.	13	17	7	13	15	11	16	13	9	7	17	10	148

40-9999

(*Signed*) A E Painter [P.T.O.

*See Instruction 2 (*f*) on other side.

178

Section **A** for the entr

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Kentisbeare

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 304 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·04	—	·22	·01	tr	·05	—	·25	·03	—	—	1
2	·30	·02	—	·72	tr	—	tr	—	·67	—	·14	·13	2
3	·03	—	·83	tr	—	—	·01	tr	·18	—	·96	·08	3
4	·01	—	·10	·01	—	·09	·31	·16	·14	·06	—	tr	4
5	—	·30	·01	·09	tr	·42	·01	·05	—	tr	·02	·14	5
6	—	·07	—	·04	·04	·44	·28	—	—	·17	·25	·70	6
7	—	·02	—	·21	·22	·18	·23	·16	—	·06	·93	·07	7
8	—	·25	—	tr	—	·33	·01	·02	—	·01	·34	·07	8
9	—	·12	—	tr	tr	·02	·03	—	—	—	·04	·04	9
10	—	·03	—	—	·05	·04	·05	·02	·21	—	·24	—	10
11	·19	·54	—	—	·01	·26	·08	—	·01	—	·28	tr	11
12	tr	·05	—	—	—	—	·58	—	·08	·11	—	—	12
13	—	·07	·01	—	·06	tr	·27	·16	tr	·04	—	—	13
14	·03	·04	—	—	·11	·50	·71	·32	·04	—	·46	—	14
15	tr	·08	—	·03	·10	—	—	·56	·01	—	—	tr	15
16	—	·10	—	·05	·14	·69	·03	·25	·09	—	—	—	16
17	·01	·05	—	·04	—	tr	·39	—	·02	—	—	—	17
18	·02	—	tr	·10	—	·04	·03	·79	tr	—	·24	—	18
19	·05	·03	·04	·10	—	·12	·15	·06	—	—	·49	—	19
20	—	·09	·24	tr	—	—	—	·50	—	—	·12	tr	20
21	·26	tr	·04	tr	·08	—	—	—	—	—	tr	—	21
22	·25	tr	tr	·02	·08	—	—	tr	—	tr	·07	—	22
23	·41	tr	—	·42	·58	tr	·02	—	tr	—	·22	tr	23
24	·13	~~·04~~	—	·42	·18	—	·69	·38	tr	—	·03	tr	24
25	·30	·04	—	·23	tr	—	·05	—	—	—	·12	—	25
26	—	·09	—	·08	—	—	·36	—	—	—	·57	·01	26
27	·13	·24	—	—	·78	—	·25	—	—	·01	·03	tr	27
28	·20	·10	·05	·01	·12	—	·01	·01	—	·07	—	·09	28
29	·07		·12	—	·06	—	·07	·09	tr	·04	·05	·11	29
30	·05	×	—	—	·09	—	·01	·04	·04	—	—	—	30
31	·49	×	·01	×	·02	×	tr	—	×	tr	×	·33	31
TOTAL	2·93	2·37	1·45	2·79	2·73	3·13	4·68	3·57	1·74	0·60	5·60	1·77	YEAR'S TOTAL 33·36
*Days with ·01 in. or more.	18	21	10	17	18	12	25	16	12	10	20	11	190
*Days with ·04 in. or more.	13	17	7	13	15	11	16	13	9	7	17	10	148

40-9999

(Signed) A E Painter [P.T.O.

*See Instruction 2 (*f*) on other side.

1788

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Sept. misplotted as 15. Value O.K.

Kept at Kentisbeare

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 304 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	—	·10	·01	·06	·16	·26	·01	tr	·04	tr	1
2	·03	—	—	·08	·13	·01	tr	·01	·58	tr	·01	·35	2
3	—	—	tr	—	tr	·08	·03	—	·27	—	·02	·05	3
4	·01	—	—	—	—	tr	tr	·12	—	·03	·20	—	4
5	·28	—	·03	—	tr	—	·01	—	·18	—	—	—	5
6	·47	—	tr	·15	·06	—	·03	—	·47	tr	—	—	6
7	·04	—	·01	·05	·05	—	tr	—	·34	1·13	—	—	7
8	·02	—	·62	·01	·21	—	tr	tr	·22	·44	—	—	8
9	1·20	—	—	·19	tr	—	—	—	tr	·02	—	—	9
10	·43	·01	—	·23	·01	·05	—	—	tr	·12	—	—	10
11	·01	—	—	·05	·05	—	·08	—	·02	·13	—	·07	11
12	—	—	—	tr	·53	—	tr	—	·05	·30	tr	tr	12
13	·08	tr	—	·15	·02	—	·24	·51	·01	·60	—	·23	13
14	·31	—	—	·17	·11	—	—	—	—	·03	·07	·02	14
15	tr	—	—	·36	·15	—	tr	—	—	·04	·01	·05	15
16	·20	—	—	·18	—	—	·07	—	—	·01	—	tr	16
17	—	—	—	·01	tr	—	tr	—	·01	·03	—	tr	17
18	—	—	—	—	·21	—	tr	—	·59	—	·26	tr	18
19	·04	—	—	·01	·21	tr	tr	—	·06	·34	tr	—	19
20	·04	—	tr	·05	1·21	—	tr	·02	·01	·58	·14	·24	20
21	tr	—	·10	·10	tr	tr	·01	·07	·03	·34	·02	·14	21
22	—	—	tr	·04	tr	—	·01	·04	·58	·25	·24	·01	22
23	—	·02	—	—	·05	—	·16	—	·01	·56	·04	·23	23
24	—	—	—	—	tr	—	·48	—	·09	·13	·07	·01	24
25	—	—	·35	tr	tr	—	·06	—	·03	·25	·10	·01	25
26	—	—	·10	·16	tr	—	·40	—	tr	·20	·07	tr	26
27	—	—	·54	·46	·13	—	·10	—	—	·23	·01	·05	27
28	—	—	·04	·01	·12	—	·15	—	tr	—	—	·04	28
29	—	—	·65	·11	·35	·29	tr	·58	·66	·55	·04	·46	29
30	—	×	·22	·02	tr	1·21	·56	·01	·82	·04	1·02	·01	30
31	—	×	tr	×	·01	×	·20	—	×	tr	×	·65	31
TOTAL	3·23	0·03	2·66	2·69	3·62	1·70	2·75	1·62	5·04	6·30	2·41	2·62	YEAR'S TOTAL 34·67
*Days with ·01 in. or more.	15	2	10	22	19	6	17	9	21	23	17	17	178
*Days with ·04 in. or more.	11	—	8	17	15	5	12	6	13	18	12	12	129

40-9999

(Signed) A. E. Painter

P.T.O.

*See Instruction 2 (*f*) on other side.

1788

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1755~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kentisbeare

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 304 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·54	·31	·14	—	·07	tr	—	—	·01	tr	·11	·54	1
2	·27	—	·47	—	·64	·28	—	—	—	—	·02	·08	2
3	·04	·10	·14	—	tr	tr	—	—	—	—	—	—	3
4	·16	tr	tr	—	·09	—	—	—	—	—	—	—	4
5	·11	tr	·35	—	·12	—	—	—	—	tr	—	tr	5
6	·03	·48	·07	—	·13	—	·32	—	—	·08	·01	—	6
7	·01	·23	·01	—	·05	—	tr	—	—	·10	tr	·01	7
8	·01	·04	·01	—	·04	—	·09	—	—	·02	—	—	8
9	—	·03	—	—	·59	—	·50	—	—	·21	tr	—	9
10	—	·12	—	—	—	tr	·21	—	—	1·04	·02	—	10
11	·07	—	—	—	tr	·18	·31	·72	—	·12	—	—	11
12	—	—	—	·07	·01	·04	·21	—	·41	·03	—	—	12
13	—	—	—	—	·09	·01	·18	·36	—	·26	·02	—	13
14	·02	—	—	—	—	—	·06	·04	—	·01	·24	·02	14
15	·38	—	·22	—	—	·91	·81	·02	—	·07	·01	·01	15
16	—	tr	·90	—	—	·01	tr	·01	tr	·04	—	—	16
17	·03	·03	·40	—	—	·04	—	tr	·04	—	tr	—	17
18	·07	tr	·41	—	—	·07	—	—	—	—	·01	—	18
19	·09	—	·14	—	—	tr	—	—	·19	—	·41	tr	19
20	—	·04	—	—	tr	·26	—	·04	·16	—	tr	tr	20
21	—	·02	—	—	—	·04	—	·12	tr	·04	tr	—	21
22	—	—	—	·16	·07	tr	—	·27	·21	·01	·01	—	22
23	—	}	—	·35	—	·23	—	—	·14	·18	—	—	23
24	—	1·70)	—	·13	—	tr	—	tr	·11	tr	—	—	24
25	—	1·13	—	·20	—	·19	—	—	·10	—	—	·11	25
26	—	·51	—	·18	·30	—	—	—	·02	·03	—	—	26
27	—	·03	—	—	·05	—	—	—	·01	·48	—	·65	27
28	—	·06	—	·42	·04	—	·17	—	—	·26	—	·09	28
29	·07		—	·07	·01	—	·03	—	—	—	—	·03	29
30	·01	×	·15	·21	—	—	·02	—	·10	tr	—	·10	30
31	·12	×	·09	×	—	×	—	—	×	·04	×	—	31
TOTAL	2·03	4·83	3·50	1·79	2·30	2·26	2·91	1·63	1·50	3·02	0·86	1·64	YEAR'S TOTAL 28·27
*Days with ·01 in. or more.	17	16	14	9	15	12	12	8	12	18	10	10	153
*Days with .04 in. or more.	12	12	12	9	13	10	11	7	9	13	3	6	117

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) A E Painter

P.T.O.

Section **A**

COPY FOR OFFICIAL USE.

for the entry of Daily Observations.

Station No. 1788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kentisbeare

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 304 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	tr	—	—	—	—	·51	tr	·03	·18	1·35		1
2	·09	—	·06	—	—	—	—	·08	·96	tr	·10	·25		2
3	·02	·01	—	—	—	—	—	·07	tr	·24	—	·35		3
4	·08	—	·17	·03	·32	—	—	tr	·18	·53	—	·43		4
5	·01	—	·02	tr	·19	·06	—	·25	—	·08	·15	·82		5
6	·01	—	·35	·08	·57	—	—	tr	tr	·42	·14	·44		6
7	·07	—	—	—	—	·15	—	·10	—	·10	tr	·51		7
8	—	—	—	—	·17	—	—	tr	tr	·01	·33	·55		8
9	·02	—	·34	·13	—	—	—	tr	—	·01	·29	·19		9
10	·23	—	·29	·44	—	—	—	·02	—	·01	·16	·01		10
11	·43	—	tr	·78	—	—	tr	·05	—	—	—	·73		11
12	·09	tr	—	·04	—	—	tr	·12	—	—	—	·18		12
13	·30	—	—	·50	—	—	—	—	—	·02	tr	·61		13
14	·59	—	·38	·01	—	—	—	—	—	·01	·07	·59		14
15	·04	—	·07	—	·10	—	tr	—	tr	·18	·10	·25		15
16	·07	—	·27	—	·02	—	—	—	tr	tr	·01	·19		16
17	·25	—	·03	·09	·01	—	tr	—	·30	·10	—	·25		17
18	·04	—	·27	·62	—	—	—	—	·02	·01	—	·15		18
19	—	—	·20	·02	·01	·01	tr	tr	·08	tr	—	·24		19
20	—	—	·25	·10	tr	—	·13	—	·03	·01	—	·02		20
21	—	—	·09	—	tr	·27	—	—	tr	·18	·01	·17		21
22	tr	tr	·07	—	tr	tr	2·03	—	·36	·01	·01	·75		22
23	·01	·01	·03	·34	—	·70	—	tr	·22	·01	—	·17		23
24	—	·19	·04	·08	—	·23	·17	·06	·08	·07	—	·02		24
25	·24	·03	—	·20	—	·58	tr	—	tr	·27	—	·72		25
26	·01	tr	·03	·08	—	·14	tr	—	·04	·01	·04	·13		26
27	—	—	—	·01	—	·17	—	·04	·02	·04	tr	·30		27
28	—	—	—	·05	—	tr	—	·52	·22	·03	·01	·72		28
29	—		—	—	—	—	—	·13	·09	·04	·01	·08		29
30	·02	×	—	—	—	—	tr	tr	·03	·06	tr	·21		30
31	·01	×	—	×	—	×	·03	·02	×	·01	×	·09		31
TOTAL	2·67	0·24	2·96	3·60	1·39	2·31	2·36	2·47	2·63	2·49	1·61	11·47	Year's Total 36·20	
*Days with ·01 in. or more.	22	4	18	18	8	9	4	13	14	26	15	31	182	
*Days with ·04 in. or more.	14	1	14	14	5	8	3	11	9	13	10	28	130	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A E Painter

[P. T. O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kentisbeare

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 304 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·03	·46	—	tr	·11	·13	—	·11	·23	·17	·22		1
2	~~tr~~	·05	·02	—	—	·06	—	—	·03	·11	·10	·08		2
3	tr	·02	·04	tr	·04	·38	·01	—	·27	·18	·27	—		3
4	—	~~·25~~	—	·09	·02	·34	tr	—	·05	·03	·18	·28		4
5	tr	·25	·03	·03	—	·26	—	—	·20	·73	·11	·02		5
6	—	·01	·01	·35	—	·60	—	—	—	·01	tr	·15		6
7	—	—	—	·34	—	·02	—	—	—	·34	·05	·08		7
8	—	—	—	·44	—	tr	—	—	·07	·17	·16	·11		8
9	—	—	—	·39	—	·06	—	—	·02	·55	·26	—		9
10	·01	—	·35	·22	—	·02	—	—	—	·01	—	·02		10
11	·19	tr	—	tr	—	·36	—	—	·06	·01	·58	·02		11
12	·02	·06	—	—	—	·24	—	·01	·01	—	·02	—		12
13	·03	·12	—	·29	—	·05	—	—	—	·01	·15	—		13
14	—	·04	—	·18	tr	·10	—	—	tr	·02	1·21	·32		14
15	—	·16	—	·58	·13	·26	—	—	·21	tr	·09	·22		15
16	—	·04	·05	·16	—	·02	tr	—	·73	·03	·90	·01		16
17	—	·01	—	·03	1·14	·22	tr	·22	·11	tr	·02	—		17
18	—	·02	—	·60	tr	·04	·04	tr	·53	·03	tr	·07		18
19	—	·01	tr	·03	·20	·02	·19	—	·05	·12	·22	—		19
20	—	·17	—	·33	·29	tr	·06	—	—	tr	·23	—		20
21	—	·42	·02	·19	—	—	·01	—	·07	·05	·01	—		21
22	—	·08	·05	·14	—	—	—	tr	·04	·04	—	—		22
23	tr	·01	·13	·12	·08	—	—	·29	·17	·34	—	·27		23
24	·09	·42	tr	·04	·03	—	—	·34	·15	·10	—	·20		24
25	·25	·67	tr	tr	·04	·02	—	—	—	—	—	·29		25
26	—	·99	—	—	—	tr	—	·17	·12	tr	·04	·66		26
27	—	·12	—	—	—	tr	tr	·01	·07	·09	·03	·58		27
28	tr	·18	—	—	—	—	·01	·14	·13	·07	·01	·01		28
29	—		—	—	tr	—	—	·49	·14	·01	·16	·56		29
30	·06	×	—	—	tr	·05	—	·74	·09	·04	·53	·51		30
31	—	×	—	×	tr	×	—	·02	×	·67	×	·29		31
TOTAL	0·66	4·13	1·16	4·55	1·97	3·23	0·45	2·43	3·43	3·99	5·50	4·97	Year's Total. 36·47	
* Days with .01 in. or more.	8	23	10	19	9	20	7	10	23	25	23	22	199	
* Days with .04 in. or more.	5	16	6	16	7	15	4	7	20	16	18	17	147	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A E Painter

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Kentisbeare

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 304 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·12	·01	·13	–	·31	·92	tp	tp	–	·05	·08		1
2	·01	–	tp	·07	–	·29	·26	·04	tp	–	·07	·03		2
3	tp	–	·03	·79	–	·02	·11	·04	·90	–	·20	·02		3
4	·02	tp	·14	tp	–	·04	·01	–	·38	–	·08	·17		4
5	·58	·01	·04	–	tp	–	·10	·03	·09	–	tp	·16		5
6	·11	–	·02	–	–	·02	·08	·04	·13	–	·15	–		6
7	·08	–	·21	–	–	–	·06	–	·01	–	·53	·03		7
8	·23	–	·36	–	–	–	·19	–	–	–	·53	·01		8
9	·43	·07	·15	–	–	·02	·19	–	·04	–	·13	–		9
10	·02	·21	–	–	–	tp	·03	–	·03	–	·21	–		10
11	·24	·03	–	–	–	·07	·01	·02	·08	–	·84	·05		11
12	·01	–	–	·03	–	·03	·38	·01	·15	tp	·02	–		12
13	·07	–	·01	·03	–	–	·25	·01	–	·06	·08	·45		13
14	tp	·06	·01	·06	–	·05	1·05	–	·09	·04	·02	·37		14
15	·01	·01	–	–	·04	tp	·05	–	·02	–	·12	·08		15
16	tp	·14	–	·09	·27	–	·08	–	·17	–	·09	·10		16
17	·15	·93	–	–	·08	–	·34	–	–	·05	·01	·24		17
18	·07	·37	·06	–	–	·05	·44	tp	–	·02	–	·13		18
19	·44	·06	·07	·19	–	·42	·05	·06	–	·01	–	–		19
20	·07	·30	·18	·10	–	·01	·02	·01	·16	tp	–	·04		20
21	·02	–	·18	·60	–	·08	tp	–	·01	–	–	–		21
22	·10	·60	·54	–	–	–	·21	–	–	·01	–	tp		22
23	·10	·05	·23	·13	·04	–	·02	–	–	·06	tp	–		23
24	·15	–	·01	tp	·07	–	·36	–	–	·30	–	–		24
25	·33	–	·31	·10	–	–	·08	–	–	·31	·02	–		25
26	·13	·10	·33	·05	–	–	·01	–	·02	·07	–	–		26
27	·13	·02	·02	–	–	–	·21	–	–	·32	–	–		27
28	·76	·02	·51	·04	–	tp	·45	–	–	·01	tp	·30		28
29	·11	·08	·03	–	–	·21	–	–	–	·08	·12	·15		29
30	·14	×	·06	–	–	·04	·01	–	–	·24	–	·01		30
31	·25	×	·37	×	·09	×	·06	–	×	·01	×	·52		31
TOTAL	4·77	3·18	3·88	2·41	0·59	1·66	6·03	0·26	2·28	1·59	3·27	2·94	Year's Total. 32·86	✓
* Days with .01 in. or more.	28	18	24	14	6	15	29	9	15	15	18	19	210	✓
* Days with .04 in. or more.	21	13	16	12	6	10	22	4	10	10	14	14	152	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Kentisbeare

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 304 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·01	—	·20	—	—	tr	—	·07	·03	·17	·56		1
2	·08	·35	—	·17	—	—	—	—	—	—	—	·06		2
3	tr	·34	·13	·03	·07	—	·01	—	—	—	—	—		3
4	·06	·42	tr	—	·06	—	—	tr	—	—	—	·33		4
5	·32	tr	·02	·02	—	—	·46	—	—	—	—	·06		5
6	·10	·31	·30	·18	·04	—	·32	—	—	·01	tr	—		6
7	—	·70	·04	·36	—	·03	—	—	tr	·01	tr	·11		7
8	—	·02	—	—	·30	·01	·08	—	—	—	·09	·40		8
9	·01	tr	·07	·14	·18	—	·04	·07	·78	—	—	·21		9
10	·24	·01	·41	·67	—	·10	·01	·03	—	—	—	·20		10
11	·03	tr	·22	·24	·32	·01	·45	—	—	—	—	·02		11
12	·32	·22	·07	—	—	·24	·16	—	·13	—	—	·50		12
13	—	·07	·84	·24	·03	·05	—	·39	·04	—	—	tr		13
14	—	·01	·49	·11	—	—	·50	—	·05	—	—	·08		14
15	·54	·15	·12	·36	—	—	·90	—	·22	—	—	·24		15
16	·23	·05	·60	·04	—	tr	tr	·26	·60	—	·01	—		16
17	·81	·08	·68	—	—	—	·01	·01	·14	—	·12	—		17
18	·16	·13	·18	—	—	·11	—	tr	·16	—	·18	·14		18
19	·07	·09	·10	·18	·07	—	tr	—	·07	—	·14	·01		19
20	·49	·09	·04	·25	·12	—	—	—	—	tr	—	·42		20
21	·35	·44	·18	·10	·30	—	·08	—	·10	·04	·09	·02		21
22	·22	tr	·14	—	·25	tr	·17	—	·08	·68	·43	·03		22
23	·18	·24	·01	—	·04	—	—	—	—	·23	·26	·01		23
24	·73	·54	·01	—	—	—	tr	—	·06	1·02	—	—		24
25	·09	·59	·32	—	·01	—	—	—	—	·35	—	·03		25
26	·01	·51	·03	—	·19	—	—	—	—	tr	—	tr		26
27	tr	·16	—	tr	—	—	—	—	—	·32	—	—		27
28	·10	·13	—	—	—	tr	—	—	—	·17	tr	tr		28
29	·17		—	—	—	tr	—	—	—	·55	·13	·01		29
30	·83	✕	—	—	—	·01	—	—	·03	·10	·28	—		30
31	·33	✕	—	✕	—	✕	—	—	✕	·38	✕	—		31
TOTAL	6·57	5·66	5·50	3·29	1·98	0·56	3·19	0·76	2·53	3·89	1·90	3·44	Year's Total 39·27	✓ ✓
* Days with .01 in. or more.	25	25	23	16	14	8	13	5	14	13	11	20	187	✓ ✓
* Days with .04 in. or more.	22	21	20	14	12	4	10	3	13	10	10	13	152	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A Elainter [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Kentisbeare

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 304 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·11	–	–	tr	·55	·13	·06	–	·28	·05	·16		1
2	–	·06	–	·03	·01	–	–	–	–	·28	·10	·33		2
3	tr	–	–	–	·15	·01	·15	–	–	·41	·03	tr		3
4	tr	–	–	–	–	·08	·16	1·16	tr	·17	–	·07		4
5	·02	–	–	tr	–	·01	·03	·08	tr	·26	·01	·02		5
6	·07	–	–	–	–	·11	·63	–	·15	·01	–	–		6
7	·25	–	–	–	–	tr	·45	tr	·21	·06	tr	·06		7
8	·73	·02	–	–	–	–	·06	·03	–	·32	tr	·01		8
9	·26	–	tr	–	–	·03	tr	–	–	tr	–	·60		9
10	·26	·08	–	–	–	–	·06	·44	–	–	–	·52		10
11	·12	·01	–	–	–	–	·01	·25	–	–	·25	·71		11
12	·27	–	–	–	·12	–	·01	–	–	·45	·70	·13		12
13	·09	–	–	–	·12	–	~~·54~~	·02	–	tr	·41	·72		13
14	·77	tr	tr	–	·12	–	·54	–	·06	–	–	tr		14
15	·25	–	–	–	·13	–	tr	·01	–	·17	·19	·36		15
16	·13	·03	tr	–	·04	–	–	·01	–	–	·47	·02		16
17	–	·17	–	–	tr	–	tr	–	40	·18	·01	–		17
18	·18	–	–	–	·04	·14	tr	·02	·23	·06	·33	–		18
19	tr	–	–	–	–	–	tr	–	·09	–	·48	–		19
20	–	–	–	–	–	–	–	–	·02	tr	·27	–		20
21	tr	–	–	tr	–	tr	–	tr	·20	–	·20	–		21
22	·01	–	–	·04	–	·04	–	·34	·01	–	·34	·29		22
23	–	–	–	·03	tr	tr	–	·01	tr	–	·13	·02		23
24	tr	–	·10	–	·15	–	·01	·05	·04	–	·19	–		24
25	·12	·36	·02	–	·27	–	·42	tr	–	·04	1·02	·04		25
26	·27	·33	·01	–	·30	tr	·14	~~·34~~	–	·16	·05	·13		26
27	·16	·11	–	tr	·13	·12	·33	·34	tr	·08	·40	–		27
28	·20	·11	·01	–	·03	·04	–	·32	·03	–	–	·01		28
29	·31	–	·01	tr	·42	tr	–	–	·10	·23	·26	·02		29
30	·10	×	·03	–	·06	·21	–	–	·18	–	·22	·09		30
31	·26	×	–	×	·16	×	–	–	×	·23	×	·39		31
TOTAL	4·83	1·39	0·18	0·10	2·25	1·34	3·13	3·14	1·42	3·39	6·11	4·70	Year's Total 31·98	✓ ✓
* Days with .01 in. or more.	21	11	6	3	16	11	15	15	13	17	22	21	171	✓ ✓
* Days with .04 in. or more.	19	8	1	1	14	8	11	9	10	16	19	15	131	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) A E Painter INT.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Kentisbeare

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 304 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	–	·17	·06	·03	–	·12	·19	·03	–	·12	·07		1
2	·04	–	–	·22	·01	–	·01	·37	1·15	–	·27	·09		2
3	·19	–	·05	·46	–	–	–	·17	·03	–	·16	·68		3
4	–	–	·50	·40	·24	–	·44	·04	–	·46	·33	·24		4
5	–	tr	·02	·14	·06	–	·27	·06	–	·40	·72	·02		5
6	·62	–	·01	·06	–	tr	·51	·05	–	·18	·32	–		6
7	·03	·19	·01	–	–	–	·03	tr	–	–	·63	·46		7
8	tr	·28	tr	–	·02	–	·14	·06	–	·61	·67	·13		8
9	·03	·04	–	–	–	–	–	·04	–	·18	·04	·07		9
10	·24	–	–	–	–	·03	–	·14	·06	·08	·18	·27		10
11	–	–	·10	–	–	–	tr	·01	–	·21	·01	tr		11
12	–	·03	–	·02	–	–	–	–	·01	·01	·01	–		12
13	tr	–	–	·18	·01	·03	·27	–	·13	·66	·02	–		13
14	·55	tr	–	·13	·01	·08	·76	–	–	·06	·32	·02		14
15	·43	–	·01	·03	·17	·91	·94	–	–	tr	·38	·01		15
16	·23	tr	–	·08	·05	–	·21	–	–	–	·31	–		16
17	·81	·03	–	tr	·04	·17	·30	–	–	–	·13	tr		17
18	–	·03	·02	–	–	·27	1·10	–	–	tr	·63	·03		18
19	·23	–	–	–	–	tr	·09	–	–	–	tr	·04		19
20	·48	–	–	–	tr	·52	·03	·80	–	–	–	·01		20
21	·07	·32	·10	·01	·05	·05	tr	·01	tr	–	–	–		21
22	1·06	·41	·07	tr	–	·31	·21	–	tr	–	·37	tr		22
23	–	–	·05	·23	–	·01	·07	–	–	–	·83	–		23
24	·42	–	·10	·07	–	·41	·17	–	–	·20	–	–		24
25	1·28	·12	–	tr	–	tr	·17	·04	–	·14	·43	–		25
26	·09	·17	–	·04	–	·05	tr	·18	–	·16	·42	–		26
27	–	·17	·01	·02	–	·03	·01	–	–	tr	·08	–		27
28	–	·09	·01	·02	–	·03	·01	–	–	tr	·51	·04		28
29	·02		–	·13	–	tr	·26	–	–	·34	·13	–		29
30	–	✗	–	·33	–	·23	·07	·01	–	·22	·05	–		30
31	–	✗	–	✗	–	✗	·01	·09	✗	·67	✗	–		31
TOTAL	6·92	1·88	1·23	2·63	0·69	3·13	6·20	2·26	1·41	4·58	8·07	2·18	Year's Total 41·18	✓
* Days with .01 in. or more.	19	12	15	19	11	15	24	16	6	16	26	15	194	✓
* Days with .04 in. or more.	16	9	8	14	6	10	18	11	3	15	23	10	143	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A E Painter

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Kentisbeare

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 304 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	·08	·01	–	–	–	tr	–	·21	–		1
2	–	·01	–	·11	–	–	·04	–	–	–	·84	·01		2
3	·01	·43	–	·01	–	–	tr	–	–	·20	1·01 ✓	·13		3
4	–	·34	–	·06	–	–	·03	–	–	·21	·10	·03		4
5	·02	·01	–	–	–	–	·01	–	–	·04	·61	·18		5
6	·20	·42	–	–	–	–	·03	–	–	·27	·18	·34		6
7	·04	·01	–	·02	–	–	·24	tr	tr	tr	–	·09		7
8	–	–	–	–	–	–	–	tr	tr	·42	·15	·32		8
9	–	–	–	·01	–	–	·58	–	tr	·02	·63	·28		9
10	–	–	tr	–	–	–	·47	·10	tr	·10	·14	·28		10
11	–	·05	tr	·01	–	–	·34	–	–	–	1·11 ✓	·02		11
12	–	–	·11	–	–	·16	·38	–	·72	–	·14	–		12
13	–	–	·34	–	–	–	·01	tr	·04	·35	1·13	·18		13
14	–	·02	·10	·03	·44	–	–	·01	·10	·64	–	·54		14
15	–	·06	·01	·04	·18	–	·18	–	·22	·15	·45	·01		15
16	·01	1·04 ✓	·52	·05	–	–	·08	–	·11	·98	·14	·04		16
17	–	·24	·43	·01	–	–	·02	–	·01	–	·05	–		17
18	·12	·46	·52	·70	–	–	·10	tr	·04	–	·02	·07		18
19	–	·04	·15	·15	–	–	·08	–	·35	–	·15	–		19
20	–	–	·03	·03	–	–	·08	·03	·04	·13	·05	·01		20
21	–	–	tr	–	·22	–	·01	tr	–	–	·58	–		21
22	–	–	·12	·17	–	·75	–	–	·12	·01	–	–		22
23	–	·03	·16	·05	·02	–	tr	–	·02	·03	·01	–		23
24	·06	–	tr	–	·02	–	·40	–	–	–	–	·01		24
25	·10	–	·04	·03	·03	·01	–	–	–	–	–	–		25
26	·84	·37	–	·04	·40	–	·04	–	–	–	·01	–		26
27	·34	·07	·02	·23	·15	–	·02	–	–	–	tr	–		27
28	·30	·10	tr	·01	·04	–	–	tr	–	–	–	tr		28
29	·13	·28	·23	·73	–	·06	tr	–	–	·05	–	·23		29
30	–	✕	·01	·08	tr	–	–	–	–	·33	–	·12		30
31	·02	✕	tr	✕	–	✕	–	–	✕	·57	✕	·51		31
TOTAL	2·19	3·99	2·79	2·65	1·51	0·98	3·14	0·14	1·77	4·50	7·71	3·60	Year's Total 34·77	
* Days with .01 in. or more.	13	19	15	22	10	4	20	3	11	17	21	20	175	
* Days with .04 in. or more.	9	13	11	13	6	3	13	1	9	14	18	14	124	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A E Painter

[P.T.O.

Cwi A.
CULLOMPTON (WILLAND)

Section **A** for the entry of Dai

AIR MINISTRY.—

FORM 1090

REGIST

1788/5

CULLOMPTON . WILLADD

1939. 40

780304

tation No. 1788/5

L ORGANIZATION

Kept at WILLAND

in the County of DEVON

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

est'd by reference

Jan 17th

17/4/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	–	·13	·06	·04	–	·16	·05	·13	–	·16	·10		1
2	·07	–	–	·23	·02	–	–	·35	·68	–	·17	·09		2
3	·23	–	·03	·42	·09	–	–	·11	·22	–	·13	·76		3
4	–	–	·44	·53	·23	–	·50	–	–	·28	·30	·25		4
5	–	–	–	–	·07	–	·50	·07	–	·48	–	–		5
6	·62	–	·05	·14	–	–	·54	–	–	·35	·66	·55		6
7	–	·17	–	·04	–	–	–	–	–	–	·77	·20		7
8	–	·29	–	–	–	–	·13	·07	–	·49	·59	·05		8
9	–	·04	–	–	–	–	·09	·04	–	·32	–	·28		9
10	·23	–	–	–	–	–	–	·10	·09	·08	·04	·02		10
11	–	–	–	–	–	–	–	·01	–	·38	·03	–		11
12	–	–	–	–	–	–	–	–	–	·03	·03	–		12
13	–	–	–	·22	–	–	·23	–	·15	·48	·05	–		13
14	·45	–	–	·11	·06	–	·53	–	–	·08	·05	–		14
15	·28	–	–	·05	·09	–	·96	–	–	–	·60	·04		15
16	·23	–	–	·07	·07	·92	·03	–	–	–	·31	·05		16
17	(1·00)	·05		–	·05	·43	·56	–	–	–	·13	–		17
18	–	·04	·16	–	–	·24	·60	–	–	–	·63	–		18
19	·25	–	–	–	·09	·63	·28	–	–	–	–	–		19
20	·47	–	–	–	–	–	·04	1·20	–	–	–	·05		20
21	·17	·26	·10	–	–	·15	·21	·07	–	–	–	–		21
22	·74	·24	·11	·23	–	·35	–	–	–	–	·40	–		22
23	–	–	–	·11	–	–	·09	–	–	–	·91	–		23
24	–	–	·09	–	–	·40	·18	–	–	·22	–	–		24
25	1·01	·17	·05	–	–	–	·21	·07	–	·13	·45	–		25
26	·75	·17	–	·04	–	·05	–	·14	–	–	·43	–		26
27	–	·17	–	·16	–	·03	–	–	–	·22	·11	·07		27
28	·03	·14	–	–	–	·03	–	–	–	–	·47	–		28
29	–	–	·03	–	–	–	·17	–	–	·31	16	–		29
30	–	×	–	·33	–	·15	·08	–	–	·22	·05	–		30
31	–	×	–	×	–	×	–	·11	×	·62	×	–	41·07	31
TOTAL	~~5~~6·63	1·74	1·19	2·74	·81	3·38	6·09	2·39	1·27	4·69	7·63	2·51	Year's Total ~~40·07~~	
* Days with .01 in. or more.	~~15~~6	~~11~~	~~10~~	~~15~~	~~10~~	~~11~~	~~20~~	~~13~~	~~5~~	~~16~~	~~24~~	~~13~~	~~163~~4	"d"
* Days with .04 in. or more.	14~~4~~5	11	8	15	9	9	19	12	5	15	22	12	15~~1~~2	

Paints WH

30/3/39

* See Instruction 3 (f) on other side.

MAJOR F.M. LANE

† Spare column, no entries required.

N

(Signed) F.M. Lane Major

P.T.O.

Circ A.
CULLOMPTON (WILLAND)

Section **A** for the entry of Daily Observations

Station No. 1788/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WILLAND
in the County of DEVON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft. 6 in.
,, Ground ,, Sea Level 250 ft.

Entry on Jan 17th est'd by reference
Query, can't be Jan 17th or
f 904266/39 17/4/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	-	·13	·06	·04	-	·16	·05	·13	-	·16	·10		1
2	·07	-	-	·23	·02	-	-	·35	·68	-	·17	·09		2
3	·23	-	·03	·42	·09	-	-	·11	·22	-	·13	·76		3
4	-	-	·44	·53	·23	-	·50	-	-	·28	·30	·25		4
5	-	-	-	-	·07	-	·50	·07	-	·48	-	-		5
6	·62	-	·05	·14	-	-	·54	-	-	·35	·66	·55		6
7	-	·17	-	·04	-	-	-	-	-	-	·77	·20		7
8	-	·29	-	-	-	-	·13	·07	-	·49	·59	·05		8
9	-	·04	-	-	-	-	·09	·04	-	·32	-	·28		9
10	·23	-	-	-	-	-	-	·10	·09	·08	·04	·02		10
11	-	-	-	-	-	-	-	·01	-	·38	·03	-		11
12	-	-	-	-	-	-	-	-	-	·03	·03	-		12
13	-	-	-	·22	-	-	·23	-	·15	·48	·05	-		13
14	·45	-	-	·11	·06	-	·53	-	-	·08	·05	-		14
15	·28	-	-	·05	·09	-	·96	-	-	-	·60	·04		15
16	·23	-	-	·07	·07	·92	·03	-	-	-	·31	·05		16
17	(1·00)	·05		-	·05	·43	·56	-	-	-	·13	-		17
18	-	·04	·16	-	-	·24	·60	-	-	-	·63	-		18
19	·25	-	-	-	·09	·63	·28	-	-	-	-	-		19
20	·47	-	-	-	-	-	·04	1·20	-	-	-	·05		20
21	·17	·26	·10	-	-	·15	·21	·07	-	-	-	-		21
22	·74	·24	·11	·23	-	·35	-	-	-	-	·40	-		22
23	-	-	-	·11	-	-	·09	-	-	-	·91	-		23
24	-	-	·09	-	-	·40	·18	-	-	·22	-	-		24
25	1·01	·17	·05	-	-	-	·21	·07	-	·13	·45	-		25
26	·75	·17	-	·04	-	·05	-	·14	-	-	·43	-		26
27	-	·17	-	·16	-	·03	-	-	-	·22	·11	·07		27
28	·03	·14	-	-	-	·03	-	-	-	-	·47	-		28
29	-	-	·03	-	-	-	·17	-	-	·31	16	-		29
30	-	×	-	·33	-	·15	·08	-	-	·22	·05	-		30
31	-	×	-	×	-	×	-	·11	×	·62	×	-	41·07	31
TOTAL	6 5·63	1·74	1·19	2·74	·81	3·38	6·09	2·39	1·27	4·69	7·63	2·51	Year's Total ~~40·07~~	
* Days with .01 in. or more.	~~156~~	~~11~~	~~10~~	~~15~~	~~10~~	~~11~~	~~20~~	~~13~~	~~5~~	~~16~~	~~24~~	~~13~~	~~1634~~	"d"
* Days with .04 in. or more.	145	11	8	15	9	9	19	12	5	15	22	12	15~~1~~2	

Paint WH

30/3/39

* See Instruction 3 (f) on other side.

MAJOR F.M. LANE

N

† Spare column, no entries required.

(Signed) F. M. Lane Maj

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1788/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at The Cottage. Willand

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·08		·05	·02						·28	-		1
2		·04					·03				·91	·02		2
3		·38		·10						·12	1·07	·12		3
4	·03	·22					·03			·30	·10	·04		4
5		-							·03	·06	·53	·18		5
6	·20	·38					·14			·19	·14	·39		6
7		·03					·09				-	·08		7
8								·04		·45	·24	·29		8
9							·63			·05	·65	·32		9
10			·02				·20		·02	·10	·15	·33		10
11				05			·49				1·08	·02		11
12			·14			·12	·14		·73		·11	-		12
13		·17	·40						·08	·30	1·01	·18		13
14			-	·05	·25				·11	·52	-	·36		14
15			·52	·06	·15	·03	·49		·25	·10	·47	·05		15
16		1·17					·10		·08	·73	·16	·02		16
17		·60	·55	·30			·12				·02	·01		17
18	·20		·38	·72			·38		·03	·04	·04	·06		18
19		·04	·14	·12			·03		·33		·17			19
20			·[illegible]3	·06			·09	·10	·07	·14	·07			20
21					·20				·11		·55			21
22			·13	·25		·78					02			22
23		·04	·19	·06			—				·02			23
24			·05				·34		·04					24
25				·04	·24									25
26	1·02	·39		·09	·26		·07				·01			26
27	·31	·12	·04	·15	·18		·02							27
28	·35	·11		·05	·14							·02		28
29		·13	·36	·81		·07				·04		·27		29
30	·14	✕		·10						·39		·12		30
31	-	✕		✕		✕			✕	·47	✕	·38		31
TOTAL	2·25	3·90	2·[illegible]5	3·06	1·44	1·00	3·39	·14	1·88	4·00	7·80	3·26	Year's Total 35·07	
* Days with .01 in. or more.	7	15	13	17	8	4	17	2	12	16	22	20	153	
* Days with .04 in. or more.	6	14	11	17	7	3	13	2	9	16	18	15	131	

† Spare column, no entries required.

(*Signed*) Fm Lane Hogg [P.T.O.

* See Instruction 3 (f) on other side.

1789

Section **A** for the entry
AIR MINIST

FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM 1090.

REGIS

93/.

—

1789
TIVERTON. ST AUBYNS'
1931 — 40

7803 of

Kept at Tiverton (St

in the County of Dev

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01 ^{f}	·06	— t ^{sn}	·17	—	·02	·06	—	·51	·03	— t	— t	1
2	·21	·02	— t	·70	—	·01	— t	—	·21	— t	·15	·29	2
3	·05	—	·96	—	—	—	·01	— t	·18	—	·95	·10	3
4	·04	—	·17	·07	·03	·03	·33	·33 ^{t}	·17	·02	·01	·03	4
5	— t ^{f}	·41	·05	·18	·03	·53 ^{T}	— t	·05 ^{T}	·01	— t	·11	·15	5
6	— t ^{f}	·09	—	— t	·04	·23	·17	—	—	·20	·20	·62	6
7	·01 ^{f}	·04	—	—	·21	·18	·61 ^{T}	·27	—	·12	·81	·10	7
8	—	·17	—	·21	—	·27	·02	·06	—	·02	·12	·05	8
9	—	·22	— t ^{sn}	— t	—	·02	·02	—	—	—	·46	·01	9
10	— t	·07	— t ^{sn}	—	·09	·06	·12	·02	—	—	·19	—	10
11	·21	·78	—	—	·01	·19	·09	—	·03	—	·26	·01	11
12	— t	·16	— t } ^{f}	—	·01	— t	·73 ^{T}	— t	·03	·29	— t	—	12
13	—	·05	·02 }	—	·05	·01	·33	·14	— t	—	— t	—	13
14	·03	·06	—	—	·19	·19 ^{T}	·57	·08	·01	—	·63	— t	14
15	·01	·16	—	·04	·09	— t	—	·54	·05	—	— t	·02	15
16	·03	·13	—	·16	·09	·79	·04	·25	·07	—	—	— t	16
17	·01	·06	—	·12	—	— t	·59	— t	— t	—	—	—	17
18	·04	—	— t	·07	—	·14	·12	·86	—	— t	·27	— t	18
19	·11	·08	·07	·04	—	·24 ^{T}	·15	·08	·03	—	·31	·05	19
20	·01	·12	·24	— t	—	—	—	·66	—	— t	·29	—	20
21	·23	·02	·03	—	·12	—	—	—	—	— t ^{f}	·02	—	21
22	·46	·04	— t	— t	·10	—	—	— t	—	—	·11	—	22
23	·54	·02	—	·43	·54	— t	·03	—	— t	—	·18	·01	23
24	·17	— t	— t	·54	·13	— t	·74	·26	—	—	·01	— t	24
25	24	·14	—	·41	·01	—	·05	—	—	—	·07	·01	25
26	— t	·13	—	·22	—	—	·47	—	—	—	·98	— t	26
27	·15	·26	—	— t	1·55 ^{T}	—	·05	—	—	·02	10	·01	27
28	·27	·13	·10	·02	·09	—	— t	·03 ^{T}	—	·11	— t	·13	28
29	·13	×	·12	—	·05	—	·12	·13	·02	·10	·03	·16 ^{sn}	29
30	·10	×	— t	—	·02	—	·01	·04	·03	·01 ^{fog}	—	— t	30
31	·93	×	·01	×	·16	×	·02	— t ^{m}	×	— t	×	·37	31
TOTAL	3·99	3·42	1·77	3·38	3·61	2·91	5·45	3·80	1·35	·92	6·26	2·12	YEAR'S TOTAL 38·98
*Days with ·01 in. or more.	23	24	10	15	21	15	24	16	13	10	22	17	210
*Days with ·04 in. or more.	16	21	7	14	15	10	18	14	6	5	18	10	154

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) F C Fox Strangways

[P.T.O.

Section **A** for the entry

1789

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Tiverton (St Aubyn's).

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 394 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01^{f}	·06	— t^{sn}	·17	—	·02	·06	—	·51	·03	— t	— t	1
2	·21	·02	— t	·70	—	·01	— t	—	·21	— t	·15	·29	2
3	·05	—	·96	—	—	—	·01	— t	·18	—	·95	·10	3
4	·04	—	·17	·07	·03	·03	·33	·33	·17	·02	·01	·03	4
5	— t^{f}	·41	·05	·18	·03	·53^{T}	— t	·05^{T}	·01	— t	·11	·15	5
6	— t^{f}	·09	—	— t	·04	·23	·17	—	—	·20	·20	·62	6
7	·01^{f}	·04	—	—	·21	·18	·61^{T}	·27	—	·12	·81	·10	7
8	—	·17	—	·21	—	·27	·02	·06	—	·02	·12	·05	8
9	—	·22	— t^{sn}	— t	—	·02	·02	—	—	—	·46	·01	9
10	— t	·07	— t^{sn}	—	·09	·06	·12	·02	—	—	·19	—	10
11	·21	·78	—	—	·01	·19	·09	—	·03	—	·26	·01	11
12	— t	·16	— t	—	·01	— t	·73^{T}	— t	·03	·29	— t	—	12
13	—	·05	·02 }^{f}	—	·05	·01	·33	·14	— t	—	— t	—	13
14	·03	·06	—	—	·19	19^{T}	·57	·08	·01	—	·63	— t	14
15	·01	·16	—	·04	·09	— t	—	·54	·05	—	— t	·02	15
16	·03	·13	—	·16	·09	·79	·04	·25	·07	—	—	— t	16
17	·01	·06	—	·12	—	— t	·59	— t	— t	—	—	—	17
18	·04	—	— t	·07	—	·14	·12	·86	—	— t	·27	— t	18
19	·11	·08	·07	·04	—	·24^{T}	·15	·08	·03	—	·31	·05	19
20	·01	·12	·24	— t	—	—	—	·66	—	— t	·29	—	20
21	·23	·02	·03	—	·12	—	—	—	—	— t^{f}	·02	—	21
22	·46	·04	— t	— t	·10	—	—	— t	—	—	·11	—	22
23	·54	·02	—	·43	·54	— t	·03	—	— t	—	·18	·01	23
24	·17	— t	— t	·54	·13	— t	·74	·26	—	—	·01	— t	24
25	·24	·14	—	·41	·01	—	·05	—	—	—	·07	·01	25
26	— t	·13	—	·22	—	—	·47	—	—	—	·98	— t	26
27	·15	·26	—	— t	1·55^{T}	—	·05	—	—	·02	10	·01	27
28	·27	·13	·10	·02	·09	—	— t	·03^{T}	—	·11	— t	·13	28
29	·13	✕	·12	—	·05	—	·12	·13	·02	·10	·03	·16^{sn}	29
30	·10	✕	— t	—	·02	—	·01	·04	·03	·01^{fog}	—	— t	30
31	·93	✕	·01	✕	·16	✕	·02	— t^{m}	✕	— t	✕	·37	31
TOTAL	3·99	3·42	1·77	3·38	3·61	2·91	5·45	3·80	1·35	·92	6·26	2·12	YEAR'S TOTAL 38·98
*Days with ·01 in. or more.	23	24	10	15	21	15	24	16	13	10	22	17	210
*Days with ·04 in. or more.	16	21	7	14	15	10	18	14	6	5	18	10	154

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) F C Fox Strangways

[P.T.O.

1789

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Tiverton.
in the County of Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 394 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	—	—	·14	·11	·22	·27	·13	·05	— t	·05	·01	1
2	09	—	—	·08	·15	—	·02	·02	·94	·01	·01	·45	2
3	— t	— t m	— t	— t	— t	·08	— t	—	·27	·05	·01	·08	3
4	—	—	—	—	—	— t	— t	·12	— t	—	·22	— t	4
5	·48	—	·04	—	—	—	— t	— t	·31	—	—	— t ″	5
6	·69	—	·02	·31	·01	—	·02	—	·33	·01	—	·01 ″	6
7	·28	—	·08	·13	—	—	·02	·01 mist	·59	1·29	—	·01 ″	7
8	·01 f	—	·76	·03	·16	—	—	— t ″	·09	·18	—	— t ″	8
9	1·09	·04 snow	—	·26	·01	—	—	— t ″	—	·01	—	—	9
10	·49	—	—	·36	·02	·02	—	—	·06	·20	— t	—	10
11	·07	— t ″	—	·07	·05	—	—	— t	·03	·21	—	·09	11
12	·73	— t ″	—	— t	·53	—	·02	—	·09	·30	·01	·01	12
13	·11	— t	—	·17	— t	—	·29	·44	— t	·63	—	·23	13
14	·24	—	—	·12	·22	—	—	·01	—	·12	·02	— t	14
15	·01	—	—	·25	·10	—	— t	—	—	·05	·03	·10	15
16	·27	—	—	·15	—	—	·48	—	—	·02	—	— t	16
17	—	—	—	— t	·01	—	—	—	·10	·07	— t	—	17
18	— t	—	— t m	—	·12	—	—	—	·49	—	·30	— t	18
19	·04	—	—	·04	·20	—	—	—	·11	·54	— t	—	19
20	— t	—	— t	·04	·95	—	— t	·02	·01	·66	·17	·27	20
21	·01 m	—	·09	·18	—	—	—	·25	·04	·44	·08	·24	21
22	— t ″	—	— t	·08	·05	—	—	·02	·73	·25	·35	— t	22
23	—	—	—	—	— t	—	·21	—	— t	·58	·13	·28	23
24	—	—	—	—	— t	—	·40	—	·04	·05	·09	— t fog	24
25	— t m	— t	·41	—	·01	—	·10	—	·02	·43	·13	·02 ″	25
26	—	—	·08	·16	—	—	·11	—	·03	·19	·18	— t ″	26
27	—	—	·56	·59	·16	·01	·17	—	—	·25	·03	·03	27
28	—	—	·19	·10	·05	— t	·13	—	— t	— t	—	·12	28
29	— t	—	·62	·16	·25	·39	·01	·85	·58	·68	·01	·44	29
30	—	×	·21	·04	·01	·84	·49	·03	·61	·10	·83	·03	30
31	—	×	·01	×	·02	×	·17	—	×	·02	×	·65	31
TOTAL	4·81	·04	3·07	3·46	3·19	1·56	2·91	1·90	5·52	7·34	2·65	3·07	YEAR'S TOTAL 39·52
*Days with ·01 in. or more.	16	1	12	21	21	6	16	11	21	26	18	18	187
*Days with ·04 in. or more.	13	1	10	20	14	4	11	5	17	21	11	11	138.

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) F. C. Fox Strangways. P.T.O.

no. 1789.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1789.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Tiverton.
in the County of Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
„ Ground „ Sea Level 394 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56	·34	·21	—	·12	·05	—	—	·01	— tr	·04	·84	1
2	·28	— tr	·65	—	·65	·45	—	—	—	—	·02	·21^{sn}	2
3	·04	·14	·26	—	·01	— tr	—	—	—	—	—	—	3
4	·29	·03	·01	—	·14	—	—	—	—	—	—	— tr	4
5	·26	01	·35	—	·09	—	—	—	—	01	— tr	—	5
6	·05	·49	·02	—	·23	—	·06^{t}	—	—	·11	— tr	— tr	6
7	·03	·32	·01	—	·08	—	·05	—	—	·17	—	·01	7
8	·03	·09	·03	—	·06	—	·11	— tr	—	·04	—	—	8
9	·01^{mt}	·13	—	— tr	·79	— tr	·35	·01	—	·16	·02	—	9
10	·02	·37	—	—	—	—	·06	·05	—	1·29	·01	—	10
11	·06	—	—	—	—	—	·18	50^{t}	—	·03	—	— tr^{h}	11
12	— tr^{h}	—	—	·09	·07	·10	·34	—	·77	·01	— tr^{h}	·01^{sn}	12
13	·01"	— tr^{h}	—	—	·13	·15	·25	·10^{t}	—	·16	·06	—	13
14	·08	—	—	—	—	—	·04	·10	—	— tr	·15	—	14
15	·51	·01^{h}	·31	—	—	—	·28	·12	—	·16	·01	·03	15
16	— tr^{h}	— tr	·86	—	—	·03	—	·01	·01	·08	—	— tr^{h}	16
17	·03^{sn}	·09^{sn}	·30	—	—	·15	— tr^{m}	·02	·08	—	— tr	— tr"	17
18	·05	— tr"	·35	—	—	·14	—	—	— tr	—	·02	—	18
19	·13	·01"	·51	— tr^{sn}	—	·01	—	— tr	·11	—	·41	—	19
20	— tr^{h}	·07	·01	— tr	·01	·14	—	·04	·11	—	—	·01^{fog}	20
21	—	·02"	—	—	— tr	·42^{t}	—	·06	— tr	·11	— tr^{m}	— tr"	21
22	—	—	—	·23	·05	·02^{t}	—	·36	·14	·01	·01	—	22
23	—	1·36$^{fg, sn}$	—	·26	—	·22	—	·01	·18	·31	—	—	23
24	—	29"	—	·12	—	—	—	·04	·03^{t}	·02	—	—	24
25	—	89"	—	·22	— tr	·16	— tr^{m}	—	·09	— tr	—	·08	25
26	—	·36	—	·16	·44	—	—	—	·01^{t}	·23	·01^{h}	·01^{fog}	26
27	—	·02	—	·05	·02	—	—	—	·02	·39	—	·48	27
28	—	·22	—	·43	·03	—	·15	—	— tr	·34	—	·02	28
29	·05	×	— tr	·23	—	—	·06	— tr	— tr	—	—	·02	29
30	·01	×	·15	·06	—	—	·06	—	·16	·02	—	·09	30
31	·23	×	·05	×	— tr	×	—	—	×	·06	×	— tr^{fg}	31
TOTAL	2·73	5·26	4·08	1·85	2·92	2·04	1·99	1·42	1·72	3·71	0·76	1·81	YEAR'S TOTAL 30·29
*Days with ·01 in. or more.	20	20	16	10	16	13	13	13	13	20	11	12	177
*Days with .04 in. or more.	13	14	11	10	12	10	13	9	8	14	4	5	123

40-9999
*See Instruction 2 (*f*) on other side.

D M

(*Signed*) F C Fox Strangways.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1789.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Tiverton.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 394 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	—	—	—	—	·47	·01	·02	·26	1·11	1
2	·15	—	·06	—	—	—	—	·08	·74	·02	·14	·32	2
3	·04	·01	—	— tr	—	—	—	·84	—	·22	—	·46	3
4	·18	—	·15	·05	·37	—	—	·02	·06	·55	—	·54	4
5	·01	—	·05	·01	·27	·09	—	1·17	—	·16	·19	·88	5
6	— tr	— tr	·36	·10	·68	—	—	— tr	— tr	·42	·06	·49	6
7	·04	— tr	— tr m	—	—	·14	—	09	— tr	·12	·07	·53	7
8	·01 fog	—	—	—	·13	—	—	—	— tr	·03	·29	·67	8
9	·01	—	·24	·04	—	—	—	— tr	—	·04	·15	·21	9
10	·26	— tr fog	·35	·31	—	—	—	·17	—	·03	·03	·05	10
11	·53	—	·01	·43	—	—	— tr	·09	—	— tr	—	·91	11
12	·12	·01 fog	— tr	— tr	—	—	— t	·21	—	—	—	·09	12
13	·41	·01 "	— tr	·61	—	·02	—	—	—	·05	·02	·52	13
14	·72	—	·43	— tr	—	—	—	—	— tr m	·05	·05	·48	14
15	·10	— tr "	·18	— tr	·24	·02	— tr	—	— tr	·10	·08	·25	15
16	·09	·01 "	·35	—	·01	—	—	—	·17	— tr	— tr m	·26	16
17	·43	— tr	·05	·14	·11	—	— tr	—	·09	·08	— tr "	·26	17
18	·13	— tr	·26	·64	— tr	·01	—	—	·05	·01	— tr "	·31	18
19	·01	—	·27	·05	·03	·04	—	—	17	·01	—	·22	19
20	— tr	— tr "	·10	·18	— tr	—	·49 t	—	04	·01	— tr "	·01	20
21	—	—	·09	—	·01	·28	—	·03	— tr	·15	·03	·23	21
22	·03	01 "	·06	— tr	—	·02	·13 t	·09	·41	·01	— tr m	1·14	22
23	·03	— tr "	·03	·30	—	·62	·05	·08	·25	— tr	— tr "	·30	23
24	—	·30	·08	·01	—	·16	·18	— tr	·03	·16	—	·06	24
25	·21	·09	—	·35	—	·04	—	—	·01	·25	—	·94	25
26	·02	·01 sn	·02	·05	—	·31	·02	—	·10	·02	·06	·27	26
27	—	—	—	·01	—	·11	—	·02	·04	·09	— tr	·68	27
28	—	— tr sn	—	·05	—	— tr	·09	·63	·28	·11	·01	·98	28
29	·01 fog	×	—	—	—	—	—	·14	·10	·08	·02	·13	29
30	·01	×	—	—	—	—	·01	·16	·06	·06	·01	·11	30
31	— tr	×	—	×	— tr h	×	·12	·02	×	·08	×	·12	31
TOTAL	3·58	0·45	3·14	3·33	1·85	1·86	1·09	4·31	2·61	2·93	1·47	13·53	YEAR'S TOTAL 40·15
*Days with ·01 in. or more.	24	8	19	17	9	13	8	17	17	27	16	31	206
*Days with ·04 in. or more.	14	2	16	14	6	9	6	13	14	18.	10	30	152

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) F.C. Fox Strangways.

P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 1789.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Tiverton.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 394. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	.07	.75	–	–tr	.04	.03	–	.16	.18	.16	.31		1
2	–	.07	.03	–	–	24	.01	–	.11	.28	.08	.18		2
3	.01	.04	.05	.02	.10	.12	.01	–	.43	.31	.19	–		3
4	.02	.25	–	.15	.03	.17	–	–	.07	.05	.15	.28		4
5	.01	.26	.07	.06	–	.05	–	–	.24	.63	.16	.02		5
6	–tr	–	–tr	.36	–	.64	–	–	–	.02	.04	.16		6
7	–	–	–tr f	.42	–	.04	–	–	–	.48	.03	.09		7
8	–	–	–tr m	.46	–	.01	–	.11	.02	.27	.21	.12		8
9	fog .01	–	–tr "	.51	–tr	.05	–	–	.12	.78	.34	–		9
10	.03	–	.29	.37	–	.16	–tr	–	–	.09	–tr	.01		10
11	.29	.01	–tr m	–tr	–	.25	–	–	.13	.04	.42	–tr		11
12	.04	.26	–	–	–	.27	–	.10	.03	–tr	.04	–		12
13	.06	.05	–	.27	.03	.02	–	–	–	.03	.26	–		13
14	–	.16	–	.26	–tr	.07	–	–	.11	.01	1.46	.33		14
15	–	.11	–	.80	.16	.22	–	–	.41	–	.25	.23		15
16	–	.09	.07	.15	–	.05	–tr	–	.73	.03	.74	.01		16
17	–	.02	–tr m	.03	1.04	.30	–	.15	.19	.02	.05	–tr f		17
18	–	–tr	–	.77	.03	.07	.05	.31	.61	.09	.03	.13		18
19	–	.02	–	.11	.17	.03	.19	–	.14	.15	.26	–tr Sn		19
20	–	.26	–	.31	.09	–tr	.05	–	–tr	–	.22	.01 fog		20
21	–	.33	.02	.47	–	–	.07	–	.07	.04	–tr	–		21
22	–	.01	.35	.16	–	–	–	–	.09	.02	–	.01 fog		22
23	–	.02	.25	–tr	.06	–	–	.36	.18	.35	–tr f	.28		23
24	.16	.44	–tr m	.01	.03	–tr	–	.34	.07	.05	–	.26		24
25	.35	1.06	–	.02	.02	.03	–	–	–	–	.01 f	.41		25
26	–	.67	–tr m	–	–	.01	–	.21	.11	.03	.02	.52		26
27	–	.07	–	–	–	–tr	.04	.02	.05	14	.08	.62		27
28	–tr m	.11	–	–	–	–	.02	.07	.07	.11	.03	.02		28
29	–	×	–	–	–	–tr	–	–tr	.15	.02	.32	.53		29
30	.04	×	–	–	.02	.09	–	.62	.15	.04	.67	.59		30
31	–	×	–	×	.04	×	–	.13	×	.75	×	.25		31
TOTAL	1.05	4.38	1.88	5.71	1.82	2.93	0.47	2.42	4.44	5.01	6.22	5.37	Year's Total. 41.70	
* Days with .01 in. or more.	12	22	9	20	13	22	9	11	24	27	25	23	217	
* Days with .04 in. or more.	6	17	7	16	7	17	5	10	22	19	20	17	163	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) F. C. Fox Strangways. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1789

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR 090.

REGISTER OF RAINFALL IN 1936.

Kept at Tiverton, St Aubyn's Park
in the County of S. Devon.
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level ....ft.

Copy by BRO

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·14	·01	·14	–	·12	·85	·06	Z.	–	·03	·13		1
2	tr	tr	–	·03	–	·16	·15	·03	·32	-	·08	·02		2
3	·02	tr	·06	·87	–	·11	·13	·04	·67	-	·10	·64		3
4	·03	tr	·18	tr	–	·16	·02	·01	·49	-	·13	·27		4
5	·39	·02	·05	–	–	tr	·33	·04	·15	-	·01	·20		5
6	·07	–	·03	–	–	·02	·22	·11	·16	.	·29	TR		6
7	·12	–	·19	–	–	–	·42	–	·05	.	·91	·05		7
8	·35	–	·35	–	–	–	·55	–	·02	-	1·02	·01		8
9	·36	·05	·47	–	–	·02	·10	–	·07	TR	·21	TR		9
10	·09	·13	–	–	–	–	·01	–	-	-	·41	TR		10
11	·29	·03	–	–	tr	·12	·02	·04	·12	-	·83	·06		11
12	·02	–	–	·01	tr	·02	·46	tr	·68	·03	·06	·01		12
13	·07	–	·02	tr	–	–	·22	–	Z.	·07	·08	·41		13
14	tr	·06	tr	–	–	·04	·72	–	·12	-	·06	·31		14
15	–	·01	–	tr	·07	tr	·03	–	·35	TR.	·17	·09		15
16	tr	·12	tr	·16	·24	–	·13	–	·09	–	·16	·10		16
17	·29	·88	–	–	·06	–	·18	tr	Z.	·12	·04	·27		17
18	·07	·26	·05	–	·22	·24	·52	tr	-	·09	–	·07		18
19	·54	tr	·06	·27	–	·16	·01	·06	-	TR	–	-		19
20	·06	·33	·24	·06	–	·07	tr	tr	·30	-	tr	·05		20
21	·01	·01	·10	·74	–	·09	tr	–	.	–	tr	-		21
22	·28	·34	·42	tr	–	–	·16	–	-	·01	tr	·01		22
23	·05	·09	·09	·18	·01	·02	·02	–	.	·02	·01	·01		23
24	·19	·01	·03	·02	·09	–	·09	–	·09	·46	tr	-		24
25	·34	–	·24	·08	–	–	·30	–	·26	·41	·01	-		25
26	·17	·13	·26	–	–	–	·01	–	·04	·11	tr	-		26
27	·12	·03	·01	–	–	–	·22	–	·03	·40	·01	-		27
28	·68	tr	·41	–	–	·05	·70	–	-	·03	·01	·27		28
29	·08	·05	·02	–	tr	·49	tr	–	-	·08	·08	·24		29
30	·22	✕	·01	–	·11	·12	·04	–	.	·29	tr	TR		30
31	·29	✕	·38	✕	·01	✕	·10	–	✕	·02	✕	·58		31
TOTAL	5·21	2·69	3·68	2·56	·81	2·01	6·71	·39	4·01	2·14	4·71	3·20	Year's Total 38·12	✓
* Days with .01 in. or more.	27	18	23	11	8	17	28	8	18	14	22	21	215 ✓	✓
* Days with .04 in. or more.	22	12	16	8	6	13	21	6	16	9	14	16	161 ✓	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

✓

(*Signed*) .... [P.T.O.

✓ ✓

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1789

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Tiverton, St. Aubyn's Park

in the County of S. Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·02	·01	·18	–	–	–	–	·06	·07	·06	·72		1
2	·27	·46		·25	–	–	–	–	·07	–	·01	·04		2
3	Tr	·38	·06	·12	·17	–	·01	–	·01	–	–	·01		3
4	·08	·35			·06	–	–	–	–	–	–	·55		4
5	·60	·01			–	–	·38	–	–	–	–	·18		5
6	·19	·45	·29	·32	·04	–	·08	–	–	·01	–			6
7	Tr	·48	·03	·35	–	·03	–	–	·02	–	–	·28		7
8	·01	·04			·47	·02	·05	–	–	–	·11			8
9	·03	–	·15	·12	·19	–	·04	–	·94	–	–	·06		9
10	·16	·02	·72	·61	–	·10	·03	·04	–	–	–	·21		10
11	·05	–	·34	·33	·19	·03	·51	·06	–	–	–	·05		11
12	·24	·35	·07		–	·33	·04	·14	·15	–	–	·29		12
13	–	·09	·52	·19	–	·19	–	·25	–		–	·03		13
14	Tr	·01	·11	·01	–	–	·05	·03	·09		–	·12		14
15	·65	·18	·19	·39	–	–	·06	–	·27	–	–	·26		15
16	·25	·16	·50	·04	–	–	·02	·37	·86	–	·03			16
17	1·31	·08	·56		–	–	–	·03	·06	–	·13			17
18	·17	·26	·21		–	·12	–	·02	·21	–	·19	·17		18
19	·11	·10	·08	·26	·12	–	–	–	·09	–	·31	·04		19
20	·63	·07	·04	·30	·05	–	–	–	–	–	·01	·43		20
21	·58	·69	·14	·14	·53	–	·10	–	–	·10	·10	·01		21
22	·23	·01	·08		·25	–	·15	–	·05	·65	·58	·01		22
23	·34	·26			·10	–	–	–	·11	·25	·67	·01		23
24	·69	·74	·09		–	–	–	–	·03	1·35	·01	·01		24
25	·01	·88	·32		·10	–	–	–	·01	·23	–	·01		25
26	·01	·40	·04		·06	–	–	–	–	·01	·01			26
27	–	·37			–	–	–	–	–	·37	–			27
28	·38	·07			–	–	–	–	–	·11	–			28
29	·11	–			–	–	–	–	–	·48	·17			29
30	·31	×			–	·04	–	–	·01	·04	·37			30
31	·53	×		×	–	×	–	–	×	·31	×			31
TOTAL	8·14	6·93	4·55	3·61	2·33	·86	1·52	·91	3·04	3·98	2·76	3·49	Year's Total 42·12	
* Days with .01 in. or more.	26	26	21	15	13	8	13	8	17	13	15	21	196	
* Days with .04 in. or more.	22	21	19	14	13	5	10	4	12	11	10	14	155	

40-9999.

† Spare column, no entries required.

(Signed) .... [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. M 1789.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Tiverton.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 394 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·02	·01	·18	–	–	–	–	·06	·07	·06	·72		1
2	·27	·46	–	·25	–	–	–	–	·07	–	·01 fog	·04		2
3	–tr	·38	·06	·12	·17	–	·01	–	·01	–tr m	–tr m	·01		3
4	·08	·35	–tr	–tr	·06	–tr	–tr	–tr	–	–	–	·55		4
5	·60	·01	–	–tr	–tr	–	·38	–	–	–	–tr "	·18		5
6	·19	·45	·29 sn	·32	·04	–tr	·08	–	–tr	·01	–tr "	–tr fog		6
7	–tr m	·48	·03	·35	–	·03	–	–	·02	–tr	–	·28 sn sl h		7
8	·01	·04	–tr m	–tr	·47	·02	·05	–	–	–	·11	–		8
9	·03	–tr	·15 sn	·12	·19	–	·04	–tr	·94	–	–	·06 sn		9
10	·16	·02	·72	·61	–tr	·10	·03	·01	–	–	–	·21		10
11	·05	–	·34	·33	·19	·03	·51	·06	–	–	–	·05		11
12	·24	·35	·07	–tr	–	·33	·04	·14	·15	–	–tr fr	·29		12
13	–	·09	·52 sl sn	·19	–tr	·19	–	·25	–tr	–	–	·03		13
14	–tr	·01	·11	·01	–	–	·05	·03	·09	–tr	–tr "	·12		14
15	·65	·18	·19	·39	–	–	·06	–	·27	–	–	·26		15
16	·25	·16	·50	·04	–	–	·02	·37	·86	–	·03	–tr		16
17	1·31	·08	·56	–	–	–	–	·03	·06	–tr h	·13	–		17
18	·17	·26	·21	–	–	·12	–	·02	·21	–	·19	·17		18
19	·11	·10	·08 sn	·26	·12	–	–	–	·09	–	·31	·04		19
20	·63	·07	·04	·30	·05	–	–	–	–tr	–	·01	·43		20
21	·58	·69	·14	·14	·53	–	·10	–	–	·10	·10	·01 m		21
22	·23	·01	·08 sn	–tr	·25	–tr	·15	–	·05	·65	·58	·01 "		22
23	·34	·26	–tr "	–	·10	–	–	–	·11	·25	·67	·01 "		23
24	·69	·74	·09	–	–	–	–tr	–	·03	1·35	·01	·01 "		24
25	·01 h	·88	·32	–	·10	–	–	–	·01	·23	–	·01 "		25
26	·01 "	·40	·04 sn	–	·06	–tr	–	–	–	·01	·01	–tr		26
27	–	·37 sn ?	–tr "	–tr	–	–tr	–	–	–	·37	–	–		27
28	·38 sn	·07	–	–	–	–	–	–	–tr m	·11	–	–tr		28
29	·11 sn	✕	–	–	–	–tr	–	–	–	·48	·17	–		29
30	·31	✕	–	–	–	·04	–	–	·01 m	·04	·37	–tr		30
31	·53	✕	–	✕	–	✕	–	–	✕	·31	✕	–		31
TOTAL	8·14	6·93	4·55	3·61	2·33	0·86	1·52	0·91	3·04	3·98	2·76	3·49	Year's Total 42·12	
* Days with .01 in. or more.	26	26	21	15	13	8	13	8	17	13	15	21	196	
* Days with .04 in. or more.	22	21	19	14	13	5	10	4	12	11	10	14	155	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. C. Fox Strangways. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1789

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Tiverton, St Aubyn's Park

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 394 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.21				.90	.05	.16	–	.35	.04	.26		1
2		.05		.05	.02		.02	–	–	.24	.03	.22		2
3					.10	.03	.13	.05	–	.59	.04	tr		3
4					.04	.05	.48	.87	.01	.36	TR	.10		4
5	.01					.04	.05	–	.05	.26	TR	.06		5
6	.17					.11	.77	–	.09	.08	–	.03		6
7	.20						.36	.24	.37	.09	–	.16		7
8	.89	.11					.23	.04	–	.57	.01	.02		8
9	.43	.14				.05	tr	.28	–	.06	.02	.76		9
10	.20	.02					.09	.05	–	tr	–	.77		10
11	.19					.01	.02	1.08	–	.01	.35	.83		11
12	.42				.21	.01	–	tr	–	.46	.88	.02		12
13	.07				.13		–	.01	–	.03	.13	1.03		13
14	.48				.14		.27	–	.14	tr	.01	.01		14
15	.26				.10		tr	.02	–	.17	.36	.30		15
16	.29		.01		.01		–	.08	–	tr	.29	tr		16
17		.16			.01		tr	tr	.04	.30	.01	tr		17
18	.23				.03	.07	.02	.11	.26	.03	.34	–		18
19							tr	.01	.15	–	.42	tr		19
20	.01						–	–	.01	–	.38	tr		20
21						.01	–	.02	.19	tr	.18	.22		21
22	.01			.06		.04	–	.50	.01	.05	.43	.01		22
23				.04			–	.02	TR	–	.21	.01		23
24	.08		.14		.29		tr	.10	.05	–	.29	tr		24
25	.15	.27	.03		.23		.21	–	–	.04	1.02	.15		25
26	.30	.44	.04		.35	.05	.18	–	–	.19	.09	.01		26
27	.24	.22			.19		.31	.41	–	.03	.37	–		27
28	.23	.21	.01		.11	.19	.02	.40	–	tr	.03	.01		28
29	.34				.45	.01	–	–	.13	.18	.27	.08		29
30	.11	✕	.01		.05	.09	tr	–	.12	.01	.25	.09		30
31	.44	✕		✕	.20	✕	.01	–	✕	.25	✕	.39		31
TOTAL	5.75	1.83	.24	.15	2.66	1.66	3.22	4.45	1.62	4.35	6.45	5.54	Year's Total 37.92	
* Days with .01 in. or more.	23	10	6	3	18	15	17	19	14	22	25	23	195	
* Days with .04 in. or more.	20	9	2	3	14	10	12	14	11	17	19	15	146	

† Spare column, no entries required.

(*Signed*) T. C. Fox Strangways

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1789

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Tiverton, St. Aubyn's Park

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 394 ft.

Jan adj by sum. stn

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	–	·09	·04	·03	-	·12	·06	·02	tr	·27	·04		1
2	·16	TR	—	·24	·01	-	–	·33	·32	–	·40	·12		2
3	·85	–	·05	·42	–	-	tr	·10	·11	–	·16	·82		3
4	·01	–	·33	·74	·28	-	·51	tr	tr	·38	·60	·44		4
5	—	·01	·03	·20	TR	-	·46	·45	-	·37	·71	·03		5
6	·69	TR	·05	·05	–	-	·58	·08	-	·19	·28	·01		6
7	·07	·21	—	-	–	-	·11	tr	tr	tr	·49	·53		7
8	·01	·30	·03	-	·02	-	·07	·09	·01	·87	·53	·21		8
9	·05	·05	·04	-	–	-	–	·10	-	·10	·03	·05		9
10	·24	–	tr	-	–	·03	–	·03	·13	·06	·02	·36		10
11	—	–	·07	-	–	-	tr	·04	-	·21	·03	–		11
12	·01	·02	—	·01	–	tr	–	.	·09	·05	·01	–		12
13	·01	–	–	·16	·01	·03	·20	.	·01	·41	·05	tr		13
14	·52	–	–	·09	·05	·08	·47	.	·01	·06	·17	·06		14
15	·49	–	·01	·06	·12	·74	·71	.	-	·01	·42	·03		15
16	·19	·01	tr	·11	·01	tr	·07	.	-	—	·45	–		16
17	1·01	·03	—	TR	·01	·24	·54	.	-	—	·20	–		17
18	·02	·09	·03	-	–	·06	·96	.	-	tr	·73	·02		18
19	·29	–	—	-	–	·03	·08	·29	-	–	tr	·05		19
20	·48	–	tr	-	·09	·43	–	·60	-	—	–	–		20
21	·05	·18	·18	·01	·04	·31	·01	·34	tr	tr	–	tr		21
22	1·09	·35	·11	TR	–	·24	·18	.	tr	—	·53	·01		22
23	·01	·01	·03	·31	–	tr	·14	.	-	·01	·88	tr		23
24	1·03	–	·23	·05	—	·40	·15	-	-	·09	tr	·01		24
25	·59	·21	tr	TR	—	-	·12	·15	-	·16	·58	–		25
26	·02	·15	—	·20	—	-	tr	·17	-	·10	·71	tr		26
27	—	·25	tr	TR	–	·05	·01	·05	-	tr	·17	–		27
28	TR	·16	·01	·21	–	·02	tr	-	.	—	·72	·05		28
29	·03		tr	·07	–	-	·12	tr	-	·18	·13	tr		29
30	—	✕	·01	·21	–	·10	·02	tr	-	·16	·05	–		30
31	–	✕	—	✕	–	✕	·01	·11	✕	·71	✕	·01		31
TOTAL	7·96	2·03	1·30	3·18	·67	2·76	5·64	2·99	·70	4·12	9·32	2·85	Year's Total 43·32	✓
* Days with .01 in. or more.	25	15	16	18	11	14	22	16	8	18	26	18	207	✓
* Days with .04 in. or more.	17	10	9	16	5	10	18	15	4	16	22	11	153	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1789 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Tiverton, St Aubyn's Park.
in the County of South Devonshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 394 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·08	-	·10	-	-	-	-	-	-	·27	-		1
2	-	05	-	12	-	-	03	-	tr	-	1·14	·02		2
3	·02	·52	-	·05	-	-	tr	-	-	·16	1·15	·14		3
4	-	·16	-	·16	-	-	·03	-	-	·18	·10	·06		4
5	·01	·01	-	-	-	-	·03	-	-	·10	·72	·28		5
6	·20	39	-	-	-	-	tr	-	-	·24	·17	·43		6
7	·05	·02	-	03	-	-	08	·02	·02	·05	tr	·08		7
8	-	-	-	-	-	-	tr	-	-	·43	·23	·38		8
9	-	-	-	-	-	-	38	·11	·02	·11	·61	·42		9
10	-	-	tr	-	-	-	·16	·02	·02	·14	·13	·34		10
11	-	·09	·02	tr	-	tr	·45	-	-	-	1·06	·02		11
12	-	-	·15	-	-	·25	·64	-	·76	-	·23	-		12
13	-	·01	·38	-	-	-	·21	-	·03	·48	·81	·17		13
14	-	08	·03	·05	·11	-	tr	tr	·15	·56	·01	·37		14
15	tr	01	-	·10	·08	-	·20	-	·32	·02	·51	tr		15
16	·05	·98	·59	·05	-	·01	·09	-	·07	38	·19	·02		16
17	-	·28	·51	-	-	-	·13	-	tr	tr	tr	·01		17
18	·22	·45	·26	·48	-	-	·01	tr	·06	·09	·04	·13		18
19	tr	·05	·13	·20	-	-	·58	-	·22	·01	·25	-		19
20	-	-	·02	·04	-	-	·04	·10	·11	·13	·06	·01		20
21	-	-	-	-	·24	·20	·02	·02	tr	-	·56	-		21
22	-	-	·24	18	TR	·51	-	-	·15	·03	-	-		22
23	-	·01	·27	·03	·04	-	·01	-	·09	tr	·03	tr		23
24	tr	-	·02	tr	·02	tr	·32	-	tr	-	tr	tr		24
25	·21	-	·04	·04	·09	·04	tr	-	-	-	-	-		25
26	·87	·27	-	·03	·34	-	·10	-	-	-	tr	-		26
27	·46	·24	·03	54	·12	-	·02	-	-	-	-	-		27
28	·47	·06	-	·08	·33	-	-	tr	-	tr	-	·02		28
29	·15	·08	·28	·76	TR	·05	-	-	-	·02	tr	·31		29
30	·05	×	tr	·06	-	-	-	-	-	·28	tr	·15		30
31	·04	×	·01	×	-	×	-	-	×	·45	×	·42		31
TOTAL	2·80	3·84	2·98	3·10	1·37	1·06	3·53	·27	2·02	3·86	8·27	3·78	Year's Total 36·88	✓
* Days with ·01 in. or more.	13	20	16	19	9	6	20	5	13	19	20	20	180	✓
* Days with ·04 in. or more.	11 ✓	15 ✓	10 ✓	16 ✓	8 ✓	5 ✓	13 ✓	2 ✓	9 ✓	15 ✓	18 ✓	14	136	✓

2·25
23

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. C. Fox Strangways [P.T.O.

1792

Section | **A** | for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIST 31.

1792

TIVERTON, LYTHECOURT

1931

780308

Kept at Lythecourt.

in the County of Dev

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02		·18			·04		·45				1
2	·23			·76					·21	·03	·19	·40	2
3	·05		·88	·11					·22		·96	·04	3
4			·16	·15	·06		·49	·92	·21			·03	4
5		·43	·05			·53	·02	·07			·08	·20	5
6		·11			·05	·20	·13			·36	·19	·51	6
7		·01		·19	·22	·12	·21	·20		·19	·74	·08	7
8		·18				·26	·02			·01	·21	·07	8
9		·20				·02	·05	·20			·32		9
10		·08			·09	·05	·17				·24		10
11	·25	·67				·17	·06		·10		·25		11
12		·15					·77		·03	·21	·02		12
13	·01	·07			·10		·28	·10	·03		·57		13
14	·04	·08			·21	·25	·45	·13					14
15		·21		·07	·05			·55					15
16	·04	·19		·18	·11	·77	·08	·43	·12			·02	16
17		·10		·12		·02	·57				·32		17
18	·05		·08	·05		·20	·13	·86			·25		18
19	·13	·07	·20	·09		·25	·20	·11	·02		·37		19
20		·11						·72					20
21	·22	·04			·12								21
22	·59	·03			·13						·12		22
23	·30	·02		·33	·56		·01				·19		23
24	·21		·03	·56	·10		·71	·22			·01		24
25	·33	·18		·39	·02		·05				·08		25
26		·11		·21			·71				·99	·02	26
27	·18	·26		·02	1·90		·07			·13	·11		27
28	·32	·15	·14				·16	·02		·02		·08	28
29	·28	×	·06		·08			·11		·11	·09	·17	29
30	·14	×			·02			·04	·04				30
31	·93	×		×	·14	×	·02		×		×	·34	31
TOTAL	4·30	3·47	1·60	3·41	3·96	2·84	5·35	4·68	1·43	1·06	6·30	1·96	YEAR'S TOTAL 40·36
*Days with ·01 in. or more.	18	23	8	15	17	12	23	15	10	8	21	12	182
*Days with ·04 in. or more.	17	19	7	14	15	10	18	14	7	5	19	9	154

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Late Al Sadler

[P.T.O.

1792

Section **A** for the entry of COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Lythecourt. Tiverton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02		·18			·04		·45				1
2	·23			·76					·21	·03	·19	·40	2
3	·05		·88	·11					·22		·96	·04	3
4			·16	·15	·06		·49	·92	·21			·03	4
5		·43	·05			·53	·02	·07			·08	·20	5
6		·11			·05	·20	·13			·36	·19	·51	6
7		·01		·19	·22	·12	·21	·20		·19	·74	·08	7
8		·18				·26	·02			·01	·21	·07	8
9		·20				·02	·05	·20			·32		9
10		·08			·09	·05	·17				·24		10
11	·25	·67				·17	·06		·10		·25		11
12		·15					·77		·03	·21	·02		12
13	·01	·07			·10		·28	·10	·03		·57		13
14	·04	·08			·21	·25	·45	·13					14
15		·21		·07	·05			·55					15
16	·04	·19		·18	·11	·77	·08	·43	·12			·02	16
17		·10		·12		·02	·57				·32		17
18	·05		·08	·05		·20	·13	·86			·25		18
19	·13	·07	·20	·09		·25	·20	·11	·02		·37		19
20		·11						·72					20
21	·22	·04			·12								21
22	·59	·03			·13						·12		22
23	·30	·02		·33	·56		·01				·19		23
24	·21		·03	·56	·10		·71	·22			·01		24
25	·33	·18		·39	·02		·05				·08		25
26		·11		·21			·71				·99	·02	26
27	·18	·26		·02	1·90		·07			·13	·11		27
28	·32	·15	·14				·16	·02		·02		·08	28
29	·28	×	·06		·08			·11		·11	·09	·17	29
30	·14	×			·02			·04	·04				30
31	·93	×		×	·14	×	·02		×		×	·34	31
TOTAL	4·30	3·47	1·60	3·41	3·96	2·84	5·35	4·68	1·43	1·06	6·30	1·96	YEAR'S TOTAL 40·36
*Days with ·01 in. or more.	18	23	8	15	17	12	23	15	10	8	21	12	182
*Days with ·04 in. or more.	17	19	7	14	15	10	18	14	7	5	19	9	154

40-9999

(Signed) Late A L Sadler

[P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

1790/5

FORM 1090.

REGIST 31.

S Devon/6

1790/5

TIVERTON, HALLBERTON

1931 — 40

780308

TIVERTON

Kept at Halberton

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

in 1930

K previously

8

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·23	-	·20	..	·01	·04	..	·27	·07	..	..	1
2	·23	·06	·01	·87	-	·01	·01	..	·42	·03	·18	·34	2
3	·09	·01	·90	·01	..	-	·02	K	·18	..	1·43	·21	3
4	·04	..	·20	·03	·02	·37	·38	·32	·26	·02	·05	·06	4
5	-	·46	·04	·26	·04	·65	·02	·04	·02	..	·08	·20	5
6	-	·07	·01	·03	·07	·23	·32	..	·01	·25	·21	·72	6
7	-	·04	·	..	·26	·27	·33	·31	..	·11	·96	·10	7
8	-	·23	·	·20	..	·30	·03	·05	..	·03	·17	·08	8
9	-	·24	·	·01	..	·02	·02	..	..	..	·45	·02	9
10	-	·13	·	·01	·10	·07	·10	·03	..	-	·19	..	10
11	·26	1·17	-	·01	·03	·24	·02	·01	·05	..	·31	·01	11
12	·03	·19	-	..	..	·01	·92	..	·06	·15	·01	..	12
13	-	·09	·03	..	·06	·01	·22	·08	·02	·11	·02	-	13
14	·04	·09	-	..	·16	·27	·61	·11	·02	·01	·60	..	14
15	·01	·23	-	·06	·16	·01	..	·78	·01	..	·02	·01	15
16	·06	·23	·	·15	·13	·92	·04	·48	·08	..	..	..	16
17	·02	·07	·03	·17	·01	·01	·67	..	·01	..	·01	..	17
18	·06	·01	·01	·07	..	·19	·09	·97	..	..	·35	..	18
19	·11	·06	·09	·09	..	·09	·22	·20	·02	·	·27	·04	19
20	·02	·13	·31	·01	..	·01	·01	·66	..	..	·45	..	20
21	·35	·02	·06	·02	·11	..	..	·01	..	..	·04	..	21
22	·64	·06	·01	..	·15	..	..	..	..	·01	·11	..	22
23	·75	·03	..	·68	·62	..	·02	·01	..	..	·23	·01	23
24	·24	·01	·	·64	·20	..	·98	·29	-	..	·03	-	24
25	·88	·13	..	·54	·03	..	·04	·01	..	..	-	·01	25
26	·02	·22	..	·21	..	..	·42	·01	..	..	1·11	·01	26
27	·20	·31	..	·01	1·96	..	·11	..	..	·02	·10	·01	27
28	·34	·20	·10	·03	·22	·01	·04	·01	..	·15	..	·16	28
29	·22		·10	..	·06	..	·13	·15	..	·09	·03	·26	29
30	·03	×	..	·01	·08	..	·02	·04	06	·00	..	..	30
31	1·60	×	..	×	·43	×	·02	·02	×	·02	×	·37	31
TOTAL	5·76	4·70	1·89	4·06	5·87	3·68	6·98	4·79	1·44	1·10	7·41	3·01	YEAR'S TOTAL 49·69
*Days with ·01 in. or more.	23 6	27 5	14 6	24 ~~11~~	21 ~~4~~	20 ~~11~~	~~28 10~~	22 8	15 ~~7~~	15 8	25 8	18 ~~7~~	252 ~~84~~
*Days with ·04 in. or more.	17	22	8	13	17	9	18	14	8	7	19	11	163

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) M. G. Izal

[P.T.O.

Section **A** for the entry of 1790/5

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

S Devon 6

REGISTER OF RAINFALL IN 1931.

TIVERTON

Kept at (Halberton)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 240 ft.

imp 1930
6K previously

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·23	-	·20	··	·01	·07	··	·27	·07	··	··	1
2	·23	·06	·01	·87	-	·01	·01	··	·42	·03	·18	·34	2
3	·09	·01	·90	·01	··	-	·02	tr	·18	··	1·43	·21	3
4	·04	··	·20	·08	·02	·37	·38	·32	·26	·02	·05	·06	4
5	-	·46	·04	·26	·04	·65	·02	·04	·02	··	·08	·20	5
6	-	·07	·01	·03	·07	·23	·32	··	·01	·25	·21	·72	6
7	-	·04	·	··	·26	·27	·33	·31	··	·11	·96	·10	7
8	-	·23	-	·20	··	·30	·03	·05	··	·03	·17	·08	8
9	-	·24	·	·01	··	·02	·02	··	··	··	·45	·02	9
10	-	·13	·	·01	·10	·07	·10	·03	··	-	·19	··	10
11	·26	1·17	-	·01	·03	·24	·02	·01	·05	··	·31	·01	11
12	·03	·19	-	··	··	·01	·92	··	·06	·15	·01	··	12
13	-	·09	·03	··	·06	·01	·22	·08	·02	·11	·02	-	13
14	·04	·09	-	··	·16	·27	·61	·11	·02	·01	·60	··	14
15	·01	·23	-	·06	·16	·01	··	·78	·01	··	·02	·01	15
16	·06	·23	·	·15	·13	·92	·04	·48	·08	··	··	··	16
17	·02	·07	·03	·17	·01	·01	·67	··	·01	··	·01	··	17
18	·06	·01	·01	·07	··	·19	·09	·97	··	··	·36	··	18
19	·11	·06	·09	·09	··	·09	·22	·20	·02	··	·27	·04	19
20	·02	·13	·31	·01	··	·01	·01	·66	··	··	·45	··	20
21	·35	·02	·06	·02	·11	··	··	·01	··	··	·04	··	21
22	·64	·06	·01	-	·15	··	··	··	··	·01	·11	··	22
23	·76	·03	··	·68	·62	··	·02	·01	··	··	·23	·01	23
24	·74	·01	·	·64	·20	··	·98	·29	··	··	·03	-	24
25	·88	·10	··	·54	·03	··	·04	·01	··	-	-	·01	25
26	·02	·22	··	·21	··	··	·42	·01	··	··	1·11	·01	26
27	·20	·31	··	·01	1·96	··	·11	··	··	·02	·10	·01	27
28	·34	·20	·10	·03	·22	·01	·04	·01	··	·15	··	·16	28
29	·22		·10	··	·06	··	·13	·15	··	·09	·03	·26	29
30	·03	×	··	·01	·08	··	·02	·04	06	·03	··	··	30
31	1·60	×	-	×	·43	×	·02	·02	×	·02	×	·37	31
TOTAL	6·76	4·70	1·89	4·06	5·87	3·68	6·98	4·79	1·44	1·10	7·41	3·01	YEAR'S TOTAL 49·69
*Days with ·01 in. or more.	23 6	27 5	14 6	24 ~~11~~	21 4	20 ~~11~~	28 ~~10~~	22 8	15 7	15 8	25 8	18 7	252 ~~84~~
*Days with ·04 in. or more.	17	22	8	13	17	9	18	14	8	7	19	11	163

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. G. Izal

[P.T.O.

1790/5

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1790/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Halberton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·02		·18	·10	·40	·41	·19	·01	·02	·09	·03	1
2	·13			·16	·20		·02	·02	·56	·03	·01	·40	2
3	·01			·01	·01	·07	·02	tr	·60	·06	·02	·05	3
4	·01					·01	·01	·12	tr	·01	·29	·01	4
5	·47		·07				·02	·01	·20	·01		·02	5
6	·96		·02	·48			·04		·48			·02	6
7	·31		·06	·15	·13		·01		·47	1·60			7
8	·02		·82	·04	·27			tr	·27	·31			8
9	1·55	·03	·01	·29	·02			·01	·01	·13			9
10	·61			·42		·06		·01	·01	·35			10
11	·10			·15	·09				·08	·10		·08	11
12	1·06			·02	·54				·08	·31	·01	·02	12
13	·11			·21	·01		·84	·60	·01	·71	tr	·34	13
14	·34			·15	·80			·05		·03	·05	tr	14
15	·01			·26	·16					·04	·02	·13	15
16	·46			·23	·01		·41		·01	·03	·01	·01	16
17				·04	·02		·02		·05	·10			17
18				·01	·16				·70	·01	·26		18
19	·06			·04	·13				·07	·62	·01		19
20	·06		·01	·05	1·29		·01	·01	·01	·79	·18	·15	20
21	·01		·10	·22	·01		tr	·10	·02	·56	·04	·32	21
22	·01		·01	·02	·02		·03	·03	·83	·28	·37	·01	22
23				·0[illegible]	·03		·20		·03	·66	·09	·32	23
24				[illegible]	·01		·43		·05	·11	·09	·01	24
25	·01		·47	[illegible]	·01		·04		·02	·43	·20	·02	25
26			·08	·16			·29		·01	·24	·15		26
27			·77	·74	·19		·11			·34	·05	·06	27
28			·18	·09	·15	tr	·31				·01	·10	28
29			·74	·16	·41	·40	·02	1·01	·61	·74	·01	·58	29
30		×	·17	·04	·01	1·12	·45		·86	·09	·93	·06	30
31		×	·01	×	·02	×	·31	·03	×	·01	×	·80	31
TOTAL	6·64	·05	3·61	4·36	4·32	2·07	3·40	2·20	6·04	8·60	2·89	3·56	YEAR'S TOTAL 47·62
*Days with ·01 in. or more.	21 ~~7~~	2	15 ~~5~~	26 ~~9~~	26 ~~12~~	X6	21 ~~9~~	13 ~~X~~	25 ~~10~~	29 ~~8~~	~~8~~ 21	22 ~~9~~	~~81~~ 227
*Days with .04 in. or more.	14	0	10	23	16	5	12	6	16	21	13	13	147

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. G. Izat

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1790/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Halberton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 6 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·72	36	·25	·01	·07	T			·01		·08	·87		1
2	·46		·80		·67	·37					·04	·10		2
3	·08	·17	·33		·02	T								3
4	·40	·03			·13									4
5	·40		·60		·09					·01				5
6	·01	·56	·06		·23		·04			·10	T			6
7	·04	·29	·03		·13		·01			·14		·03		7
8	·03	·09	·03		·05	T	·17			·05				8
9		·09			·69	T	·32			·24	·03			9
10		·23			·01		·22			1·08	·02			10
11	·10					·30	·40			·12	·01			11
12		·01		·12	·02	·10	·24	·75	·54	·03				12
13	·01				·11	·04	·41	·13	·01	·14	·07			13
14	·08					·01	·06	·10		·03	·22			14
15	·60	·01	·30			T	·60	·14		·16	·01	·03		15
16		·01	·95			·03	·01	·01	T	·12		·01		16
17	·05	·09	·48			·08	T	·01	·09	·01	T	T		17
18	·09	·01	·48			·12	·01				T			18
19	·10	T	·56			·01		T	·02		·44	T		19
20		·05	·02	T		·18		·04	·08		·04	·01		20
21		·02	·01			·16		·08		·09	T	T		21
22				·22	·08	·08		·25	·18	·01	T	T		22
23		·83		·38		·21			·20	·19				23
24		·38		·16		·01		·04	·17	·01				24
25		·78		·15	T	·27			·16			·09		25
26		·77		·13	·35				·03	·04		·01		26
27		·02		·01	·07		T		·02	·66	·01	·64		27
28		·15		·53	·05		·16		·01	·36		·02		28
29	·04		T	·43	·01		·07	·01		·02		T		29
30	·03	×	·25	·23	-		·07		·09	T		11		30
31	·30	×	·05	×	T	×	T		×	·05	×			31
TOTAL	3·64	4·94	5·20	2·37	2·78	1·97	2·69	1·56	1·61	3·66	·97	1·92	Year's Total 33·21	
*Days with ·01 in. or more.	18 4	21 7	16 4	11 8	17 4	15 4	15 8	11 8	14 6	22 7	11 8	10 8	181	
*Days with ·04 in. or more.	14	14	12	9	13	11	12	8	8	15	6	6	127	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) M. G. Izzet

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1790/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Halberton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 6 in.

,, Ground ,, Sea Level 250 ft.

~~Dup~~ Alf

Estimates taken from numbers either side of 1790

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	t	t					·59	·08	·02	·27	1·08		1
2	·19		·01					x	·90	·01	·18	·33		2
3	·05	·02	·18	t				x		·05		·57		3
4	·22			·09	·39			-	·14	·58		·67		4
5	·02		·02	·01	·39	·12		x		·26	·29	1·07		5
6	·01		·40	·01	1·20			-	t	·46	·15	·67		6
7	·06	t	·01	·01	·01	·11		x		·14	·04	·83		7
8	·01		·01		·16			-		·05	·36	·81		8
9	·03	·01	·20	·10				-		·03	·16	·47		9
10	·39		·40	·30				x		·03	·03	·04		10
11	·31		·01	·56				x		·01		·90		11
12	·06	·02		·03				x 2·34			·01	·12		12
13	·76	t		·85		·02		-		·03	·02	·44		13
14	·60	·02	·59	·01	t					·03	·07	·62		14
15	·16		·26	t	·21	t	t		·01	·12	·12	·20		15
16	·12	·02	·41	t	·06					·01	·01	·25		16
17	·60		·08	·14	·07		t		·20	·10		·40		17
18	·17		·24	·86	t	t			·19	·01		·29		18
19		t	·30	·06	·01	·04			·10	·01	·01	·26		19
20		·03	·10	·15	·01		·21		·06	·02	·02	·03		20
21	·01		·08	·02	·01	·30		·04	t	·19		·22		21
22	·01	·02	·09			·02	·76	·12	·40	·04		1·00		22
23	·02	t	·03	·40		·63		·06	·24	·01		·13		23
24	·01	·28	·10	·05		·24	·23	t	x	·10		·03		24
25	·31	t	t	·28		·60	·01		✓	·42		·90		25
26	·02	t	·03	·19		·20	·02		·65 x	·03	·05	·17		26
27		t		·03		·20	t	·02	✓	·11	t	·36		27
28				·03		·01	·06	·70	x	·11		·84		28
29							·01	·19	x	·09	·02	·14		29
30	·02	×					·01	·10	x	·07	t	·16		30
31	t	×		×	·01	×	·08	·01	×	·07	×	·13		31
TOTAL	4·20	·42	3·66	4·18	2·51	2·49	1·37	4·10	2·94	3·20	1·81	14·01	Year's Total 44·81	
*Days with ·01 in. or more.	~~10~~ 25	7	~~7~~ 21	~~8~~ 21	~~6~~ 12	~~3~~ 12	~~4~~ 9	16	14	~~13~~ 30	~~7~~ 14	~~3~~ 31	218	
*Days with .04 in. or more.	15	1	14	13	7	9	5	13	14	17	10	~~26~~ 29	144	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) M. G. Lyst.

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1790/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Halberton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

,, Ground ,, Sea Level 250 ft.

File no 84395/31

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·06	·51		tr	·03	·09		·17	·25	·13	·47		1
2	tr	·09	·06			·14	·01		·10	·31	·06	·13		2
3		·06	·05	tr	·04	·17	·01		·55	·43	·44	tr		3
4		·25		·17	·04	·34			·01	·01	·18	·28		4
5		·30	·05	·06		·38			·25	·96	·11	·02		5
6		tr	·03	·50		·64				·15	·05	·22		6
7				·52		·03				·60	·03	·09		7
8				·52				·11	·03	·35	·26	·15		8
9	·01			·71	tr	·11			·03	·83	·35			9
10	·03		·16	·35		·08			·01	·07		·01		10
11	·29	tr	tr	tr		·33			·10	·04	·53	·02		11
12	·05	·19				·33		·12	·02		·06			12
13	·04	·15	tr	·39		·05			-	·02	·27			13
14	tr	·10		·30	·04	·03			·07	·01	1·47	·37		14
15		·22		·78	·20	·07			·31		·27	·37		15
16		·20	·05	·18	·01	·04			1·10	·03	1·00	·02		16
17		·02		·03	1·16	+	tr	·19	·25	·02	·07			17
18				·90	tr	+	·03	·10	·78	·13		·09		18
19		·01		·06	·16	✓	·20		·12	·17	·20	tr		19
20		·35		·27	·34	-	·23		·03		·26			20
21		·50		·10		·38 -	·05		·10	·05				21
22		·09	·29	·10		-	tr		·07	·03	·02			22
23		·02	·34	·01	·09	-		·36	·12	·38		+		23
24	·25	·67	·01	·01	·06	-		·36	·18	·08		+		24
25	·46	1·40	tr	·02	·02	·03		·01				+		25
26	·01	·96				·01		·21	·13	tr	·03	+ 4·06		26
27		·08					·02	·02	·05	·17	·08	+		27
28	·01	·15					·03	·12	·10	·10	·05	✓		28
29					tr	tr		tr	·12	·03	·26	+		29
30	·05	×				·07		·73	·19	·05	·90	+		30
31		×	1·04	×	·01	×		·10	×	·84	×	+		31
TOTAL	1·22	5·86 5·86	3·08	5·97	2·17	3·26	·67	2·43	4·99	6·11	7·05	6·29	Year's Total. 49·10	49·10
* Days with .01 in. or more.	11 ~~8~~	21 ~~3~~	11 ~~2~~	20 ~~4~~	~~3~~ 12	21 ~~8~~	~~6~~ 10	~~2~~ 12	~~6~~ 26	26 ~~7~~	24 ~~3~~	22 ~~4~~	216	
* Days with .04 in. or more.	6	18	9	16	9	~~12~~ 15	4	10	20	19	21	17 ~~9~~	164	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. G. 13 [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1790/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Halberton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

,, Ground ,, Sea Level 250 ft.

Ack Days Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	✓	·14	·01	20		·10	·80				·05	·13		1
2	·42	·01		07		·49	·27	·08	t		·08	·06		2
3	·02	t	·06	·86		·04	·17	·10	·94		·14	·03		3
4	t		·20			·06	·01		·64		·09	·30		4
5	·58		·08				·21	·22	·09		·02	·25		5
6	·10		·06			·03	·23	·09	·19		·25	t		6
7	·14		·27			t	1·16		·03		·16	·04		7
8	·46		·36				·38		·01		·20			8
9	·61	·04	·38			·02	·22		·13		·17			9
10	·07	·14	·01			t	·01		·01		·42			10
11	·30					·12	·02	·02	·18		1·07	·04		11
12	·04			·01	t	·02	·48	·01	·51	·03	·05			12
13	·08		t	·02			·46	t		·06	·10	·64		13
14		·04	·03	·01		·04	·89		·14	·03	·07	·46		14
15		·01			·09		·04		·24		·17	·14		15
16		·10		·26	·30		·09		·10	t	·18	·13		16
17	·31	1·15			·15		·26	t		·11	·02	·33		17
18	·07	·47	·09		·18		·47			·05		·14		18
19	·60	·02	·08	·29		·51	·01	·07		·01				19
20	·05	·36	·25	·03		·02	t	·02	·28	t		·07		20
21	·02		·13	·87		·09	·04		·01	~~·01~~	·01			21
22	·23	·51	·66				·22			·04		t		22
23	·03	·14	·10	·17	·03	·02	·03			·04	t			23
24	·20	·02	·03	·09	·06		·20		·18	·46	t			24
25	·46		·29				·63		·28	·40	·01			25
26	·28	·10	·31				·02		·03	·17		·65		26
27	·14	·03	·07			t	✗		·02	·42				27
28	·75		·66	t		·05	2·44			·03	·01	✗		28
29	·09	·09	·02			·50				·10	·12	✗		29
30	·18	✗	·03		t	46	✗			·25	·01	·01		30
31	·31	✗	·53	✗	·02	✗	·05		✗	·06	✗	·72	Year's Total	31
TOTAL	6·24	3·36	4·71	2·87	83	2·56	9·57	·41	4·01	2·22	5·38	4·04	46·20	
* Days with .01 in. or more.	~~4~~ 26	~~5~~ 17	~~6~~ 24	~~4~~ 12	~~2~~ 8	~~5~~ 16	28 ~~6~~	~~4~~ 8	~~8~~ 19	~~5~~ 16	~~7~~ 22	~~2~~ 18	214	✓
* Days with .04 in. or more.	~~22~~ 23	12	18	8	6	11	21	4	13	11	15	16	158	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column; no entries required.

(*Signed*) M. G. 13

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1790/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Halberton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 6 in.

" Ground " Sea Level 250 ft.

Days Total Nos BA

Record corrected for B.A. 4/12.

Parts of April + March estimated from surrounding stations. HP.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	·02	·01	x			t		·05	·04	·07	·53		1
2	·86	·62		x					·10		·01	·13		2
3	t	·40	·06	x	·14		·01				·02	·02		3
4	·09	·48		1·30 ✓	·09	t	t					·50		4
5	·78			✓			·28					·15		5
6	·28	·38	33	x	·04		·22			·01				6
7		·69	·03	x	t	·03	t		t	t		·36		7
8	·01	·07	t		36	·03	·02				·11	·05		8
9	·03		·13	~~1·68~~ x	28		·06	t	·91			·12		9
10	·23	·04	·37	·85		·11	·01	·05				·37		10
11	·05		·30	·29	·28	·02	·40	·07				·06		11
12	·44	·43	·10	·01		·28	·11	·16	·15			·34		12
13	t	·09	·85	·27	t	·25	t	·16	·06			·02		13
14		t	·23	·01			·02	·01	·08			·16		14
15	·83	·24	·12	·50			·39		·30			·28		15
16	·25	·19	·70	·03			·02	·34	·50					16
17	1·76	·06	·83				·01	·02	·05		·11			17
18	·18	·25	·28			·10	·01	·01	·23		·17	·18		18
19	·15	·25	·09	·20	·12	t			·13		·28	·03		19
20	1 05	·14	·07	·38	·15				·09		t	·50		20
21	70	·70	·21	·13	·50		·10		·05	·08	·06			21
22	·05	·02	·10		·41	t	·16		·06	·64	·63	·02		22
23	·29	·32	·03		·11		t			·29	·38			23
24	1,03	·75					·01		·04	1·62	·05	t		24
25		·86	to x		·02					·17		·02		25
26	·02	·88	✓		·15									26
27	·01	30		t		t				·43				27
28	·29	·15	35			t				·11				28
29	·06					t				·56	·13	·01		29
30	·44	✕				·03			·06	·08	32			30
31	·43	✕		✕		✕			✕	·30	✕	·01		31
TOTAL	10·00 ✓ ~~10·02~~	7·86 ✓ ~~8·06~~	5·19 ✓ ~~5·35~~	3·97 ✓ ~~4·42~~	2·65 ~~2·56~~	·85 ✓	1·83 ✓	·80 ✓	2·86 ✓	4·35 ~~4·35~~	2·34 ~~2·36~~	3·86 ✓	Year's Total ~~47·46~~	46·56
* Days with .01 in. or more.	26 ~~4~~	24 2	(21)	(18)	+13	3 8	16 ~~8~~	8 ~~14~~	16	+12	~~2~~ 13	~~7~~ 21	196	
* Days with .04 in. or more.	22. ~~2~~	22 2	(17)	(14)	12 ~~22~~	4 5	8 8	4 4	16	11	11	14	155.	

22 22

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1790/5
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Halberton
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
,, Ground ,, Sea Level 2 50 ft.

See note on back
Age
Days
Totals
LB. 26·1·39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·17			tr	1·06	·03	·22	·01	·30	·03	·30		1
2		·06	~~·06~~	·05	·01					·35	·05	·25		2
3	tr				·15	·03	·09	tr		·75	·03	·01		3
4	tr				·08	·04	·40	1·05	·02	·40		·16		4
5	·07		tr	tr		·05	·10	·04	·01	·32		·04		5
6	·18					·13	·88	·01	·12	·09		·03		6
7	·20						·63	·01	·33	·16		·15		7
8	[illegible]	·10					·13	·03		·70	·02	·01		8
9	·48	·15				·03	tr	·10		·08		1·17		9
10	·29	·03					·10	·07		·01		·80		10
11	·28	·01					·02	·48		·01	·50	·69		11
12	·44	·01			·26	·03	·01			·63	·73	·20		12
13	·07				·17			·01		·02	·50	1·00		13
14	·70				·15		31		·07			·02		14
15	·36				·20		tr	·02		·12	·19	·52		15
16	·35	·02	tr		·02			·05	·01		·48			16
17		·25			·01				·06	·30	·02			17
18	·24					·09	·01	·10	·29	·07	·48			18
19	·01							·04	·13		·50			19
20								·02	·01		·41			20
21	·01					tr		tr	·35		·18	·10		21
22	tr		~~·05~~	·06		·04		·44		·01	·55	·05		22
23			~~·04~~	·04		tr		·04			·18	·02		23
24	tr		·10		·20			·15			·24			24
25	·23	·47	·04		·33		·30			·06	1·16			25
26	·26	·46	·02		·60	tr	·01			·21	·75	·18		26
27	·27	·20	tr		·25	·15	·71	·39	·01	·03	·41			27
28	·28	·18	·01		·08	·13	·01	·56			·02	·04		28
29	·43		tr		·48	tr			·11	·19	·29	·16		29
30	·10	×	tr		·05	·12	tr		·21	·32	·55	·40		30
31	·48	×		×	·20	×	tr		×		×			31
TOTAL	6·45	2·11	·17	·14	3·24	1·90	3·74	3·83	1·74	5·05	7·46	6·30	Year's Total 42·13	✓ r.p.
* Days with .01 in. or more.	22	13	4	3	17	12	16	20	15	22	23	23	190	Right
* Days with .04 in. or more.	19	9	2	3	14	9	10	14	9	17	18	17	141	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No 1790/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Halberton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level ft.

vy high 1938

F 84395/31

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12		·11	·06	·02						·20	·02		1
2	·17			·24	·01						·22	·16		2
3	·44		·01	·64							·12	·78		3
4	·02	Total	·45	·92	·25						·44	·41		4
5	·	to	·03	·19	tr					·35	·87	·05		5
6	1·05	14th	·05	·04						·46	·81			6
7	·10									·01	·68	·52		7
8	tr		·02		·01					·71	·78	·20		8
9	·06		·03							·26	·06	·08		9
10	·28					·03				·08	·02	·31		10
11			·10							·25	·03			11
12	·02			·03		tr				·03	tr			12
13	·02			·22	·01	·02				·51	·06			13
14	·66	68		·06	·10	·10				·08	·23	·02		14
15	·55		·03		·12	·90					·48	·03		15
16	·19	tr			·03						·45			16
17	1·06	·06			·02	·22				tr	·20			17
18	·03	·06	·06	TO		·06				tr	·64	tr		18
19	·40	·02									·01	·03		19
20	·55		tr		·08	·44								20
21	·04	·27	·23		·08	·13						TO		21
22	1·60	·48	·31	·25		·64					·53			22
23	·03	·03	·03	·30		·02				·01	·89			23
24	·83	·01	·14	·08		·44				·19				24
25	1·58	·19	·01	·01						·18	56			25
26	·66	22		·03		tr				·16	·70			26
27		·24	·01	·02		·05				tr	·13			27
28		·18	·02	38		·03					·63			28
29	·04			·12						·30	·17			29
30		×		·33		·02				·20	·06			30
31		×		×		×			×	·76	×	12		31
TOTAL	10·09	2·44	1·64	3·90	·73	3·10				4·54	9·47	2·73	Year's Total	
* Days with .01 in. or more.	5		9		6	5				3	3			
* Days with .04 in. or more.	19		8		5	9				14	23			

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) .... [P.T.O.

TIVERTON (HALBERTON) COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 179015

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Halberton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ...ft. 12 in.

,, Ground ,, Sea Level 300 ft.

wp 1939 f. 84395/31

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·06		·21	·02	·01					·25			1
2		·04		·16			·09				·98	·01		2
3	·02	·56		·02						·21	1·21	·10		3
4	·01	·20		·18			·05			·22	·15	·04		4
5		·01					·03			·10	·60	·23		5
6	·29	·42					·14			·27	·26	·22		6
7	·06	·03		·04			·05		·02	·02	·07	·08		7
8	·01						·02	·01		·60	·12	·37		8
9							·49	·06	·01	·09	·95	·46		9
10			·07				·21	·04	·04	·15	·20	·36		10
11		·10	·07	·01			·34				1·11	·02		11
12			·24	k		·27	·55		·78		·18			12
13		·07	·34				·23		·04	·33	·90	·06		13
14			·09	·08	·22		·03	·01	·16	·46	·07	·54		14
Snow 15		·09	·02	·06	·18		·31		·28	·04	·61	·01		15
16	snow ·03	1·09	·68	·08		k	·12		·16	·56	·28	·03		16
17		·17	·57				·07		·02	·01	·03	·02		17
18	snow ·22	·65	·35	·63			·06		·04	·65	·04	·14		18
19		·04	·19	·19			·07		·26		·28			19
20			·05	·06			·02	·09	·14	·48	·07	·02		20
21					·25		·02	k	x		·65			21
22			·23	·30		·89			to	·03				22
23		·07	·20	·05	·02	·01		k		k	·03			23
24			·02	·01	·03	·01	·38		x		·07	·07		24
25	·18		·02	·03	·05	·06								25
26	1·13	·47		·04	·39		·12		15		·02			26
27	·03	·18	·04	·47	·23	k	·09		·09		·01	·07		27
28	·62	·04	·07	·08	·34							·02		28
29	5 ·11	·10	·40	·96	·01	·04				·03		·31		29
30		×	·02	·09	k					·29		·18		30
31	10	×	k	×		×			×	·55	×	·34		31
TOTAL	3·21	4·27	3·49	3·75	1·71	1·28	3·39	·21	2·11	4·18	8·94	3·56	Year's Total 40·73	
* Days with .01 in. or more.	~~4~~13	~~4~~19	~~7~~19	~~3~~21	~~4~~11	~~3~~7	~~4~~22	~~2~~5	~~4~~14	~~4~~19	~~7~~25	~~9~~23	198	
* Days with .04 in. or more.	9	15	12	~~18~~17	7	4	17	3	~~10~~11	15	18	14	142	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) MISS M. G. [illegible]

P.T.O.

1791

Section **A** for the entry of Daily Obse
AIR MINISTRY.—METEOR

FORM 1090.

1791

TIVERTON - BLUNDELLS SCHOOL

1931 - 1940

78 03 08

FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

REGISTER O 1931.

Kept at Blundell's School. TIVER

in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0·05	—	0·17	—	—	0·06	—	0·40	0·02	—	—	1
2	0·23	0·02	—	0·75	—	—	—	—	0·29	—	0·16	0·37	2
3	0·08	—	0·91	0·01	—	—	—	—	0·17	—	0·94	0·09	3
4	0·04	—	0·18	0·06	0·04	0·04	0·32	0·48	0·19	0·02	0·01	0·03	4
5	—	0·39	0·05	0·14	—	0·50	0·17	0·08	—	—	0·12	0·16	5
6	—	0·07	—	0·01	0·05	0·17	—	—	—	0·22	0·22	0·61	6
7	—	0·04	—	—	0·20	0·17	0·60	0·25	—	0·12	0·84	0·08	7
8	—	0·14	—	0·18	—	0·25	0·02	0·11	—	0·01	0·11	0·07	8
9	0·02	0·19	—	—	—	—	0·02	—	—	—	0·47	0·01	9
10	—	0·08	—	—	0·08	0·06	0·05	0·01	—	—	0·19	—	10
11	0·19	0·72	—	—	0·02	0·17	0·05	—	0·03	—	0·20	—	11
12	—	0·15	—	—	—	—	0·68	—	0·03	0·22	0·01	—	12
13	—	0·05	—	—	0·05	0·01	0·39	0·11	—	—	0·01	—	13
14	0·04	0·07	—	—	0·16	0·18	0·53	0·13	0·01	—	0·56	—	14
15	0·01	0·16	—	0·03	0·08	—	—	0·49	—	—	—	—	15
16	0·02	0·10	—	0·13	0·09	0·75	0·04	0·28	0·11	—	—	—	16
17	—	0·05	—	0·14	—	—	0·53	—	—	—	—	—	17
18	0·04	—	0·01	0·05	—	0·18	0·10	0·90	—	—	0·27	—	18
19	0·08	0·06	0·06	0·05	—	0·27	0·15	0·05	0·03	—	0·20	—	19
20	0·01	0·10	0·21	—	—	—	—	0·70	—	—	0·33	—	20
21	0·19	0·03	0·02	—	0·17	—	—	—	—	—	—	—	21
22	0·46	0·03	—	—	—	—	—	—	—	—	0·13	—	22
23	0·48	0·02	—	0·41	0·53	—	0·03	—	—	—	0·17	—	23
24	0·16	0·09	—	0·50	0·12	—	0·74	0·25	—	—	0·01	—	24
25	0·28	—	—	0·40	0·01	—	0·05	—	—	—	0·06	0·03	25
26	—	0·17	—	0·18	—	—	0·45	—	—	—	0·97	—	26
27	0·14	0·23	—	—	1·74	—	0·02	—	—	—	0·10	—	27
28	0·21	0·13	0·09	0·02	0·20	—	—	—	—	0·17	—	0·11	28
29	0·15	—	0·10	—	0·05	—	0·09	0·16	0·01	0·10	—	0·17	29
30	0·09	×	—	—	0·02	—	0·01	0·03	0·03	0·01	—	—	30
31	0·91	×	—	×	0·16	×	0·02	—	×	0·01	×	0·32	31
TOTAL	3·83	3·14	1·63	3·23	3·77	2·75	5·12	4·03	1·30	0·90	6·08	2·05	YEAR'S TOTAL 37·83
Days with ·01 in. or more.	21	24	9	17	18	12	23	15	11	10	22	12	194
Days with ·04 in. or more.	17	20	7	13	15	11	17	13	5	5	18	9	150

40-9999

(Signed) E. G. Peirce

[P.T.O.

Section **A** **for the entry of Daily Obser**

AIR MINISTRY.—METEOROLOGICAL RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

1791

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Blundell's School. TIVERTON

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0·05	—	0·17	—	—	0·06	—	0·40	0·02	—	—	1
2	0·23	0·02	—	0·75	—	—	—	—	0·29	—	0·16	0·37	2
3	0·08	—	0·91	0·01	—	—	—	—	0·17	—	0·94	0·09	3
4	0·04	—	0·18	0·06	0·04	0·04	0·32	0·48	0·19	0·02	0·01	0·03	4
5	—	0·39	0·05	0·14	—	0·50	0·17	0·08	—	—	0·12	0·16	5
6	—	0·07	—	0·01	0·05	0·17	—	—	—	0·22	0·22	0·61	6
7	—	0·04	—	—	0·20	0·17	0·60	0·25	—	0·12	0·84	0·08	7
8	—	0·14	—	0·18	—	0·25	0·02	0·11	—	0·01	0·11	0·07	8
9	0·02	0·19	—	—	—	—	0·02	—	—	—	0·47	0·01	9
10	—	0·08	—	—	0·08	0·06	0·05	0·01	—	—	0·19	—	10
11	0·19	0·72	—	—	0·02	0·17	0·05	—	0·03	—	0·20	—	11
12	—	0·15	—	—	—	—	0·68	—	0·03	0·22	0·01	—	12
13	—	0·05	—	—	0·05	0·01	0·39	0·11	—	—	0·01	—	13
14	0·04	0·07	—	—	0·16	0·18	0·53	0·13	0·01	—	0·56	—	14
15	0·01	0·16	—	0·03	0·08	—	—	0·49	—	—	—	—	15
16	0·02	0·10	—	0·13	0·09	0·75	0·04	0·28	0·11	—	—	—	16
17	—	0·05	—	0·14	—	—	0·53	—	—	—	—	—	17
18	0·04	—	0·01	0·05	—	0·18	0·10	0·90	—	—	0·27	—	18
19	0·08	0·06	0·06	0·05	—	0·27	0·15	0·05	0·03	—	0·20	—	19
20	0·01	0·10	0·21	—	—	—	—	0·70	—	—	0·33	—	20
21	0·19	0·03	0·02	—	0·17	—	—	—	—	—	—	—	21
22	0·46	0·03	—	—	—	—	—	—	—	—	0·13	—	22
23	0·48	0·02	—	0·41	0·53	—	0·03	—	—	—	0·17	—	23
24	0·16	0·09	—	0·50	0·12	—	0·74	0·25	—	—	0·01	—	24
25	0·28	—	—	0·40	0·01	—	0·05	—	—	—	0·06	0·03	25
26	—	0·17	—	0·18	—	—	0·45	—	—	—	0·97	—	26
27	0·14	0·23	—	—	1·74	—	0·02	—	—	—	0·10	—	27
28	0·21	0·13	0·09	0·02	0·20	—	—	—	—	0·17	—	0·11	28
29	0·15	—	0·10	—	0·05	—	0·09	0·16	0·01	0·10	—	0·17	29
30	0·09	×	—	—	0·02	—	0·01	0·03	0·03	0·01	—	—	30
31	0·91	×	—	×	0·16	×	0·02	—	×	0·01	×	0·32	31
TOTAL	3·83	3·14	1·63	3·23	3·77	2·75	5·12	4·03	1·30	0·90	6·08	2·05	YEAR'S TOTAL 37·83
Days with ·01 in. or more.	21	24	9	17	18	12	23	15	11	10	22	12	194
Days with ·04 in. or more.	17	20	7	13	15	11	17	13	5	5	18	9	150

40-9999

(Signed) E. G. Peirce

P.T.O.

1791

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Blundell's School. Tiverton.

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·19	—	—	0·13	0·13	0·31	0·35	0·20	0·03	—	0·06	0·02	1
2	0·06	—	—	0·07	0·16	—	0·02	0·02	0·81	0·02	0·01	0·38	2
3	0·01	—	—	—	—	0·07	0·01	—	0·35	0·03	0·01	0·07	3
4	—	—	—	—	—	—	—	0·11	—	tr	0·19	—	4
5	0·46	—	0·05	—	—	—	—	—	0·26	—	—	—	5
6	0·67	—	0·01	0·28	—	—	0·03	—	0·34	0·01	—	—	6
7	0·27	—	0·05	0·10 H	—	—	0·01	0·01	0·48	1·24	—	—	7
8	—	—	0·73	0·02	0·17	—	—	—	0·26	0·17	—	—	8
9	1·12	0·04 S	—	0·23	0·01	—	—	—	—	0·04	—	—	9
10	0·52	—	—	0·27	0·02	0·02	—	—	0·03	0·20	—	—	10
11	0·04	—	—	0·07	0·04	—	—	—	0·03	0·10	—	0·10	11
12	0·83	—	—	tr	0·52	—	—	—	0·08	0·25	0·01	0·01	12
13	0·12	0·01	—	0·18	—	—	0·30	0·43	—	0·62	—	0·22	13
14	0·23	—	—	0·10	0·22	—	—	—	—	0·05	0·01	0·09	14
15	0·01	—	—	0·26	0·10	—	—	—	—	0·04	0·02	0·01	15
16	0·26	—	—	0·17	—	—	0·48	—	—	0·02	—	—	16
17	—	—	—	0·01	0·02	—	—	—	0·10	0·05	—	—	17
18	—	—	—	—	0·11	—	—	—	0·54	—	0·28	—	18
19	0·05	—	—	0·04	0·14	—	—	—	0·09	0·48	—	—	19
20	—	—	—	0·02	0·97	—	—	0·01	0·01	0·65	0·16	0·28	20
21	0·01	tr	0·08	0·18	—	—	—	0·20	0·03	0·44	0·06	0·28	21
22	—	—	—	0·06	—	—	—	0·01	0·69	0·22	0·32	0·01	22
23	—	—	—	—	0·05	—	0·21	—	0·01	0·53	0·10	0·26	23
24	—	—	—	—	—	—	0·33	—	0·03	0·08	0·06	0·01	24
25	—	—	0·38	—	—	—	0·09	—	tr	0·41	0·13	0·07	25
26	—	—	0·08	0·26	—	—	0·17	—	0·02	0·19	0·13	—	26
27	—	—	0·54	0·55	0·13	0·02	0·15	—	—	0·35	0·02	0·02	27
28	—	—	0·22	0·09	0·07	tr	0·20	—	—	0·01	—	0·12	28
29	—	—	0·56	0·16	0·24	0·38	0·01	0·82	0·62	0·60	0·01	0·44	29
30	—	×	0·14	0·03	tr	0·81	0·44	0·02	0·60	0·09	0·84	0·02	30
31	—	×	0·01	×	0·03	×	0·16	—	×	0·02	×	0·65	31
TOTAL	4·85	0·05	2·85	3·28	3·13	1·61	2·96	1·83	5·41	6·91	2·42	3·00	YEAR'S TOTAL 38·30
*Days with ·01 in. or more.	16	2	12	22	18	6	16	10	21	27	18	19	187
*Days with ·04 in. or more.	13	1	10	18	14	4	11	4	13	21	11	11	131

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Edward E Pearce

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1791

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at TIVERTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·54	0·31	0·20	—	0·12	0·07	—	—	0·04	0·01	0·03	0·83		1
2	0·26	—	0·68	—	0·73	0·45	—	—	—	—	0·02	0·13		2
3	0·04	0·13	0·24	—	0·01	—	—	—	—	—	—	—		3
4	0·28	0·01	0·01	—	0·13	—	—	—	—	—	—	—		4
5	0·33	0·01	0·31	—	0·08	—	—	—	—	0·01	—	0·01		5
6	0·02	0·44	0·04	—	0·21	—	0·08	—	—	0·12	—	—		6
7	0·03	0·26	0·01	—	0·14	—	0·04	—	—	0·17	—	—		7
8	0·02	0·06	0·02	—	0·04	—	0·11	—	—	0·02	—	—		8
9	—	0·09	—	—	0·77	0·01	0·31	—	—	0·14	0·09	—		9
10	0·03	0·30	—	—	—	—	0·05	0·01	—	1·13	0·01	—		10
11	0·03	—	—	—	—	—	0·16	0·02	—	0·09	—	—		11
12	—	0·01	—	0·09	0·05	0·07	0·31	0·48	0·66	0·01	—	—		12
13	—	—	—	—	0·11	0·14	0·19	0·10	—	0·15	0·07	—		13
14	0·08	—	—	—	—	—	0·05	0·10	—	0·01	0·13	—		14
15	0·56	—	0·27	—	—	—	0·34	0·10	—	0·15	—	0·05		15
16	—	0·01	0·87	—	—	0·02	—	0·01	0·01	0·09	—	—		16
17	—	0·08^{s}	0·28	—	—	0·11	—	0·01	0·17	—	—	—		17
18	0·10	—	0·37	—	—	0·13	—	—	—	—	0·02	—		18
19	—	—	0·39	—	—	0·01	—	—	0·11	—	0·41	0·02		19
20	—	0·07	—	—	—	0·14	—	0·06	0·11	—	—	—		20
21	—	—	—	—	—	0·43	—	0·07	—	0·11	0·01	—		21
22	—	—	—	0·25	0·07	0·07	—	0·37	0·15	0·01	—	—		22
23	—	1·06^{s}	—	0·27	—	0·20	—	0·01	0·15	0·28	—	—		23
24	—	0·64^{s}	—	0·12	—	—	—	0·05	0·05	0·01	—	—		24
25	—	0·71^{s}	—	0·22	—	0·12	—	—	0·07	—	—	0·09		25
26	—	0·64^{H}	—	0·14	0·43	—	—	—	0·01	0·11	—	—		26
27	—	0·02	—	—	0·03	—	—	—	0·02	0·51^{s}	—	0·50		27
28	—	0·20	—	0·45	—	—	0·18	—	—	0·31	—	0·02		28
29	0·16	X	—	0·35	—	—	0·05	—	—	0·02	—	0·01		29
30	0·01	X	0·11	0·05	—	—	0·06	—	0·14	0·05	—	0·08		30
31	0·24	X	0·02	X	—	X	—	—	X	—	X	—		31
TOTAL	2·73	5·05	3·82	1·94	2·92	1·97	1·95	1·39	1·69	3·51	0·79	1·74	Year's Total 29·50	
*Days with ·01 in. or more.	16	19	15	9	14	14	13	13	13	22	9	10	164	
*Days with .04 in. or more.	10	13	11	8	11	11	13	8	10	14	4	6	119	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. G. Peirce

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1791

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Tiverton (Blundell's School)
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·02	—	—	—	—	—	—	—	—	0·01	0·24	1·14		1
2	0·17	—	0·07	—	—	—	0·09	—	0·76	0·02	0·09	0·26		2
3	0·02	0·01	—	—	—	—	—	0·90	—	0·18	0·01	0·44		3
4	0·09	—	0·14	0·06	0·33	—	—	—	0·04	0·39	0·22	0·57		4
5	0·01	—	0·05	—	0·26	0·10	—	1·18	—	0·20	—	0·63		5
6	0·09	—	0·36	0·11	0·68	—	—	—	—	0·44	0·08	0·48		6
7	0·04	—	—	—	—	0·09	—	0·07	—	0·12	0·07	0·53		7
8	—	—	—	—	0·11	—	—	—	—	0·04	0·32	0·70		8
9	0·01	—	0·25	0·05	—	—	—	—	—	0·02	0·13	0·22		9
10	0·26	—	0·34	0·28	—	—	—	0·09	—	0·02	0·03	0·04		10
11	0·56	—	0·01	0·44	—	—	—	0·13	—	—	—	0·83		11
12	0·10	—	0·01	0·01	+	—	—	0·20	—	—	—	0·09		12
13	0·41	—	—	0·61	—	0·03	—	—	—	0·03	0·02	0·50		13
14	0·64	—	0·42	—	—	—	—	—	—	0·02	0·05	0·44		14
15	0·14	—	0·16	—	0·20	0·01	—	—	—	0·11	0·11	0·20		15
16	0·09	—	0·36	—	0·01	—	—	—	0·07	—	0·01	0·20		16
17	0·41	—	0·06	0·10	0·02	—	—	—	0·25	0·06	0·01	0·24		17
18	0·09	—	0·28	0·74	—	—	—	—	0·05	0·01	—	0·36		18
19	—	—	0·22	0·03	—	0·02	—	—	0·13	0·01	—	0·20		19
20	—	—	0·09	0·15	—	—	0·40	—	0·05	—	—	0·02		20
21	0·01	—	0·09	—	0·01	0·21	—	0·02	—	0·14	0·02	0·19		21
22	0·02	—	0·06	—	—	0·01	0·05	0·11	0·35	0·01	—	1·21		22
23	0·02	—	0·03	0·24	—	0·64	—	0·07	0·24	0·01	—	0·26		23
24	~~0·20~~	0·29	0·07	0·10	—	0·17	0·22	—	0·05	0·14	—	0·04		24
25	0·20	0·09	—	0·29	—	0·09	—	—	0·01	0·25	—	0·91		25
26	0·01	—	0·03	0·07	—	0·24	0·01	—	0·12	0·01	0·04	0·23		26
27	—	—	—	0·02	—	0·13	—	0·01	0·03	0·09	—	0·56		27
28	—	—	—	0·01	—	—	0·08	0·64	0·26	0·11	0·01	0·91		28
29	—	—	—	—	—	—	—	0·11	0·11	0·07	0·02	0·12		29
30	0·02	×	—	—	—	—	0·01	0·10	0·07	0·06	0·01	0·10		30
31	—	×	—	×	0·01	×	0·10	0·05	×	0·10	×	0·12		31
TOTAL	3·43	0·39	3·10	3·31	1·63	1·75	0·96	3·68	2·59	2·67	1·50	12·94	Year's Total 37·95	
*Days with ·01 in. or more.	23	3	20	17	9	12	8	14	16	27	19	31	199	
*Days with ·04 in. or more.	14	2	16	13	5	8	6	12	14	16	10	30	146	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 1791

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at TIVERTON (Blundell's School)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	0.04	0.80	—	—	0.05	0.04	—	0.15	0.19	0.16	0.34		1
2	—	0.07	0.04	—	—	0.23	—	—	0.05	0.32	0.08	0.14		2
3	0.01	0.02	0.05	0.01	0.06	0.13	—	—	0.62	0.34	0.20	0.01		3
4	0.01	0.23	—	0.14	0.05	0.19	—	—	0.05	0.06	0.14	0.26 s		4
5	—	0.25	0.06	0.04	—	0.06	—	—	0.23	0.64	0.13	0.02		5
6	—	—	0.02	0.37	—	0.65	—	—	—	0.05	0.04	0.15		6
7	—	—	—	0.42	—	0.03	—	—	—	0.48	0.03	0.10		7
8	—	—	—	0.42	—	0.03	—	0.27	0.01	0.24	0.21	0.14		8
9	0.02	—	—	0.46	—	—	—	—	0.09	0.80	0.36	—		9
10	0.03	—	0.01 s	0.42	—	0.13	—	—	—	0.08	—	0.01		10
11	0.23	—	0.32	—	—	0.25	—	—	0.12	0.04	0.41	0.02		11
12	0.04	0.18	—	—	—	0.31	—	0.10	0.02	—	0.06	—		12
13	0.06	0.11	—	0.26	—	0.02	—	—	—	0.02	0.29	—		13
14	—	0.13	—	0.25	0.01	0.04	—	—	0.11	0.01	1.46	0.29		14
15	—	0.10	—	0.71	—	0.25	—	—	0.42	—	0.24	0.33		15
16	—	0.08	0.05	0.16	0.15	0.02	—	—	0.66	0.02	0.77	—		16
17	—	0.01	—	0.02	1.19 s	0.27	—	0.14	0.21	0.02	0.04	—		17
18	—	—	—	0.71	0.01	0.06	0.03	0.31	0.59	0.08	—	0.12		18
19	—	0.01	—	0.11	0.18	0.03	0.14	—	0.12	0.16	0.24	—		19
20	—	0.27	—	0.30	0.08	—	0.10	—	—	—	0.22	—		20
21	—	0.27	0.02	0.43	—	—	0.05	—	0.07	0.03	—	—		21
22	—	0.03	0.33	0.15	—	—	—	—	0.05	0.03	—	—		22
23	—	0.01	0.22	—	0.10	—	—	0.40	0.15	0.32	—	0.30		23
24	0.13	0.42	—	0.01	0.04	—	—	0.31	0.08	0.05	—	0.25		24
25	0.33	1.06	—	0.02	0.01	0.02	—	—	—	—	0.02	0.42		25
26	—	0.79	—	—	—	0.01	—	0.19	0.10	0.03	0.03	0.52		26
27	—	0.05	—	—	—	—	0.03	0.01	0.04	0.14	0.07	0.60		27
28	0.01	0.09	—	—	—	—	0.02	0.07	0.07	0.10	0.03	0.02		28
29	—	—	—	—	—	—	—	—	0.15	0.01	0.28	0.57		29
30	0.04	×	—	—	—	0.08	—	0.55	0.19	0.03	0.73	0.60		30
31	—	×	—	×	—	×	—	0.13	×	0.74	×	0.27		31
TOTAL	0.93	4.22	1.92	5.40	1.88	2.86	0.41	2.48	4.35	5.03	6.22	5.48	Year's Total. 41.18	
* Days with .01 in. or more.	12	21	11	20	11	21	7	11	24	27	24	22	201	
* Days with .04 in. or more.	6	16	8	16	8	14	4	10	22	18	20	17	159	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. G. Peirce

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1791

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Tiverton (Blundells School)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0·16	0·01	0·14	—	0·12	0·90	—	—	—	0·04	0·11		1
2	—	0·01	—	0·06	—	0·13	0·12	0·10	0·01	—	0·07	0·02		2
3	0·01	—	0·06	0·83	—	0·11	0·13	0·05	0·92	—	0·11	0·03		3
4	0·02	—	0·19	—	—	0·15	0·02	0·01	0·60	—	0·12	0·29		4
5	0·41	0·02	0·06	—	—	—	0·32	0·02	0·15	—	0·01	0·23		5
6	0·06	—	0·03	—	—	0·02	0·16	0·09	0·16	—	0·27	0·01		6
7	0·14	—	0·17	—	—	—	0·55	—	0·05	—	0·94	0·05		7
8	0·28	—	0·35	—	—	—	0·46	—	0·01	—	1·00	0·01		8
9	0·34	0·04	0·46	—	—	0·02	0·14	—	0·08	—	0·17	0·01		9
10	0·08	0·09^{s}	—	—	—	—	0·01	—	—	—	0·42	—		10
11	0·22	0·02	—	—	—	0·11	0·01	0·03	0·12	—	0·86	0·05		11
12	0·04	0·01	—	0·01	—	0·05	0·42	—	0·67	0·03	0·08	—		12
13	0·09	—	0·01	—	—	—	0·38	—	—	0·06	0·08	0·40		13
14	—	0·06	0·01	—	—	0·03	0·76	—	0·12	0·05	0·08	0·31		14
15	—	0·01	—	—	0·07	—	0·03	—	0·35	—	0·14	0·11		15
16	—	0·11	—	0·16^{s}	0·24	—	0·12	—	0·10	—	0·16	0·10		16
17	0·28	0·88	—	—	0·08	—	0·15	—	—	0·12	0·03	0·23		17
18	0·06	0·25	0·05	—	0·31	0·08	0·51	—	—	0·06	—	0·09		18
19	0·55	0·34	0·04	0·27	—	0·31	0·01	0·06	—	—	—	0·01		19
20	0·06	—	0·22	0·03	—	0·06	—	—	0·30	—	—	0·06		20
21	—	0·01	0·12	0·77	—	0·09	—	—	—	—	—	—		21
22	0·29	0·34	0·38	0·01	—	—	0·15	—	—	—	—	0·01		22
23	0·05	0·12	0·12	0·10	0·03	—	0·01	—	—	0·02	—	—		23
24	0·17	0·02	0·02	0·01	0·07	—	0·09	—	0·08	0·42	0·02	—		24
25	0·37	—	0·22	0·08	—	—	0·27	—	0·27	0·34	—	—		25
26	0·18	0·09	0·26	—	—	—	0·22	—	0·04	0·14	—	—		26
27	0·14	0·03	0·01	—	—	—	0·92	—	0·04	0·44	—	—		27
28	0·71	—	0·42	—	—	0·04	—	—	—	0·03	0·02	0·27		28
29	0·08	0·09	0·02	—	—	0·45	—	—	—	0·09	—	0·23		29
30	0·18	✗	0·02	—	$^{\#}$0·03	0·06	0·02	—	—	0·19	0·08	0·01		30
31	0·28	✗	0·37	✗	$^{\#}$0·02	✗	0·07	—	✗	0·05	✗	0·57		31
TOTAL	4·89	2·70	3·62	2·47	0·85	1·83	6·95	0·36	4·07	2·04	4·70	3·21	Year's Total 37·69	✓
* Days with .01 in. or more.	25	20	24	9	8	16	27	7	19	14	20	23	212	✓
* Days with .04 in. or more.	23	12	16	8	5	13	20	4	16	11	16	15	159	✓

† Spare column, no entries required

(*Signed*) E. G. Peirce

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1791

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

File No. 881160/28

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Tiverton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.20	0.02	0.02	0.15	—	—	—	—	0.06	0.07	0.05	0.73		**1**
2	0.24	0.49	—	0.23	—	—	0.01	—	0.08	—	—	0.06		**2**
3	0.01	0.31	—	0.14	0.18	—	—	—	—	—	0.02	0.03		**3**
4	0.08	0.36	—	0.01	0.08	0.04	—	—	—	—	—	0.49		**4**
5	0.62	0.01	0.05	0.01	—	—	0.35	—	—	—	—	0.05		**5**
6	0.17	0.45	0.31	0.29	0.06	—	0.09	—	—	—	0.01	0.11		**6**
7	0.01	0.47	0.03	0.35	—	0.03	—	—	0.01	—	—	0.34		**7**
8	0.01	0.05	0.01	0.01	0.42	0.01	—	—	—	—	0.11	—		**8**
9	0.02	0.01	0.03^{s}	0.10	0.24	—	0.01	—	0.95	—	—	0.07		**9**
10	0.15	0.03	0.85	0.50	—	0.10	0.06	—	—	—	—	0.24		**10**
11	0.04	—	0.36	0.30	0.21	0.02	0.40	0.07	—	—	—	0.04		**11**
12	0.22	0.35	0.08	0.01	—	0.28	0.10	~~0.4~~ 0.14	0.14	—	—	0.26		**12**
13	—	0.09	0.50	0.19	—	0.08	—	0.20	—	—	—	0.03		**13**
14	—	0.01	0.15	0.01	—	—	0.04	0.01	0.08	—	—	0.11		**14**
15	0.61	0.09	0.16	0.40	—	—	0.08	—	0.28	—	—	0.28		**15**
16	0.25	0.15	0.55	0.04	—	—	0.02	0.33	0.68	—	0.02	0.01		**16**
17	1.33	0.07	0.58	—	—	—	—	0.03	0.06	—	0.11	—		**17**
18	0.07	0.22	0.19	—	—	0.14	—	0.11	0.19	—	0.19	0.17		**18**
19	0.13	0.09	0.08	0.24	0.09	—	—	—	0.13	—	0.30	0.04		**19**
20	0.68	0.09	0.04	0.29	0.07	—	—	—	—	—	—	0.41		**20**
21	0.57	0.65	0.15	0.14	0.50	—	0.10	—	—	0.07	0.09	0.02		**21**
22	0.21	0.02	0.09	0.01	0.23	—	0.16	—	0.05	0.63	0.54	0.01		**22**
23	0.35	0.28	0.01	—	0.10	—	—	—	0.10	0.25	0.66	—		**23**
24	0.70	0.71	0.03	—	—	—	0.02	—	0.03	1.32	—	0.01		**24**
25	0.01	0.86	0.33	—	0.04	—	0.02	—	0.01	0.24	—	0.01		**25**
26	0.01	0.45	0.04^{s}	—	—	—	—	—	—	—	—	—		**26**
27	—	0.22^{s}	0.01	—	—	—	—	—	—	0.39	—	—		**27**
28	0.05^{s}	0.23^{s}	—	—	—	—	—	—	—	0.12	—	—		**28**
29	0.08^{s}	—	—	—	—	0.01	—	—	—	0.53	0.17	—		**29**
30	0.66	×	—	—	—	0.02	—	—	—	0.05	0.34	—		**30**
31	0.56	×	—	×	—	×	—	—	×	0.31	×	—		**31**
TOTAL	7.94	6.78	4.65	3.42	2.22	0.73	1.46	0.79	2.85	3.98	2.61	3.52	Year's Total 40.95	✓ ✓
* Days with .01 in. or more.	28	27	24	20	12	10	14	7	15	11	13	22	203	✓ ✓
* Days with .04 in. or more.	22	21	17	14	12	5	9	4	12	11	10	15	152	✓ ✓

† Spare column, no entries required.

(*Signed*) ……………………………………………… [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1791

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

file 88/1100/28

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Tiverton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.06				0.91	0.06	0.15		0.32	0.04	0.28		1
2		0.06		0.06	0.02					0.27	0.04	0.20		2
3					0.11	0.03	0.11			0.58		0.01		3
4					0.07	0.05	0.39	0.75		0.34	0.01	0.09		4
5	0.02					0.03	0.06	0.07	0.04	0.30		0.04		5
6	0.19					0.11	0.73		0.09	0.08		0.02		6
7	0.18						0.42	0.39	0.37	0.09		0.16		7
8	0.62	0.13					0.16	0.04		0.56				8
9	0.42	0.15				0.06		0.14		0.04		0.80		9
10	0.27	0.03					0.10	0.05				0.76		10
11	0.20					0.01	0.02	1.16		0.01	0.35	0.84		11
12	0.41				0.23		0.01			0.46	0.71	0.02		12
13	0.08				0.12						0.30	0.99		13
14	0.46				0.14		0.26		0.09		0.01			14
15	0.25				0.08			0.02		0.15	0.34	0.32		15
16	0.29				0.02			0.07			0.33	0.01		16
17	0.01	0.16			0.01					0.31				17
18	0.20				0.02	0.08		0.14	0.52	0.04	0.34			18
19								0.02	0.16	0.01	0.45			19
20									0.02		0.32			20
21						tr			0.18		0.19	0.15^{S}		21
22				0.05				0.46		0.05	0.44	0.07^{S}		22
23	0.07			0.04		0.02		0.03	0.05		0.18	0.02		23
24			0.13		0.28			0.10			0.29			24
25	0.21	0.27	0.02		0.26		0.17			0.05	1.01			25
26	0.27	0.43	0.03		0.33		0.21		0.05	0.18	0.08	0.13		26
27	0.28	0.19			0.20	0.13	0.33	0.40		0.04	0.35	0.02		27
28		0.19			0.08	0.05	0.03	0.43			0.08			28
29	0.31				0.45	0.03	0.01		0.10	0.18	0.29	0.04		29
30	0.10	✕			0.06	0.04			0.15	0.01	0.23	0.13		30
31	0.37	✕		✕	0.19	✕			✕	0.23	✕	0.37		31
TOTAL	5.36	1.67	0.18	0.15	2.67	1.55	3.07	4.42	1.82	4.29	6.38	5.47	Year's Total 37.03	✓
* Days with .01 in. or more.	21	10	3	3	18	13	16	17	12	22	22	22	179	✓
* Days with .04 in. or more.	18	9	1	3	14	8	12	14	11	19	20	16	145	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 1791

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File No 881160/28

Kept at Tiverton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.12	–	0.08	0.03	0.02		0.12				0.19	0.02		1
2	0.18			0.25				0.36	0.36		0.51	0.13		2
3	0.35		0.07	0.41				0.12	0.17		0.15	0.80		3
4			0.35	0.73	0.29		0.51			0.39	0.57	0.44		4
5		0.01	0.02	0.19			0.25	0.44		0.46	0.69	0.05		5
6	0.69	0.05	0.05	0.05			0.65	0.08		0.23	0.30			6
7	0.06	0.19					0.15				0.45	0.51		7
8		0.32			0.02			0.08		0.86	0.52	0.24		8
9	0.04	0.06	0.05				0.07	0.03		0.14	0.05	0.06		9
10	0.24		0.03			0.02		0.10	0.11	0.07	0.01	0.34		10
11			0.08					0.01		0.21	0.03			11
12										0.05				12
13				0.25		0.03	0.15		0.12	0.44	0.04			13
14	0.57			0.09	0.03	0.09	0.51			0.07	0.15	0.02		14
15	0.40		0.01	0.04	0.13	0.70	0.75			0.01	0.43	0.02		15
16	0.23			0.11			0.14				0.47			16
17	1.04	0.04			0.02	0.23	0.30				0.20	0.01		17
18		0.09	0.03			0.06	1.08				0.69	0.01		18
19	0.29						0.13				0.01	0.04		19
20	0.48				0.09	0.61		0.92			0.01			20
21	0.09	0.17	0.18		0.05	0.25	0.02	0.42						21
22	1.00	0.33	0.12	0.01		0.34	0.18				0.49	0.01		22
23	0.01		0.04	0.30		0.01	0.12			0.02	0.88			23
24	1.15		0.17	0.07		0.37	0.21			0.14				24
25	0.73	0.22					0.09	0.06		0.72	0.50			25
26		0.18		0.19				0.25		0.44	0.65			26
27		0.25	0.01			0.03	0.01	0.08			0.16			27
28	0.05	0.12	0.02	0.26		0.01					0.67	0.04		28
29				0.07			0.12			0.21	0.08			29
30		×	0.01	0.23		0.09				0.15	0.04			30
31		×		×		×	0.03	0.10	×	0.84	×			31
TOTAL	7.72	2.03	1.30	3.28	0.65	2.84	5.79	3.05	0.76	4.55	8.94	2.74	Year's Total 43.65	
* Days with .01 in. or more.	19	13	17	17	8	14	21	14	4	18	27	16	188	
* Days with .04 in. or more.	18	12	10	15	4	9	18	12	4	16	23	10	151	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. G. Peirce

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1791 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

File 881160/28

Kept at Tiverton

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	0.10	–	0.10	–	–	–	–	–	–	0.23	–		1
2	–	0.05	–	0.12	–	–	–	–	–	–	0.95	0.03		2
3	0.02	0.48	–	0.04	–	–	–	–	–	0.15	1.23	0.13		3
4	–	0.18	–	0.18	–	–	–	–	–	0.17	0.10	0.05		4
5	0.01	0.02	–	–	–	–	0.04	–	–	0.13	0.72	0.20		5
6	0.21	0.41	–	–	–	–	–	–	–	0.26	0.19	0.44		6
7	0.04	0.03	–	–	–	–	0.11	–	–	0.03	–	0.08		7
8	0.01	–	–	–	–	–	–	–	–	0.46	0.12	0.36		8
9	–	–	–	–	–	–	0.37	0.08	0.01	0.14	0.74	0.34		9
10	–	–	–	–	–	–	0.20	–	0.05	0.20	0.15	–		10
11	–	0.10	0.02	–	–	–	0.41	–	–	–	1.08	–		11
12	–	0.02	0.15	–	–	–	0.62	–	0.70	–	0.20	–		12
13	–	–	0.36	–	–	–	0.25	–	0.04	0.44	0.95	0.45		13
14	–	–	0.09	0.08	0.11	–	0.01	–	0.14	0.58	–	–		14
15	–	0.09	–	0.01	–	0.18	0.10	–	0.27	0.02	0.50	0.01		15
16	0.04	1.11	0.54	0.09	–	–	0.11	–	0.10	0.38	0.20	–		16
17	–	0.07	0.46	–	–	–	0.88	–	–	–	0.01	–		17
18	0.20	0.67	0.26	0.57	–	–	0.67	–	0.09	0.09	0.05	0.15		18
19	–	0.05	0.16	0.19	–	–	–	–	0.22	–	0.25	–		19
20	–	–	0.02	0.04	–	–	0.05	–	0.14	0.14	0.09	–		20
21	–	–	–	0.22	0.27	0.10	0.01	–	–	–	0.55	–		21
22	–	–	0.26	–	–	0.65	–	–	0.14	–	–	–		22
23	–	0.03	0.29	–	0.03	–	–	–	0.03	–	0.02	–		23
24	0.01	–	0.01	–	0.01	–	0.33	–	–	–	0.01	–		24
25	0.17	–	–	–	0.09	0.05	–	–	–	–	0.02	–		25
26	0.93	0.28	0.02	0.06	0.34	–	0.09	–	–	–	0.57	–		26
27	0.50	0.23	0.01	0.15	0.14	–	–	–	–	–	–	–		27
28	0.48	0.03	–	0.04	0.31	–	–	–	–	–	–	–		28
29	0.15	0.16	0.30	0.75	–	0.04	–	–	–	0.07	–	0.51		29
30	0.01	✕	–	0.10	–	–	–	–	–	0.22	–	–		30
31	0.10	✕	0.02	✕	–	✕	–	–	✕	0.49	✕	0.34		31
TOTAL	2.88	4.11	2.97	2.74	1.30	1.02	3.45	0.08	1.93	3.97	8.93	3.09	Year's Total 36.47	
* Days with .01 in. or more.	15	19	16	16	8	5	16	1	12	17	23	13	161	
* Days with .04 in. or more.	10	14	10	15	6	5	14	1	10	15	19	11	130	

† Spare column, no entries required.

(*Signed*) ~~Signed~~ E. G. Purke

* See Instruction 3 (f) on other side.

P.T.O.

Culmstock (

Section **A** for the entry of D
AIR MINISTRY.

Station No. 1793/2
LL ORGANIZATION.

FORM 1090.

REGIST

6. Partly W/D. 36

Kept at THE KNAP, C
in the County of DEVON.
Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea Level ... ft.

1793/2
CULMSTOCK, THE KNAP
1936 — 40
7P0308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·47 at 9 a.m.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·27	·26	·05	·45	—	x	·95	TR.	—	—	TR.	—		1
2	·02	TR.	TR.	·02	—	·63	·58	·08	—	—	·03	·09		2
3	—	—	—	·18	—	·05	·12	·02	·58	—	·30	TR.		3
4	·05	—	·05	·57	—	·03	TR.	·05	·27	—	·01	TR.		4
5	·26	—	·15	—	—	·02	—	TR.	·52	—	·08	·26		5
6	·35	TR.	·02	—	—	·05	·17	·08	·04	—	·18	·05		6
7	·07	—	·09	—	—	TR.	·13	—	·08	—	·10	TR.		7
8	·36	—	·08	—	—	TR.	·15	—	TR.	—	·78	·04		8
9	·36	TR.	·31	TR.	—	—	·26	—	·03	TR.	·52	—		9
10	·04	·04	·01	—	—	·02	·17	TR.	·01	—	·24	TR.		10
11	TR.	·03	—	—	—	—	·02		·01	—	·53	—		11
12	·22	·02	—	·02	TR.	·17	·21		·21	—	·44	·03		12
13	·01	—	—	TR.	—	·02	·26		—	·04	—	·02		13
14	·07	—	·03	—	—	TR.	·13		·10	·08	·09	·69		14
15	—	·07	—	·09	—	·06	·61		·07	·01	·01	·08		15
16	—	TR.	—	TR.	·21	—	TR.		·11	—	·17	·14		16
17	—	·12	—	TR.	·11	—	·42		·09	TR.	·04	·20		17
18	·30	1·02	—	—	·65	—	·30	·06	—	·08	TR.	·18		18
19	·12	·29	·10	—	—	·43	·20	·06	—	·09	—	TR.		19
20	·34	TR	·07	·25	—	TR.	TR.	·02	·20	—	—	·02		20
21	·01	·29	·10	·40	—	·01	TR.	·01	·06	TR.	—	·02		21
22	·08	·48	·34	·18	—	·04	—	TR.	TR.	TR.	TR.	·02		22
23	·05	·07	·48	TR.	·02	TR.	·15	—	—	·01	—	—		23
24	·04	·08	TR.	·12	·05	—	·41	—	·01	·05	TR.	TR.		24
25	·31	—	·01	TR.	·02	—	·27	—	·04	·40	TR.	—		25
26	TR.	TR.	·49	·14	—	—	·01	—	·16	·28	·02	—		26
27	·11	·08	·16	—	—	TR.	—	—	TR.	·28	—	—		27
28	·21	·07	TR.	—	—	—	·20	—	—	·02	—	—		28
29	·56	·10	·51	·02	—	·79	·44	—	—	·06	·10	·30		29
30	·11	·05	·02	—	TR.	·15	—	—	—	·01	·01	·06		30
31	·21		TR		TR		·05	—		·25		TR.		31
TOTAL	·26 2 4·53	2·81 3·01	45 3·47 ~~3·07~~	1·99 ~~2·44~~	1·06	2·47	6·21	·38	2·59	1·66	3·65	·43 2·67 ~~2·20~~	Year's Total 33·~~28~~ 48	
* Days with .01 in. or more.	25	15	19	12	6	15	23	9	18	14	18	17 ~~16~~	190	
* Days with .04 in. or more.	22	13	14	9	4	10	21	5	14	10	13	12 ~~11~~	146	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Langdon Hine. [P.T.O.

T. Langdon Hine, Esq.

N

Culmstock (

Section **A** for the entry of Daily Observations.

Station No. 1793/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Partly W/D.

Kept at THE KNAP, CULMSTOCK
in the County of DEVON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 440 ft.

591053/36

Devon/6

f 591053/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·47 at 9 a.m.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·27	·26	·05	·45	—	x	·95	TR.	—	—	TR.	—		1
2	·02	TR.	TR.	·02	—	·63	·58	·08	—	—	·03	·09		2
3	—	—	—	·18	—	·05	·12	·02	·58	—	·30	TR.		3
4	·05	—	·05	·57	—	·03	TR.	·05	·27	—	·01	TR.		4
5	·26	—	·15	—	—	·02	—	TR.	·52	—	·08	·26		5
6	·35	TR.	·02	—	—	·05	·17	·08	·04	—	·18	·05		6
7	·07	—	·09	—	—	TR.	·13	—	·08	—	·10	TR.		7
8	·36	—	·08	—	—	TR.	·15	—	TR.	—	·78	·04		8
9	·36	TR.	·31	TR.	—	—	·26	—	·03	TR.	·52	—		9
10	·04	·04	·01	—	—	·02	·17	TR.	·01	—	·24	TR.		10
11	TR.	·03	—	—	—	—	·02		·01	—	·53	—		11
12	·22	·02	—	·02	TR.	·17	·21		·21	—	·44	·03		12
13	·01	—	—	TR.	—	·02	·26		—	·04	—	·02		13
14	·07	—	·03	—	—	TR.	·13		·10	·08	·09	·69		14
15	—	·07	—	·09	—	·06	·61		·07	·01	·01	·08		15
16	—	TR.	—	TR.	·21	—	TR.		·11	—	·17	·14		16
17	—	·12	—	TR.	·11	—	·42		·09	TR.	·04	·20		17
18	·30	1·02	—	—	·65	—	·30	·06	—	·08	TR.	·18		18
19	·12	·29	·10	—	—	·43	·20	·06	—	·09	—	TR.		19
20	·34	TR	·07	·25	—	TR.	TR.	·02	·20	—	—	·02		20
21	·01	·29	·10	·40	—	·01	TR.	·01	·06	TR.	—	·02		21
22	·08	·48	·34	·18	—	·04	—	TR.	TR.	TR.	TR.	·02		22
23	·05	·07	·48	TR.	·02	TR.	·15	—	—	·01	—	—		23
24	·04	·08	TR.	·12	·05	—	·41	—	·01	·05	TR.	TR.		24
25	·31	—	·01	TR.	·02	—	·27	—	·04	·40	TR.	—		25
26	TR.	TR.	·49	·14	—	—	·01	—	·16	·28	·02	—		26
27	·11	·08	·16	—	—	TR.	—	—	TR.	·28	—	—		27
28	·21	·07	TR.	—	—	—	·20	—	—	·02	—	—		28
29	·56	·10	·51	·02	—	·79	·44	—	—	·06	·10	·30		29
30	·11	·05 ×	·02	—	TR.	·15	—	—	—	·01	·01	·06		30
31	·21	×	TR	×	TR	×	·05	—	×	·25	×	TR.		31
TOTAL	·262 4·53	2·81 3·01	45 3·47 ~~3·07~~	1·99 ~~2·44~~	— 1·06	2·47	6·21	·38	2·59	1·66	3·65	·47 2·67 ~~2·20~~	Year's Total 48 33·~~22~~	
* Days with .01 in. or more.	25	15	19	12	6	15	23	9	18	14	18	17 ~~16~~	190	
* Days with .04 in. or more.	22	13	14	9	4	10	21	5	14	10	13	12 ~~11~~	146	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) T. Langdon Hine. [P.T.O.

T. Langdon Hine, Esq.

N

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1793/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Culmstock (THE KNAP)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·01	TR.	·16	–	–	TR.	–	·06	·02	·15	·68		1
2	·10	·42	TR.	·22	–	TR.	–	–	·08	–		·03		2
3	TR	·28	·08	·06	·07	TR.	·02	–	TR.	–	·01 fog.	TR.		3
4	·05	·39	TR.	·01	·03	TR.	·06	·01	TR.	–	–	·31		4
5	·40	–	·03	TR	TR.	–	·45	–	–	–	–	·06		5
6	·12	·26	·35	·27	·04	TR.	·13	–	·02	·04	TR.	TR.		6
7	·01	·69	·02	·28	TR.	·02	–	–	·02	·03	TR.	·73 snow		7
8	–	·03	TR	TR.	·21	·02	·05	–	TR.	TR.	·11	TR.		8
9	·01	TR.	·08 snow	·11	·10	–	·02	·02	·76	–	TR.	·10		9
10	·19	·02	1·00	·91	·01	·11	·03	·13	–	–	TR.	·25		10
11	·02	–	·26	·12	·38	·02	·44	·02	–	–	TR.	·02		11
12	·27	·18	·06	·02	–	·22	·05	·15	·18	–	TR.	·43		12
13	–	·07	1·27 sleet	·29	TR.	·23	TR	·19	·05	–	–	·03		13
14	–	·02	·11	·04	–	–	·66	·01	·04	TR.	–	·10		14
15	·59	·16	·14	·23	–	–	1·12	–	·23	–	–	·19		15
16	·22	·10	·52	·02	–	TR.	·01	·28	·60	–	·01	–		16
17	·91	·09	·76	–	–	TR	TR.	·04	·04		·13	–		17
18	·33	·15	·19	–	–	·12	·02	TR.	·16	·01 fog.	·19	·16		18
19	·12	·08	·12	·12	·06	·09	·03	TR.	·14	TR.	·26	·02		19
20	·51	·06	·12	·24	·03	–	TR.	–	–	TR.	TR.	·28		20
21	·32	·47	·23	·12	·31	–	·13	–	·03	·06	·08	·05		21
22	·18	·01	·14	–	·17	·29	·18	–	·03	·68	·48	·02		22
23	·28	·19	·02	–	·04	–	TR.	–	TR.	·26	·27	TR.		23
24	·81	·58	·06	–	TR.	–	TR.	–	·05	1·17	·01	·01		24
25	·02	·70	·36	–	·11	–	TR.	–	TR.	·38	TR.	·02		25
26	–	·43	·01	TR.	·10	TR.	TR.	–	–	TR.	TR.	·01		26
27	·01	·21	–	TR.	–	–	TR.	–	–	·54	–	–		27
28	·59 snow	·03 snow.	–	–	–	·01	–	–	–	·18	TR.	·01		28
29	·07 snow	×	–	–	–	·01	–	–	TR.	·60	·10	·02		29
30	·42	×	–	–	–	·07	–	–	·05	·08	·23	TR.		30
31	·25	×	–	×	–	×	–	–	×	·35	×	–		31
													Year's Total	
TOTAL	6·89	5·63	5·93	3·22	1·66	1·21	3·40	·85	2·54	4·40	2·03	3·53	41·29	✓ ✓
* Days with .01 in. or more.	26	25	22	17	14	12	16	9	17	13	12	22	205	✓ ✓
* Days with .04 in. or more.	21	19	18	14	11	7	10	5	13	11	10	12	151	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Langdon Hine [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1793/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Knap, Culmstock,

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	15	-	-	Tr	47	34	04	-	27	05	37		1
2	01	05	-	06	03	01	Tr	-	-	28	08	17		2
3	Tr	Tr	-	-	21	03	13	-	Tr	55	02	Tr		3
4	01	-	-	-	05		23	2.02	02	27	Tr	05		4
5	01	-	-	Tr	-	20	03		06	17	01	07		5
6	15	-	-	-	-		73		04	08	Tr	02		6
7	12	-	-	-	-		33		60	07	01	06		7
8	68	04	Tr	-	-	02	09	31	Tr	28	Tr	01		8
9	53	07	Tr	-	-	03	01		-	01	-	53		9
10	14	02	Tr	-	-	Tr	08		Tr	Tr	-	51		10
11	15	Tr	Tr	-	-	-	02		Tr	01	22	81		11
12	36	Tr	-	-	15	-	Tr	-	Tr	46	54	12		12
13	06	Tr	-	-	12	-	Tr	03	-	02	35	67		13
14	61	Tr	-	-	10	-	51	-	04	-	Tr	Tr		14
15	24	Tr	-	-	15	-	Tr	02	-	16	13	34		15
16	28	07	02	-	07	-	-	05	-	Tr	35	02		16
17	-	27	Tr	-	Tr	-	Tr	Tr	07	17	01	Tr		17
18	21	sleet -	-	-	02	11	01	11	33	04	54	Tr		18
19	Tr	-	-	-	-	-	01	Tr	04	-	55	Tr		19
20	01	Tr	-	-	-	-	-	01	01	Tr	31	Tr		20
21	02	Tr	-	Tr	-	01	-	02	15	-	18	19		21
22	01	-	-	03	-	08	-	31	07	02	34	snow 05		22
23	Tr	-	-	05	Tr	01	-	Tr	Tr	Tr	12	03		23
24	Tr	-	13	-	08	Tr	Tr	06	05	-	19	Tr		24
25	17	36	02	Tr	25	Tr	29	01	Tr	08	88	04		25
26	23	31	02	-	26	03	12	-	-	19	13	12		26
27	13	12	Tr	Tr	13	09	27	24	Tr	08	30	-		27
28	15	14	02	-	08	08	Tr	40	05	-	Tr	Tr		28
29	27	X	Tr	-	42	02	Tr	-	15	16	29	02		29
30	10	X	Tr	-	04	11	Tr	-	14	Tr	17	05		30
31	27	X	Tr	X	17	X	Tr	-	X	22	X	31		31
TOTAL	4.92	1.60	.21	.14	2.33	1.30	3.20	3.63	1.82	3.59	5.77	4.56	Year's Total 33.07	
* Days with .01 in. or more.	25	11	5	3	17	19	16	19 not sure	15	21	23	22	Probably 194	
* Days with .04 in. or more.	19	10	1	2	15	8 not sure	11	14	13	17	19	17	Probably 145	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Langdon Hine [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations　Station No. 1793/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at The Knap, Culmstock.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 440 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	-	.18	.12	.05	-	.02	✗	.06	-	.07	.03		1
2	.01	-	Tr	.24	.01	-	.01	✗ .55	1.03	-	.24	.14		2
3	.19	-	.05	.37	Tr	-	Tr	.25	.90	Tr	.12	.61		3
4	.02	-	.48	.58	.24	-	.31	✓	Tr	.58	.42	.24		4
5	Tr	Tr	.03	.23	.19	-	.30	.08 ✗	-	.52	.61	.01		5
6	.36	-	.08	.06	-	-	.63	.10	Tr	.21	.19	-		6
7	.03	.14	Tr	-	-	Tr	.04	Tr	Tr	-	.62	.50		7
8	Tr	.26	.01	-	Tr	-	.15	.09	Tr	.67	.85	.24		8
9	.02	.04	.01	-	-	-	Tr	.08	-	.11	.05	.10		9
10	.32	Tr	Tr	-	-	.05	-	.08	.09	.07	.16	.22		10
11	.01	Tr	.11	-	-	-	Tr	Tr	-	.26	.02	Tr		11
12	.01	.03	-	.01	-	Tr	-	-	.14	.04	Tr	-		12
13	Tr	Tr	-	.13	Tr	.03	.30	-	.05	.71	.03	-		13
14	.60	Tr	Tr	.06	.03	.08	.63	-	.01	.07	.23	.02		14
15	.32	Tr	.04	.08	.23	.76	.60	-	Tr	Tr	.35	.02		15
16	.22	.01	Tr	.09	.12	-	.61	-	-	Tr	.24	Tr		16
17	.75	.04	-	Tr	.03	.48	.29	-	-	-	.06	Tr		17
18	.03	.06	.04	-	Tr	.23	.94	-	-	.02	.56	.04		18
19	.22	Tr	-	-	-	Tr	.05	Tr	Tr	-	Tr	.07		19
20	.46	-	Tr	-	.01	.51	.01	.23	Tr	-	-	Tr		20
21	.06	.40	.18	.02	.01	.29	.07	.15	.01	-	-	-		21
22	.67	.29	.12	.05	-	.28	.32	-	.05	fog ✓ .01	.35	Tr		22
23	Tr	.01	.03	.25	-	.01	.08	Tr	-	.02	.92	.02 fog.		23
rain & snow 24	.85	Tr	.09	.03	-	.44	.10	Tr	-	.06	-	-		24
snow 25	.83	.14	.01	Tr	-	-	.22	.10	-	.16	.48	-		25
26	.03	.18	Tr	.07	-	.06	Tr	.12	-	.10	.53	Tr		26
27	-	.19	.05	Tr	-	.04	.01	.02	-	Tr	.09	Tr		27
28	.01	.07	.03	.11	-	.05	Tr	-	-	Tr	.46	.08		28
29	.03	X	-	.12	-	Tr	.28	.01	-	.50	.16	-		29
30	-	X	.02	.62	-	.29	.05	.02	-	.18	.04	-		30
31	-	X	Tr	X	-	X	-	.05	X	.45	X	Tr		31
TOTAL	6.14	1.86	1.56	3.24	.92	3.60	6.02	1.93	2.34	4.74	7.85	2.34	Year's Total 42.54	
* Days with .01 in. or more.	24	14	18	19	10	15	23	17	9	~~18~~ 19	25	15	~~207~~	208
* Days with .04 in. or more.	14	11	11	16	5	13	19	13	7	16	23	10	158	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Langton Hine [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1793/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at THE KNAP, CULMSTOCK,

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 440 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.02	-	.10	.02	Tr	-	-	Tr fog	-	.22	-		1
2	-	.03	-	.10	-	-	.05	-	Tr fog	-	.89	.03		2
3	.02	.40	-	.02	-	-	Tr	Tr fog	-	.22	1.10	.07		3
4	-	.26	-	.08	-	-	.05	-	-	.20	.10	.04		4
5	Tr	.01	-	-	-	-	.01	-	-	.07	.57	.21		5
6	.16	.38	-	Tr	Tr	-	.15	-	Tr fog	.24	.22	.19		6
7	.04	.04	-	.03	-	-	.07	.02	Tr	.07	-	.06		7
8	Tr	-	-	-	-	-	Tr	Tr	-	.36	.24	.35		8
9	Tr	Tr	-	.01	-	-	.66	.04	.01	.04	.64	.30		9
10	-	-	.01	-	-	-	.19	Tr	.02	.09	.15	.21		10
11	-	.05	.01	.01	-	Tr	.36	-	-	-	.89	.03		11
12	-	-	.13	Tr	-	.24	.35	-	.51	-	.13	-		12
13	-	.02 snow	.47 sleet	.01	-	-	.11	Tr	.05	.22	1.15	.17		13
14	-	.01 snow	.02 snow	.05	.57	-	.01	.02	.13	.50	Tr	.37		14
15	Tr	.04 snow	-	.05	.25	.03	.25	-	.19	.24	.46	.01		15
16	.03 snow	.71 ✓ sleet	.43	.07	-	.04	.12	-	.06	1.00	.15	.03		16
17	-	.08 sleet	.51	Tr	-	-	.11	-	.04	Tr fog	.02	Tr		17
18	.10 snow	.47	.46	.69	-	-	.01	.01	.03	.07	.02	.11		18
19	-	.04	.13	.13	-	-	.20	-	.30	-	.17	Tr		19
20	-	Tr	.08	.02	-	-	.02	.07	.13	.12	.04	.03		20
21	-	Tr	.01	-	.26	.22	Tr	Tr	Tr	-	.54	-		21
22	-	Tr	.13	.29	-	.59	-	-	.15	.01	-	-		22
23	-	.02	.12	.05	.02	Tr	Tr	Tr	Tr	.01	.02	Tr		23
24	.02	-	Tr	-	Tr	.03	.26	-	Tr	-	-	.02		24
25	.12	-	.08	.04	.05	.03	.01	-	-	-	-	-		25
26	.86	.28	-	.06	.29	-	.10	-	Tr	-	.02	Tr		26
27	.40	.05	.01	.08	.16	Tr	.02	-	-	Tr	.01	-		27
28	.37	.20	-	.03	.25	-	Tr	Tr	-	-	-	.01		28
29	.14 snow	.10 snow	.30	.68	Tr	.06	-	-	-	.03	-	.25		29
30	.04	✕	Tr	.02	Tr	-	-	-	-	.43	Tr	.15		30
31	.01	✕	Tr	✕	-	✕	-	-	✕	.33	✕	.48		31
TOTAL	2.31	3.21	2.90	2.62	1.87	1.24	3.11	.16	1.62	4.25	7.75	thaw and snow. 3.12	Year's Total 34.16	
* Days with .01 in. or more.	13	20	16	22	9	8	21	5	12	19	22	21	188	
* Days with .04 in. or more.	9	14	11	14	7	5	15	2	9	16	17	14	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Langhorn Hine. [P.T.O.

FORM 1090. **B** Mon
Sum

1794

1794
HEMYOCK PLACE
1931 — 40

780308

*** The following register of monthly
&c., is NOT required if daily or
values are given on the other sid

on and also the space for

register should be sent: Hemyock Place
Somerset

RAINFALL IN 1931

At Hemyock Pl

In the County of Somers

M in Summer Do:

ce 2 ms: Direction from gauge S.

Rain Gauge
Diameter of Funnel 6 — in.
Height of Top above Ground 3 *ft* — *in.*
Height of Ground above Sea Level 850 *ft.*

Nearest Parish Church at Do: Distance 2½ " Direction from gauge "

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·90	·57	22nd	1	14
FEB.	2·11	·51	11th	—	14
MAR.	1·29	·73	3rd	—	6
APRIL	3·08	·59	2nd	1	13
MAY	2·86	1·22	27th	—	14
JUNE	2·69	·62	16th	—	13
JULY	4·42	·72	14th	—	16
AUG.	4·19	·68	18th	—	16
SEPT.	1·48	·40	2nd	—	9
OCT.	1·04	·28	12th	—	7
NOV.	6·21	1·06	2nd	—	20
DEC.	1·98	·67	6th	—	9
Total	34·25			~~2~~	151

Signature H. J. Hitchings.

Nature of objects nearest to gauge	Gauge is in open garden
Heights of objects	on Devon side of road,
Distances ..	Hemyock being in N. Devon
Directions from gauge ..	

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
~~If the gauge is of a self-registering or self-recording type please give particulars.~~

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

1794

B Mon
Summary.

C Particulars of Station.

** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Hemyock Place

In the County of Somerset Devon

Rain Gauge
Diameter of Funnel 6 — in.
Height of Top above Ground 3 *ft* — *in.*
Height of Ground above Sea Level 850 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·90	·57	22nd	1	14
FEB.	2·11	·51	11th	—	14
MAR.	1·29	·73	3rd	—	6
APRIL	3·08	·59	2nd	1	13
MAY	2·86	1·22	27th	—	14
JUNE	2·69	·62	16th	—	13
JULY	4·42	·72	14th	—	16
AUG.	4·19	·68	18th	—	16
SEPT.	1·48	·40	2nd	—	9
OCT.	1·04	·28	12th	—	7
NOV.	6·21	1·06	2nd	—	20
DEC.	1·98	·67	6th	—	9
Total	34·25			2	151

Signature W. J. Hitchings.

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
W. J. Hitchings. Hemyock Place
Wellington. Somerset

Hour of observation by the clock—in Winter 10 A.M in Summer do:

Nearest Railway Station HEMYOCK. Distance 2 ms: Direction from gauge S.

Nearest Parish Church at do: Distance 2½ " Direction from gauge "

Nature of objects nearest to gauge
Heights of objects
Distances ..
Directions from gauge ..

Gauge is in open garden on Devon side of road, Hemyock being in N. Devon

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | } ·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1794

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hemyock Race.
in the County of Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft — in.
,, Ground ,, Sea Level 830 ft.

May 1' low

May corr for arith
Disent 10/5/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	—	—	·24	—	—	·31	·26	—	—	·02	·05	1
2	·11	—	—	·05	·33	—	—	—	1·09	·05	—	·39	2
3	—	—	—	—	—	—	—	—	·21	—	·05	—	3
4	—	·04	—	—	—	·02	—	—	—	—	·27	—	4
5	·50	—	·10	—	—	—	·02	—	·15	—	—	—	5
6	·65	—	—	·31	—	—	·01	—	·57	—	—	—	6
7	·36	—	·06	·12	·10	—	·01	—	·68	1·10	—	—	7
8	·03	—	·70	·01	·24	—	—	—	·10	·23	—	—	8
9	1·72	—	—	·32	—	—	—	—	·10	·04	—	—	9
10	·60	Snow ·03t	—	·21	·02	—	—	—	—	·26	—	—	10
11	·07	—	—	—	—	—	—	—	—	·11	—	·12	11
12	·89	—	—	·04	·50	—	—	—	·20	·49	—	·28	12
13	·07	—	—	·16	—	—	·36	·54	—	·66	—	—	13
14	·23	—	—	·13	·08	—	—	—	—	·04	—	—	14
15	·26	—	—	·70	·17	—	—	—	—	·08	·21	·08	15
16	—	—	—	·30	—	—	—	—	—	—	·09	—	16
17	—	—	—	—	—	—	—	—	·14	·17	—	—	17
18	—	—	—	—	·14	—	—	—	·50	—	·29	—	18
19	—	—	—	·03	·20	—	—	—	·09	·28	—	—	19
20	—	—	—	—	1·02	—	—	·05	—	·54	·11	·30	20
21	·12	—	·09	·37	—	—	—	—	—	·50		·09	21
22	—	—	—	·07	·03	—	—	—	·78	·31	·27	—	22
23	—	—	—	—	—	—	·27	—	—	·32	·05	·27	23
24	—	—	—	—	—	—	·62	—	·10	·07	—	—	24
25	—	—	·26	—	—	—	—	—	·04	·34	·28	—	25
26	—	—	·13	·17	—	—	—	—	—	·20	—	—	26
27	—	—	·65	·30	·20	—	·32	—	—	·26	·10	·08	27
28	—	—	—	·08	·25	—	·20	—	—	·60	—	·05	28
29	—	—	·82	·11	·36	·30	·06	·54	·30	—	·12	·43	29
30	—	×	·15	—	—	1·38	·68	—	·79	—	1·23	—	30
31	—	×	—	×	·02	×	·07	—	×	·07	×	·90	31

													YEAR'S TOTAL
TOTAL	5·78	·04	2·96	3·12	3·66 ~~3·66~~	1·70	2·93	1·39	5·84	6·63	3·09	3·04	40·18 ~~39·18~~
*Days with ·01 in. or more.	1			2		1	3				1		8
*Days with ·04 in. or more.	13	2	9	17	15	2	9	4	16	22	12	12	133

40-9999

*See Instruction 2 (*f*) on other side. Total. 39·18 (Signed) H J Kitchen P.T.O.

File No. 9007/30

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at HEMYOCK PLACE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft 6 in.

,, Ground ,, Sea Level 830 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·54	·41	·17	—	·05	—	—	—	—	—	—	·38	1
2	·46	—	·62	—	·65	·28	—	—	—	—	—	—	2
3	·08	·13	·21	—	—	·04	—	—	—	—	—	—	3
4	·23	·03	—	—	—	—	—	—	—	—	—	—	4
5	·20	—	·52	—	·15	—	—	—	—	—	—	—	5
6	—	·48	·08	—	·19	—	·05	—	—	·10	—	—	6
7	·04	·11	—	—	·04	—	—	—	—	·15	—	—	7
8	—	·09	·05	—	·06	—	·04	—	—	·02	—	—	8
9	—	·03	—	—	·36	—	·62	—	—	·40	·05	—	9
10	—	·23	—	—	—	·18	·15	—	—	1.05	·04	—	10
11	·10	—	—	—	—	—	·44	1·12	—	·03	—	—	11
12	—		—	·06	—	·02	·21	—	·53	—	—	—	12
13	—		—	—	·09	—	·24	·09	—	·12	—	—	13
14	·19		—	—	—	—	·04	·09	—	—	·30	—	14
15	·43		·33	—	—	Storm ·71	·60	·05	—	·09	—	—	15
16	—		·97	—	—	·07	—	—	—	·04	—	—	16
17	—		·43	—	—	·07	—	—	·08	—	·03	—	17
18	Snow ·12		·32	—	—	·10	—	—	—	—	—	—	18
19	—		·17	—	—	—	—	—	·18	—	·51	—	19
20	—		—	—	—	·12	—	—	·05	—	—	—	20
21	—		—	—	—	—	—	·14	—	·06	—	—	21
22			—	·11	·16	·09	—	·30	·15	—	—	—	22
23			—	·34	—	·33	—	—	·15	·23	—	—	23
24			—	·15	—	—	—	—	—	—	—	—	24
25			—	·17	—	·33	·24	—	·06	—	—	—	25
26			—	·10	·36	—	—	—	·03	·13	—	·18	26
27			—	—	·05	—	—	—	·03	·35	—	—	27
28			—	·40	—	—	—	—	—	·27	—	·56	28
29			—	·19	—	—	—	—	—	—	—	·02	29
30	—	×	·10	·02	—	—	—	—	·12	·15	—	—	30
31	·41	×	·07	×		×		—	×	·04	×	·10	31
TOTAL	2·80	3·83	4·04	1·54	2·16	2·34	2·63	1·79	1·38	3·23	·93	1·24	YEAR'S TOTAL 27·94
*Days with ·01 in. or more.				1		1				2		1	8
*Days with .04 in. or more.	11	14	13	8	11	11	10	6	10	14	5	4	117

Frost ·12 to ·14 days:

Rain 2·32 Snow

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) M. J. [illegible]

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hemyock Place

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft 6 in.

,, Ground ,, Sea Level 830 ft.

Days

ay

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	×	·60	·16	—	·23	·85		1
2	·05	—	—	—	—	—	×	·05	·73	—	·13	·38		2
3	·13	·03	—	—	—	—	×	·14	—	·17	—	·57		3
4	—	—	·06	·04	·35	—	×	·02	·10	·37	·27	·50		4
5	·20	—	·03	·04	·26	—	/	·75	—	·12	—	·80		5
6	—	—	·38	·08	·82	—	/	—	—	·40	·03	·43		6
7	—	—	—	—	—	—	/	·08	—	·30	—	·58		7
8	·11	—	—	—	·26	—	/	—	—	·08	·29	·70		8
9	—	—	·20	·04	—	—	/	—	·02	·02	·33	·18		9
10	·42	—	·23	·43	—	/	/	·17	—	·03	·11	·02		10
11	·52	—	·05	·30	—	—	/	·28	—	—		·57		11
12	·14	—	—	·04	—	—	T.S. ·85	·20	—	—	—	·17		12
13	·38	—	—	·57	—	—	/	/	—	·05	—	·62		13
14	·62	—	·43	—	—	—	/	/	—	—	·03	·67		14
15	·04	—	·13	—	·24	—	/	/	·40	·35	·18	·25		15
16	·14	—	·40	—	—	—	—	/	·16	—	—	·15		16
17	·44	—	—	·22	—	—	—	/	·04	·13	—	(37) ·17		17
18	·10	—	·30	·50	·09	—	—	—	—	·02	—	·20		18
19	—	—	·17	—	—	·06	—	—	·08	·02	—	·33		19
20	—	—	·18	·09	—	—	·25	—	—	—	—	—		20
21	—	—	·08	—	·04	·32	—	—	—	·31	—	·15		21
22	—	—	·08	—	—	—	—	·08	·30	—	—	·81		22
23	—	—	—	·35	—	T.S. ·76	—	—	·23	—	—	·08		23
24	—	·30	·09	—	—	·21	·07	·17	·10	—	—	·02		24
25	·39	·06	—	·22	—	T.S. ·65	—	—	—	·49	—	·75		25
26	—	—	·08	·25	—	·22	—	—	·14	—	·06	·08		26
27	—	—	—	—	—	·09	—	·04	—	·10	—	·40		27
28	—	—	—	·12	—	—	—	·52	·20	·04	—	·96		28
29	—	—	—	—	—	—	·04	·21	·05	·09	·02	·05		29
30	—	×	—	—	—	—	—	·09	·06	·04	—	·21		30
31	—	×	—	×	—	×	·15	—	×	·03	×	·10		31
TOTAL	3.68	·39	2.89	3.29	2.06	2.31	1.36	3.40	2.77	3.06	1.68	11.92	Year's Total 38.81	Small "d" ..
*Days with ·01 in. or more.	14	3 ×	×16	15	7	7	5	15×	15×	20×	11 ×	30×		158
*Days with .04 in. or more.	14.	2	15	15	7	7	5	14	14	15	8	30		144

Total for Year 38.81

T.S. signifies Thunder Storm.

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W H Kitching

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HEMYOCK PLACE.
in the County of ~~Somerset~~ Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft " in.
,, Ground ,, Sea Level 835 ft.

This copy

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·06	·44	—	—	·15	·06	—	·10	·12	·18	·17	1
2	—	·11	—	—	—	·23	—	—	·28	·22	·06	·18	2
3	—	·12	—	—	—	·36	—	—	1·18	·43	·23	—	3
4	—	·29	·10	·08	·05	·41	—	—	·08	·10	·33	·30	4
5	—	·48	·04	·04	—	·13	—	—	·31	·51	·05	—	5
6	—	—	—	·26	—	·72	—	—	—	·18	·01	·15	6
7	—	—	—	·41	—	·03	—	—	—	·38	·04	·05	7
8	—	—	—	·31	—	—	—	·35	·02	·32	·30	—	8
9	—	—	—	·73	—	·15	—	—	·06	·68	·35	—	9
10	—	—	—	·39	—	·03	—	—	—	—	—	—	10
11	·23.	—	SNOW ·05	—	—	·31	—	—	—	·01	·70	—	11
12	—	·22	—	—	—	·29	—	·18	·02	—	—	—	12
13	·04	·13	—	·28	—	·05	—	—	—	·03	·24	—	13
14	—	·09	—	·30	—	·35	—	—	—	·04	1·28	·22	14
15	—	·31	—	·61	·10	·38	—	—	·23	—	·03	·13	15
16	—	·12	·05	·10	— SOME	·02	—	—	·80	—	·90	—	16
17	—	—	—	·06	SNOW ·95	·27	—	·10	·06	·03	·04	—	17
18	—	·05	—	·62	—	·01	—	—	·70	·13	—	·05	18
19	—	—	—	·16	·15	—	—	—	·10	·01	·20	—	19
20	—	·30	—	·51	·20	·03	·18	—	—	—	·30	—	20
21	—	·45	—	·16	—	—	·05	—	·08	·05	—	—	21
22	—	·04	·20	·08	—	—	—	—	·08	—	—	—	22
23	—	—	·18	—	·02	—	—	·52	·16	·45	—	·25	23
24	·15	·52	·01	·02	·15	—	—	·40	·23	·17	—	·20	24
25	·28	Some snow ·40	—	·06	·10	—	—	—	—	—	—	·37	25
26	—	·92	—	—	—	—	—	·32	·07	—	·04	·72	26
27	—	·02	—	—	—	—	—	·06	·08	·06	·10	·75	27
28	—	·12	—	—	—	—	—	·13	·13	·07	·06	·01	28
29	—		—	—	—	—	·02	·07	·14	·03	·20	·48	29
30	·02	×	—	—	—	—	—	·70	·15	·07	·85	·69	30
31	—	×	—	×	·20	×	—	·05	×	·77	×	·30	31
TOTAL	·72	4·75	1·07	5.18	1·92	3.92	·31	2·88	5·06	4·86	6·49	5·02	YEAR'S TOTAL 42.18
*Days with ·01 in. or more.	5	19	8	19	9	18	4	11	22	23	22	17	177
*Days with .04 in. or more.	4	18	7	18	8	13	3	11	20	18	20	16	156

40-9999
*See Instruction 2 (*f*) on other side,

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hemyock Place

in the County ~~of Somerset~~ S. Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft ~ in.

,, Ground ,, Sea Level 835 ft.

Days Total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·13	·20	·75		·25	1·43				·01	·08		1
2	·07	—	—	·07		·55	·09	·08			·12			2
3	—	—	·01	·40			·08	·06	·90		·25	·04		3
4	—	—	·19			·07			·27		·13	·30		4
5	·54	—	·02				·11	·05	·07			·04		5
6	·11	—	·02			·06	·08	·10	·17		·26			6
7	·34	—	·14				·11				·88			7
8	·25	—	·31				·58				·78	·03		8
9	·47	—	·05				·13		·10		·08			9
10	·03	—	—				·12				·25			10
11	—	—	—			·12		·08	·07		·97			11
12	·17	—	—	Snow ·03			·37		·15	·01	·04			12
13	·07	—	—	·02			·27			·06	·08	·67		13
14	—	·07	—	·05		·17	·64		·14	·01		·36		14
15	—	—	—		·08		·05		·01		·18	·78		15
16	—	·14	—		·22		·10		·09		·13	·17		16
17	·26	·98	—		·09		·40			·12	·05	·27		17
18		·27	—		STORM ·47	·21	·60			·06		·09		18
19	·47	—	·04	·22		·23	·10	·09				·06		19
20	—	·30	·13	·06					·40					20
21	—	SNOW ·58	·15	·43		·03								21
22	SNOW ·12	·04	·55				·28							22
23	·04	—	·11	·12	·02		·02			·06				23
24	·08	—	·03		·07		·64		·05	·36				24
25	·10	—	·45	·18			·20		·23	·30	·05			25
26	·12	·23	·28				·20			·10				26
27	—	·02	·03				·30			·23				27
28	·78	·08	·53				·23					·23		28
29	·08	—	·03			STORM 1·44				·08	·12	·12		29
30	·18	×	·03			·15	·02			·21				30
31	·28	×	·38	×		×	·04		×	·08	×	·41		31
TOTAL	4·60	2·81	3·68	1·75	·95	3·28	7·19	·46	2·65	1·68	4·38	3·05	Year's Total 36·48	
*Days with ·01 in. or more	~~21~~	~~11~~	~~21~~	~~11~~	~~6~~	~~11~~	~~26~~	~~6~~	~~13~~	~~13~~	~~17~~	~~15~~	~~170~~	
*Days with ·04 in. or more	~~20~~	~~10~~	~~14~~	~~10~~	~~5~~	~~10~~	~~23~~		~~12~~	[illegible]	[illegible]	~~14~~		

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. J. Hitchings

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hemyock Place, Wellington.

in the County of ~~Somerset~~ Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft. 6 in.

" Ground " Sea Level 835 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	-	SNOW. ·08	·18					·10		·10	·70		1
2	·15	·46		·20					·08					2
3		·25		·12						·01				3
4	·06				·05		·08					·35		4
5	·45	·51	SNOW ·12				·40							5
6	·19			·24			·24							6
7		·27		·34	·09	·02				·13	·05			7
8		·72	SNOW ·16		·21		·04				·07			8
9		·02		·11	·15				·75					9
10	·27		1·02	·77			·04					Snow ·65		10
11	·03		·41	·10	·65	·70	·45							11
12	·30		·08			·22	·03		·18			·30		12
13		·16	SNOW ·92	·32		·20		·13	·10					13
14		·05		·08			1·12 *	·30	·05			·13		14
15	·52	·02	·18	·22			1·15		·26					15
16	·25	·21	·42						·80					16
17	1·09	·12	·50					·37	·06		·21			17
18	·04	·11	·13						·26		·16	·20		18
19		·16	·18	·11	·03		·01		·12		·30	·07		19
20	·54	·05	·10	·30	·03							·15		20
21	·48	·03	snow ·18	·12	·35		·14				·05			21
22	·13	·53	" ·22		·15		·22		·05	·63	·59			22
23	·38		" ·22		·10					·25	·25			23
24	·52	·73							·06	·87				24
25		·43	" ·27		·12					·72		·07		25
26		·92			·14									26
27	SNOW	·31								·47				27
28	"	·25								·23				28
29	THAW					·04				·57	·40			29
30	·64	✕				·09				·07	·25			30
31	·23	✕		✕		✕			✕	·42	✕			31
TOTAL	6·39	6·18	5·19	3·21	2·07	·67	3·92	·80	2·87	4·37	2·13	2·62	Year's Total 40·42	
* Days with .01 in. or more.	19	21	17	14	12	6	12	3	13	11	11	9	~~148~~	
* Days with .04 in. or more.	18	18	"	14	10	5	10	3	1	10	"			

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. J. Hitchings

[P.T.O.

*Fell between 6 & 10 A.M. on July 15th.
much thunder.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Hemyock Rale

in the County of ~~Somerset~~ Devon

Diameter of Funnel of Gauge Five inches in.

Height of top of Gauge above Ground Level 2.6 ft. in.

,, Ground ,, Sea Level 850 835 ft.

Totals.

W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·78					·40			·33	·05	·25		1
2		·04		·06	·02					·47	·09	·17		2
3					·29		·08			·58				3
4					·02	·17	·18	1·53+		·23		·07		4
5						·02	·04			·15		·04		5
6	·17					·08	·68		·09	·07				6
7	·17								·21	·11		·04		7
8	·70					·01	·38			·17				8
9	·43	·09				·07	·04	·03				·55		9
10	·10							·11				·43		10
11	·20						·11	·18			·24	·82		11
12	·38				·15					·30	·45	·14		12
13	·06				·10						·13	·64		13
14	·68				·08				·06					14
15	·27				·22		·62			·15	·11	·37		15
16	·28				·12			·9			·25			16
17		SNOW ·25							·08	·15				17
18	·31				·05	·12		·14	·51		·62			18
19									·08		·55			19
20										·02	·18			20
21	·06								·20		·26			21
22				·05		·10		·33	·15		·31	SNOW ·15		22
23				·07							·10	·15		23
24			·11					·06	·06		·26			24
25	·18	·35	·04		·38		·39			·05	·85			25
26	·27	·28			·31		·45			·10	·10			26
27	·11	·12			·15	·18	·45	·28	·06	·04	·29			27
28	·14	·15			·13	·15		·54	·13					28
29	·25				·48				·05	·12	·22			29
30	·14	✕			·05	·15			·15		·26			30
31	·33	✕		✕	·20	✕			✕	·18	✕	·32		31
TOTAL	5·23	1·46	·15	·18	2·75	1·05	3·82	3·29	1·88	3·22	5·32	4·14	Year's Total 32·44	
* Days with .01 in. or more.	20	7	2	3	16	10	12	10	13	17	19	143 14		
* Days with .04 in. or more.	1		2	3	14	8	1	9	13	16		14		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

+THUNDER STORMS

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations
Station No. 1794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

~~Kept~~ at Hemyock Hall
in the County of Wellington ~~Som.~~ Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 830 ft.

Letter written 14/6/40

Period Jan 23rd – 31st of exposure ~~[illegible]~~ for snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·12	·08			·01	·08		·10			1
2			·32	·22				·35	1·10		·30	·18		2
3	·27			·33				·28	·65		·13	·68		3
4			·11	·52	·25		·30			·65	·52	·23		4
5			·21	·25	·35		·27	·10		·36	·63			5
6			·16	·03			·51	·08		·13	·33			6
7	·32	·14	·03		·02						·54	·46		7
8		·22					·18	·10		·70	·82	·26		8
9	·04	·03							·08	·13	·08	·10		9
10	·38					·05		·18		·07	·13	·21		10
11										·24				11
12										·04	·01			12
13			·14	·12		·03	·25		·16	·55	·02	·05		13
14	·58			·05	·30	·13	·45			·07	·23			14
15	·42		·08	·08		·66	·25				·44			15
16	·20			·07	·11		·82				·21			16
17	·62		·04			·43	·25				·05			17
18	·03					·20	1·12				·60			18
19	·20						·02					·18		19
20	·22	·05				·51	·06	·23						20
21	·12		·08	·02		·09	·05	·04						21
22	·55	·31	·17			·35	·20			·02	·25			22
23		·23	·03	·26		·05	·10				·75			23
24	Snow		·04	·04		·32	·13			·07				24
25	~~[illegible]~~ (1·65)						·15			·12	·50	·05		25
26		·22		·02				·12		·11	·43			26
27		·10	·05			·02					·10			27
28		·06	·03	·10		·04				·30	·35			28
29							·30				·16			29
30		✕		·48		·32	·11			·12	·04			30
31		✕		✕		✕		·05	✕	·42	✕		38·81	31
TOTAL	5·60 ~~4·60~~	1·36	1·49	2·71	1·11	3·20	5·52	1·54	2·07	4·10	7·71	2·40	Year's Total ~~39·11~~	
* Days with .01 in. or more.	~~15~~ 16	9	14	16	6	14	19	11	5	17	26	10	162	
* Days with .04 in. or more.	~~14~~ 15	8	11	13	5	12	18	11	5	16	23	10	~~146~~ 147	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J. Hutchings [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Hemyock Place

in the County of ~~Somerset~~ S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

,, Ground ,, Sea Level 830 ft.

Feb 13-17, Dec 31 adjusted for snow

? Dafys

9007/30

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·13							·15			1
2				·08							·80			2
3		·50								·23	1·30	·12		3
4		·25		·12			·15			·18	·08	·05		4
5										·06	·60	·20		5
6		·40					·10			·24	·15	·10		6
7	·32	·95					·03					·05		7
8											·22	·29		8
9							·58	·05		·36	·62	·35		9
10							·37		·03	·10	·17	·14		10
11							·39				·75	·05		11
12			·18			·14	·32		·33		·08			12
13			·20				·17		·03	·14	·74	·16		13
14			·25		·70				·15	·65	·01	·32		14
15		(·96)			·40		St. S. ·20			·21	·47			15
16		~~·46~~ 1·10	·35	·24			·15		·03	1·00	·18	·05		16
17			·55						·03	·04	·05			17
18		·38	·43	·62			·02		·01	·07		·10		18
19		·04	·14	·19			·14		·42		·15			19
20			·07				·01		·11	·10	·05			20
21					·37	·19					·50			21
22			·11	·22		·60		·06	·25					22
23		·02	·09								·01			23
24							·28							24
25	·15		·09			·06				·02				25
26	·90	·20		·08	·26	·03	·15				·01			26
27	·30	·06		·95	·14		·06							27
28	·25	·10		·08	·17									28
29		·10	·19	·65		·04				·02		·25		29
30		✕		·02						·33		·20		30
31		✕		✕		✕			✕	·37	✕	~~·35~~ (·80)		31
TOTAL	2·38	~~2·56~~ 3·06	2·65	3·38	2·04	1·06	3·02	·11	1·39	4·17	7·09	~~2·58~~ 3·03	Year's Total ~~32·28~~	33·33
* Days with .01 in. or more.	7	12	12	12	6	6	16	2	10	17	21	16	137	'd'
* Days with .04 in. or more.	7	11	12	11	6	5	13	2	5	15	18	16	121	

·10 Frost

about ·15 in. snow

Frost ·20

Snow ·31

Red signifies some snow.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) [illegible]

P.T.O.

FORM 1090. **B** Monthl
Summ

1794/5

, The following register of monthly to
&c., is NOT required if daily or we
values are given on the other side.

—

1794/5
WASHFIELD RECTORY
1931 — 36

7803

S. Devon /6.

and also the space for

egister should be sent:—

RAINFALL IN 1931

Tiverton

At Washfield Rectory

In the County of Devon

M.T. in Summer

Direction from gauge

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 500 *ft.*

Nearest Parish Church at .... Distance .... Direction from gauge ....

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.					
FEB.					
MAR.					
APRIL					
MAY	4·28			12	10
JUNE	3·17			13	9
JULY	5·80			22	19
AUG.	4·96			19	15
SEPT.	1·75			12	11
OCT.	1·26			8	5
NOV.	6·54			21	18
DEC.	1·80			13	9
Total	—			—	—

Nature of objects nearest to gauge				
Heights of objects	Exposure Good			
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

G. from Rockford Rectory, Worcs/1.

Signature Rev. A. Ellison

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | } ·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110,

N

FORM 1090. **B** Monthl
Summary.

(1794/5)

S. Devon/6.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

Tiverton

At Washfield Rectory

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 500 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.					
FEB.					
MAR.					
APRIL					
MAY	4·28			12	10
JUNE	3·17			13	9
JULY	5·80			22	19
AUG.	4·96			19	15
SEPT.	1·75			12	11
OCT.	1·26			8	5
NOV.	6·54			21	18
DEC.	1·80			13	9
Total	—			—	—

Signature Rev. A. Ellison

*See Instruction 2 (*f*) below.

Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 GMT in Summer

Nearest Railway Station Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects	Exposure Good			
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

G. from Rockford Rectory. Worcs/1.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "**tr**" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110,

N

167408|32

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1794/S

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

TIVERTON

REGISTER OF RAINFALL IN 1932.

S. Devon/6

Kept at (Washfield Rectory)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 500 ft.

C imp 1931

good agreement with near other

Print. [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	—	—	·15	·05	·39	·35	·17	·09	—	·08	·02	1
2	·12	—	—	·07	·19	—	·02	·04	·95	—	·02	·42	2
3	·02	—	—	·01	—	·06	—	—	·22	—	·03	·08	3
4	—	—	—	—	—	·01	—	·12	—	—	·20	—	4
5	·77	—	·09	—	—	—	·01	—	·33	·07	—	—	5
6	·65	—	·03	·33	·03	—	·06	·01	·44	—	—	—	6
7	·40	—	·07	·13	—	—	·01	·01	·90	·99	—	—	7
& Snow 8	—	—	·85	·04	·18	—	—	—	·13	·23	—	—	8
9	·89	·04 &	—	x	·01	—	—	—	—	·04	—	—	9
10	·60	—	—	x	·06	—	—	—	·09	·32	—	—	10
11	—	—	—	—	·08	—	—	—	·01	·04	—	·09	11
12	·72	—	—	x ·69	·61	—	—	—	·16	·28	·01	—	12
13	·14	—	—	·23	—	—	·25	·37	·01	·68	·02	·29	13
14	·26	—	—	x —	x	—	—	—	—	·11	·01	·02	14
15	·02	—	—	x —	x ·83	—	—	—	—	·07	·02	·10	15
16	·14	—	—	x —	—	—	·68	—	—	·03	—	—	16
17	—	—	—	x —	·04	—	—	—	·14	·08	·01	—	17
18	—	—	—	—	·12	—	—	—	·64	—	·31	—	18
19	—	—	—	x —	·24	—	—	—	·11	·62	—	—	19
20	—	—	—	x —	·85	—	—	·06	·07	·73	·19	·13	20
21	·06	—	·07	x —	—	—	·01	·36	—	·53	·08	·23	21
22	—	—	—	x —	·08	—	—	—	·61	·34	·39	·01	22
23	—	—	—	—	—	—	·25	—	—	·64	·12	·31	23
24	—	—	—	—	·03	—	·30	—	·05	·06	·08	—	24
25	—	—	·37	—	—	—	·43	—	—	·52	·11	·02	25
26	—	—	·08	x —	—	—	·15	—	·08	·24	·21	—	26
27	—	—	·42	1·62	·16	—	·28	—	—	·38	·02	·03	27
28	—	—	·14	·09	·04	—	·18	—	—	·01	—	·14	28
29	·01	—	·60	·17	·22	·54	·08	1·16	·69	·66	·04	·45	29
30	—	×	·07	·06	·01	·94	·60	·03	·75	·13	·89	—	30
31	—	×	·10	×	·04	×	·05	—	×	·02	×	·69	31
TOTAL	5·34	·04	2·89	3·69	3·37	1·94	3·71	2·33	6·37	7·72	2·84	3·03	YEAR'S TOTAL 43·17
*Days with ·01 in. or more.	15	1	12	23	21	5	17	10	20	25	20	16	185
*Days with ·04 in. or more.	12	1	11	21	17	4	13	7	18	22	12	11	149

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Rev Allan Ellison

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1794/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Washfield Rectory, Tiverton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.		
1	·47	·39	·19	—	·10	·04	—	—	·01	—	·05	·78		1
2	}·29	—	·61	—	·70	·44	—	—	—	·02	·03	·15		2
3		·20	·15	—	·02	—	—	—	—	—	—	—		3
4	·21	·03	·08	—	·12	—	—	—	—	—	—	—		4
5	·32	·01	·34	—	·12	—	—	—	—	·01	—	—		5
6	·02	·60	·08	—	·28	—	·03	—	—	·13	—	—		6
7	—	·28	—	—	·17	—	·12	—	—	·14	—	—		7
8	·07	·10	·03	—	·09	—	·73	—	—	—	—	—		8
9	—	·04	—	—	·92	—	·24	·01	—	·18	·02	—		9
10	·05	·34	—	—	—	—	—	·07	—	1·54	·01	—		10
11	—	—	—	—	—	—	—	·48	—	·14	—	—		11
12	·05	—	—	·09	·07	·08	·47	—	·92	—	—	—		12
13	—	—	—	—	·17	·11	·17	·08	—	·18	·09	—		13
14	·08	—	—	—	—	—	—	·09	—	·02	·18	—		14
15	·68	—	·31	—	—	—	—	·03	—	·14	—	·06		15
16	·08	·01	·82	—	—	·09	—	·04	·01	·10	—	—		16
17	·04	·11	·35	—	—	·08	—	·02	·08	—	—	—		17
18	·07	—	·32	—	—	·19	—	—	—	—	—	—		18
19	·10	—	·40	—	—	·01	—	·08	·22	—	·52	—		19
20	—	·09	·01	—	·02	·13	—	·02	·16	—	—	—		20
21	—	·04	—	—	—	·21	—	·12	—	·11	—	·03		21
22	—	—	—	·30	·05	·19	—	·44	·21	—	·02	—		22
23	—	1·30	—	·30	—	·14	—	—	·16	·31	—	—		23
24	—	·33	—	·14	—	—	—	·03	·09	·03	—	—		24
25	—	·70	—	·19	—	·04	—	—	·07	—	—	·11		25
26	—	·42	—	·20	·54	—	—	—	—	·19	—	·02		26
27	—	—	—	—	—	—	—	—	·03	·57	—	·41		27
28	—	·34	—	·53	·02	—	·44	—	—	·40	—	·03		28
29	·05	×	—	·17	—	—	·07	—	—	·04	—	·02		29
30	·01	×	·20	·04	—	—	·04	—	·15	·05	—	·10		30
31	·28	×	·04	×	—	×	—	—	×	—	×	—		31
TOTAL	2·87	5·33	3·93	1·96	3·39	1·75	2·31	1·51	2·11	4·30	·92	1·71	Year's Total 32·09	
*Days with ·01 in. or more.	18	18	15	9	15	13	9	13	12	19	8	10	159	
*Days with ·04 in. or more.	15?	15	13	9	12	12	8	8	9	15	4	6	126?	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Allan Ellison [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1794/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Washfield Rectory, Tiverton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 500 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	—	—	—	—	—	—	·51	·02	·01	·33	1·16		1
2	—	—	·08	—	—	—	—	·04	·73	·02	·16	1·31		2
3	·04	·01	—	·18	—	—	—	·28	tr	·12	—	·48		3
4	·21	—	·16	·06	·43	—	—	·01	·11	·32	—	·56		4
5	—	—	·06	·01	·32	·15	—	1·37	—	·22	·38	·79		5
6	—	—	·37	·15	·64	—	—	—	·01	·47	—	·58		6
7	·08	—	—	—	—	·08	—	·08	—	·13	·10	·53		7
8	·01	—	—	—	—	—	—	—	·01	·08	·31	·87		8
9	✓	—	·34	·07	—	—	—	—	—	·04	·16	·25		9
10	x	—	·39	·33	·11	—	—	·21	—	·04	·08	·01		10
11	x	—	·01	·52	—	—	—	·08	—	—	—	·83		11
12	x 2·09	·01	—	—	—	—	—	·33	—	—	—	·12		12
13	x	—	—	·52	—	—	—	tr	—	·08	·02	·41		13
14	x	—	x	—	—	—	—	—	—	·05	·05	·30		14
15	·14	—	·62 x	·01	·26	·01	—	tr	—	·17	·10	·30		15
16	·13	—	·50	—	·04	—	—	—	·28	·01	—	·20		16
17	·45	·01	·08	·02	·04	—	tr	—	·04	·09	—	·28		17
18	·10	—	·24	·77	—	—	—	—	·17	·01	—	·30		18
19	—	—	·44	·01	·02	·05	—	·01	·24	·02	—	·29		19
20	—	—	·10	·19	·01	—	·64	—	·04	·01	—	·01		20
21	—	—	x	—	·03	·28	—	·03	·04	·17	·02	·26		21
22	—	·01	·15 x	—	—	·02	—	·02	·29	—	—	1·10		22
23	·09	—	·04	·32	—	·65	·06	·02	·34	·07	—	·34		23
24	—	·28	·08	·04	—	·28	·15	—	·04	·09	—	·06		24
25	·29	·11	—	·39	—	·06	—	—	—	·22	—	·87		25
26	x	·01	·04	·08	—	·23	·01	—	·17	·03	·10	·19		26
27	·05	—	—	·03	—	·14	—	·05	·03	·15	—	·42		27
28	—	—	—	·04	—	·01	·21	·67	·29	·14	—	1·00		28
29	—	x	—	—	—	—	tr	·13	·10	·12	—	·19		29
30	·02	x	—	—	—	—	·02	·06	·10	·09	·05	·10		30
31	—	x	—	x	·16	x	·10	tr	x	·14	x	·16		31
TOTAL	3·77	·44	3·70	3·74	2·06	1·46	1·19	3·90	3·05	3·11	1·86	13·27	Year's Total 42·05	
*Days with ·01 in. or more.	20	7	19	19	11	12	7	17	19	28	13	31	203	
*Days with ·04 in. or more.	17	2	18	14	8	9	5	12	15	21	11	29	161	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Allan Ellison (Rev)

P.T.O.

1794/5

Section **A** for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Washfield Rectory

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 500 ft.

dgp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·11	·59	—	—	·03	·02	—	·21	·21	·06	·48	1
2	—	·10	·04	—	—	·25	·01	—	·08	·39	·14	·19	2
3	·03	·08	·06	·03	·10	·10	·02	—	·88	·27	·35	tr	3
4	·03	·24	—	·21	·03	·16	—	—	·05	·11	·19	·26	4
5	·01	·33	·10	·07	—	·03	—	—	·23	·58	·17	·04	5
6	—	—	·02	·46	—	·65	—	—	—	—	·08	·23	6
7	—	—	—	·58	—	·02	—	—	—	·50	·01	·11	7
8	—	—	—	·44	—	—	—	·84	—	·28	·22	·18	8
9	·02	—	—	·42	tr	·04	—	—	·15	·81	·54	—	9
10	tr	—	·35	·27	—	x	—	—	·01	·08	tr	—	10
11	·28	·01	—	—	—	x ·43	—	—	·19	·07	·46	·02	11
12	·06	·36	—	—	—	·35	—	·07	·04	—	x	—	12
13	·14	·07	—	·32	—	·02	—	—	·02	·02	x ·50	—	13
14	—	·14	—	·38	·02	·08	—	—	·63	·03	1·31	·30	14
15	—	·15	—	·67	·19	·13	—	—	·06	tr	·28	·37	15
16	—	·09	·05	·17	—	x	·01	—	·62	·04	·72	·02	16
17	—	—	—	·03	1·20	x ·59	—	·16	·11	·08	·04	—	17
18	—	—	—	·58	·06	·05	·04	·85	·62	·09	tr	·09	18
19	—	—	—	·15	·20	·06	·23	—	·19	·18	·32	·01	19
20	—	·30	—	·42	·20	—	·08	—	·01	—	·22	—	20
21	—	·41	·01	·16	—	·01	·08	—	·09	—	—	·01	21
22	—	·04	·17	·30	—	—	—	—	·06	·07	—	—	22
23	—	—	·29	·01	·10	—	—	·42	·25	·35	—	·29	23
24	·15	·35	·01	·02	·06	·05	—	·29	·05	·06	—	·26	24
25	·43	1·00	—	·04	·01	·03	—	—	—	—	—	·42	25
26	—	·61	—	—	—	·01	—	·31	·11	—	·05	·51	26
27	—	·07	—	—	—	—	·09	·07	·04	·29	·10	·56	27
28	·02	·08	—	—	—	—	·03	·07	·08	·14	·07	·03	28
29	—	~~x~~	—	—	—	—	—	·01	·23	·08	·31	·47	29
30	·05	x	—	—	—	·13	—	·64	·21	·03	·78	·66	30
31	—	x	—	x	tr	x	—	·06	x	·78	x	·19	31
TOTAL	1·29	4·54	1·69	5·73	2·17	3·22	·61	3·79	5·22	5·54	6·92	5·70	YEAR'S TOTAL 46·42
*Days with ·01 in. or more.	12	19	11	21	·11	23	10	12	26	24	23	·23	215
*Days with ·04 in. or more.	7	18	8	17	8	16	5	11	23	21	22	18	174

40-9999

(Signed) Allan Ellison [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1794/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Washfield Rectory
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·14	·02	·20	—	—	·94	·04	tr	—	—	·17		1
2	·01	·01	—	·05	—	·33	·20	·09	·35	—	—	·03		2
3	—	—	—	·87	—	·34	·13	·09	·65	—	·25	—		3
4	·02	—	·28	—	—	·10	·01	·01	·60	—	·14	·48		4
5	·48	·02	·09	—	—	—	·60	·08	·18	—	—	·30		5
6	·06	—	·06	—	—	·03	·18	·14	·14	—	·26	—		6
7	·25	—	·17	—	—	—	·25	—	·02	—	1·02	·07		7
8	·22	—	·40	—	—	—	·50	—	tr	—	1·14	·04		8
9	·29	·05	·72	—	—	·01	·11	—	·19	—	·21	—		9
10	·09	·09	—	—	—	—	·03	—	·01	—	·45	—		10
11	·27	·01	—	—	·13	·17	·03	·06	·12	·03	·74	·07		11
12	—	—	—	·03	—	·02	·51	·01	·90	—	·08	—		12
13	·11	—	tr	·03	—	—	·39	—	·01	·10	—	·35		13
14	—	·07	·01	—	—	·03	·74	—	·17	·10	·16	·33		14
15	—	—	—	—	·08	—	·03	—	·54	—	·20	·13		15
16	tr	·14	—	·39	·24	—	·11	—	·04	—	·22	·20		16
17	·43	·98	—	—	·02	—	·19	—	—	·14	·05	·23		17
18	·08	·19	·05	—	·16	·26	·57	·02	—	·08	—	·17		18
19	·55	—	·06	·33	—	·19	·01	·10	—	—	—	—		19
20	·10	·36	·20	—	—	·08	·01	·01	·29	—	—	—		20
21	·02	·01	·12	·81	—	·09	tr	—	·01	—	—	—		21
22	·30	·42	·37	—	—	—	·17	—	—	·04	—	·05		22
23	·05	·10	·08	·17	·07	—	·06	—	—	·03	·01	tr		23
24	·23	·01	·02	·02	·14	—	·06	—	·07	·46	—	—		24
25	·35	—	·18	·19	—	—	·19	—	·32	·43	·02	tr		25
26	·17	·13	·26	—	—	—	tr	—	·04	·17	—	—		26
27	·14	·06	·04	—	—	—	·23	—	·03	·30	tr	—		27
28	·66	—	·44	—	—	·06	·24	—	—	·03	—	·22		28
29	·15	·11	·01	—	tr	·19	tr	—	—	tr	·07	·24		29
30	·25	×	·04	—	·03	·22	·07	—	—	·21	tr	tr		30
31	·31	×	·46	×	·02	×	·15	—	×	·03	×	·54		31
TOTAL	5·61	2·90	4·08	3·09	·89	2·12	6·71	·65	4·68	2·16	5·02	3·62	Year's Total. 41·52	✓
* Days with .01 in. or more.	26	18	22	11	9	15	28	11	20	14	16	17	207	✓
* Days with .04 in. or more.	22	13	18	8	6	11	22	7	14	10	14	16	161	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Allan Ellison

[P.T.O.

1795

Section **A** for the entry o

AIR MINISTR

FORM 1090.

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

REGIS

31.

1795

BAMPTON, STUCKERIDGE

1931 —— 35

780308

Kept at Stuckeridge Ba

in the County of Devon

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

„ Ground „ Sea L

D2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·12	~~[illegible]~~	·15	·01	·01	·03		·36	·04			1
2	·05	·03		·74					·22	·03	·11	·28	2
3	·03		·82				·01		·59		1·38	·12	3
4			·12	·10	·02	·13	·87	·70	·21	·04		4 ·09	4
5		·34	·01	·19		·54	·05	·04	·01		·08	·24	5
6		·06		·01	·05	·22	·25	·01		·39	23 ~~·13~~	·52	6
7		·02			·17	·18	·05	·19		·23	63 ~~·23~~	·05	7
8		·16		·18		·27	·03	·15			·11 ~~·63~~	·19	8
9		·25				·01	·01				·50 ~~·11~~	·02	9
10	·25	·02			·07	·05	·04	·03	·12		·27 ~~·50~~		10
11		·57				·15	·03	·01	·06		·35		11
12		·12					50 ~~·05~~		·06	·16			12
13	·03	·07	·04		·05		·40	·11		·01	·01		13
14	·01	·09			·34	·29	·55	·40	·02		·71		14
15	·14	·19		·04	·05			·46	·04			·02	15
16	·02	·11		·17	·18	·79	·03	·62	·07				16
17	·06	·10		·15		·18	·50		·01				17
18	·12			·05		·21	·21	·87			·28		18
19	·01	·07	·04	·17		·18	·05	·14	·06		·24		19
20	·19	·13	·15					81			·40		20
21	·48	·03	·03		·15			·01			·04		21
22	3 ·34	·04			·07						·09		22
23	·40	·01		·30	·51						·29	·01	23
24	·19	·03		·57	·07		·68	·16					24
25		·15		·51	·02		·16				·04	·03	25
26	·16	·23		·31			·37				1·04	·01	26
27	·33	·23			2·44		·06			·02	·06	·02	27
28	·25	·17	·11	·04	·17		·16	·02		·08		·11	28
29	·03		·10		·03		·08	03 ~~·08~~		·13	·07	·16	29
30	1·22	×			·04		·01	·01	·03				30
31	·12	×		×	·19	×			×		×	·31	31
TOTAL	4·63 ~~3·90~~	3·34	1·42	3·67	4·63	3·20	4·77	4·77	1·86	1·13	6·93	2·10 3	YEAR'S TOTAL 42·48 ~~XX·X2~~
*Days with ·01 in. or more.	22	25	9	16	19	14	24	19	14	10	21	16	209
*Days with ·04 in. or more.	16	19	7	15	15	12	17	12	10	7	20	10	160

40-9999

(Signed) J. Colinpson Leavenelle B.S.

P.T.O.

*See Instruction 2 (*f*) on other side.

Section | **A** | for the entry o   **COPY FOR OFFICIAL USE.** 1795

AIR MINISTRY METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stickeridge Bampton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 750 ft.

D. 2. sent 19/2/32.

BH

D2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·12	~~·10~~	·15	·01	·01	·03		·36	·04			1
2	·05	·03		·74					·22	·03	·11	·28	2
3	·03		·82				·01		·59		1·38	·12	3
4			·12	·10	·02	·13	·87	·70	·21	·04		4 ·09	4
5		·34	·01	·19		·54	·05	·04	·01		·08	·24	5
6		·06		·01	·05	·22	·25	·01		·39	23 ~~·13~~	·52	6
7		·02			·17	·18	·05	·19		·23	63 ~~·23~~	·05	7
8		·16		·18		·27	·03	·15			·11 ~~·63~~	·19	8
9		·25				·01	·01				·50 ~~·11~~	·02	9
10	·25	·02			·07	·05	·04	·03	·12		·27 ~~·50~~		10
11		·57				·15	·03	·01	·06		·35		11
12		·12					50 ~~·05~~		·06	·16			12
13	·03	·07	·04		·05		·40	·11		·01	·01		13
14	·01	·09			·34	·29	·55	·40	·02		·71		14
15	·14	·19		·04	·05			·46	·04			·02	15
16	·02	·11		·17	·18	·79	·03	·62	·07				16
17	·06	·10		·15		·18	·50		·01				17
18	·12			·05		·21	·21	·87			·28		18
19	·01	·07	·04	·17		·18	·05	·14	·06		·24		19
20	·19	·13	·15					·81			·40		20
21	·48	·03	·03		·15			·01			·04		21
22	3 ·34	·04			·07						·09		22
23	·40	·01		·35	·51						·29	·01	23
24	·19	·03		·51	·07		·68	·16					24
25		·15		·51	·02		·16				·04	·03	25
26	·16	·23		·31			·37				1·04	·01	26
27	·33	·23			2·44		·06			·02	·06	·02	27
28	·25	·17	·11	·04	·17		·16	·02		·08		·11	28
29	·03		·10		·03		·08	03 ~~·08~~		·13	·07	·16	29
30	1·22	×			·04		·01	·01	·03				30
31	·12	×		×	·19	×			×		×	·31	31
TOTAL	4·63 ~~3·90~~	3·34	1·42	3·67	4·63	3·20	4·77	4·77	1·86	1·13	6·93	3 2·10	YEAR'S TOTAL 42·48 ~~XX·X2~~
*Days with ·01 in. or more.	22	25	9	16	19	14	24	19	14	10	21	16	209
*Days with ·04 in. or more.	16	19	7	15	15	12	17	12	10	7	20	10	160

40-9999

(Signed) J Climpson Leavett B.S.

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bampton (Stuckeridge)

in the County of S Devon/b

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 710 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·12		·15	·01	·01	·03		·36	·04			1
2	·05	·03		·74					·22	·02	·11	·28	2
3	·03		·82				·01		·59		1·38	·12	3
4			·12	·10	·02	·12	·51	·10	·21	·04		·06	4
5		·24	·01	·19		·54	·65	·04	·01		·08	·24	5
6		·06		·01	·05	·22	·25	·01		·39	·23	·52	6
7		·02			·17	·18	·05	·19		·23	·63	·05	7
8		·16		·18		·27	·03	·15			·11		8
9		·25				·01	·01				·50	·02	9
10	·25	·02			·07	·05	·04	·03	·12		·27		10
11		·57				·15	·03	·01	·06		·35		11
12		·12					·50		·06	·16			12
13	·03	·07	·04		·05		·40	·11		·01	·01		13
14	·01	·09			·34	·29	·55	·40	·02		·71		14
15	·14	·19		·04	·05			·46	·04		~~·28~~	·02	15
16	·02	·11		·17	·18	·79	·03	·62	·07				16
17	·06	·10		·15		·18	·50		·01				17
18	·12			·05		·21	·21	·87			·28		18
19	·01	·07	·04	·17		·18	·05	·14	·06		·24		19
20	·19	·13	·15					·81			·40		20
21	·48	·03	·03		·15			·01			·04		21
22	·34	·04			·07						·09		22
23	·40	·01		·38	·51						·29	·01	23
24	·19	·03		·51	·07		·68	·16					24
25		·15		·51	·02		·16				·04	·03	25
26	·16	·23		·21			·37				1·06	·01	26
27	·33	·23			2·44		·06			·02	·06	·02	27
28	·15	·19	·11	·06	·17		·16	·02		·08		·11	28
29	·03		·10		·03		·08	·03		·13	·07	·16	29
30	1·22	×			·04		·01	·01	·03				30
31	·12	×		×	·19	×			×		×	·31	31
TOTAL	4·63 ~~3·40~~	3·34	1·42	3·47	4·63	3·20	4·77	4·77	1·86	1·13	6·93	2·13 ~~2·48~~	YEAR'S TOTAL ~~41·79~~ 42·48
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sandridge
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 750 ft.

Observer informed of arithmetical mistake 25/5/33. [illegible]

days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·61			·28	·03	·07	·27	·28	·18		·03		1
2	·13			·04	·20		·01	·03	·86	·03	·01	·40	2
3	·03			·02		·02			·28	·04	·02	·02	3
4								·10			·19		4
5	·75		·07		·01			·01	·31				5
6	·94		·03	·48	·01		·14		·31				6
7	·36		·06	·09					·91	1·04			7
8	·01		·87	·03	·18				·56	·22			8
9	·73	·01		·29						·06			9
10	·81			·31	·01				·14	·32			10
11	·09			·10	·09			·01	·07	·11		·04	11
12	·83				·49				·12	·48	·01	·01	12
13	·08			·11			·25	·25		·74		·24	13
14	·25			·06	·15					·04	·15	·08	14
15				·20	·09					·05	·03	·06	15
16	·14			·19			·07			·01			16
17				·01	·03				·07	·11			17
18					·13				·46		·30		18
19	·01			·12	·17				·08	·52	·01		19
20				·11	·83			·03		·60	·16	·12	20
21			·06	·10			·04	·91	·02	·50	·07	·14	21
22				·14	·01				·60	·26	·48	·07	22
23							·32		·02	·55	·13	·21	23
24					·06		·27		·08	·08	·05		24
25			·28				·39		·03	·75	·19	·02	25
26			·06	·16			·17		·03	·34	·17	·01	26
27			·50	·36	·10		·18			·50	·01	·02	27
28			·23	·08	·04		·27			·01		·08	28
29			·57	·16	·20	·52	·10	·52	·58	·82	·06	·42	29
30		×	·21	·03		·86	·64	·02	·74	·08	·76	·02	30
31		×	·15	×	·03	×	·20		×	·01	×	·57	31
TOTAL	5·77	·01	2·29	3·47	2·86	1·47	3·32	2·16	6·45	8·27	2·83	2·53	YEAR'S TOTAL 41·43 ~~[illegible]~~
*Days with ·01 in. or more.	15	1	12	23	20	4	15	10	21	26	19	18	184
*Days with .04 in. or more.	12	0	11	19	13	3	14	6	17	22	12	12	140

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. Champion Leavitt B.S.

P.T.O.

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

1

Kept at Bampton (Stuckeridge)

in the County of S Devon/6

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 710 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·61	⑧	⑦	·28	·03	·07	·27	·28	·18		·03		1
2	·13		⑨	·04	·20		·01	·03	·86	·03	·01	·40	2
3	·03		②	·02		·02			·28	·04	·02	·02	3
4			[illegible]					·10			·19		4
5	·75		·07		·01			·01	·31				5
6	·94		·01	·48	·01		·14		·31				6
7	·36		·06	·09					·91	1·04			7
8	·01	①	·87	·03	·18				·56	·22			8
9	·73	·01		·29						·06			9
10	·81	⑨		·31	·01				·14	·32			10
11	·09	⑪		·10	·09			·01	·07	·11		·04	11
12	·83	[illegible]			·49				·12	·48	·01	·01	12
13	·08	⑩		·11			·25	·25		·74		·24	13
14	·25			·06	·15					·04	·15	·08	14
15		③		·20	·09					·05	·03	·06	15
16	·14	[illegible]		·19			·07			·01			16
17		[illegible]		·01	·03				·07	·11			17
18		[illegible]			·13				·46		·30		18
19	·01	⑧		·12	·17				·08	·52	·01		19
20		[illegible]		·11	·83			·03		·60	·16	·12	20
21		[illegible]	·06	·10			·04	·91	·02	·50	·07	·14	21
22		⑤		·14	·01				·60	·26	·48	·07	22
23							·32		·02	·55	·13	·21	23
24					·06		·27		·08	·08	·05		24
25			·28				·39		·03	·75	·19	·02	25
26			·06	·16			·17		·03	·34	·17	·01	26
27			·40	·36	·10		·18			·50	·01	·02	27
28		④	·22	·08	·04		·27			·01		·08	28
29		⑥	·57	·16	·20	·52	·10	·52	·58	·82	·06	·42	29
30		×	·21	·03		·86	·64	·02	·74	·08	·76	·02	30
31		×	·15	×	·03	×	·20		×	·01	×	·57	31
TOTAL	5·77	·01	2·29	3·47	2·86	1·47	3·32	2·16	6·45	8·27	2·83	2·53	YEAR'S TOTAL 41·43
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

O = frost

*See Instruction 2 (*f*) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No** 1795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stuckeridge Bampton

in the County of N Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 750 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·39	·37	·16		·07	·02			·01		·15	·62		1
2	·20		·52		·53	·43					·03	·12		2
3	·02	·21	·09		·06									3
4	·19	·03	·07		·08									4
5	·22	·04	·41		·22									5
6	·02	·44	·02		·14		·02			·14				6
7	·21	·25			·09		·05			·06				7
8	·04	·12	·02		·13		·24			·07				8
9		·04			·92		·23			·34	·04			9
10	·06	·26					·01	·02		1·69				10
11	·03				·03		·05	·23		·31				11
12				·05	·18	·07	·25		·54	·02				12
13						·05	·27	·08		·15	·07			13
14	·11						·03	·06		·02	·18			14
15	·44		·21				·13	·06		·14				15
16			·68			·09				·08				16
17	·12	·08	·29			·14		·02	·06					17
18	·08		·30			·23					·02			18
19	·06		·30			·01		·05	·08		·50			19
20		·10			·02	·39		·03	·10					20
21		·04				·19		·04						21
22				·21	·12	·54		·49	·15	·09				22
23		·27		·24		·11			·12	·24				23
24		·19		·11					·04	·01				24
25		·49		·13		·12			·09			·12		25
26		·46		·12	·44					·24				26
27		·01		·34						·48				27
28		·23		·16	·04		·19			·45		·39		28
29				·01			·05					·03		29
30	·04	×	·14				·03			·02		·05		30
31	·26	×	·04	×	·01	×			×	·04	×			31
TOTAL	2·49	3·63	3·25	1·37	3·08	2·39	1·55	1·08	1·19	4·59	·99	1·33	Year's Total 26·94	
*Days with ·01 in. or more.	17	18	14	9	16	13	13	10	9	19	7	6	~~14~~	151.
*Days with ·04 in. or more.	14	16.	12	8	13	11	9	7	8	15	5	5.	123	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bampton (Stuckeridge)

in the County of S. Devon/6

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 750 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	·37	·16		·07	·02			·01		·15	·62	1
2	·20		·52		·53	·43					·03	·12	2
3	·02	·21	·09		·06								3
4	·19	·03	·07		·08								4
5	·22	·04	·41		·22								5
6	·02	·44	·02		·14		·02			·14			6
7	·21	·25			·09		·05			·06			7
8	·04	·12	·02		·13		·24			·07			8
9		·04			·92		·23			·34	·04		9
10	·06	·26					·01	·02		1·69			10
11	·03				·03		·05	·23		·31			11
12				·05	·18	·07	·25		·54	·02			12
13					~~[illegible]~~	·05	·27	·08		·15	·07		13
14	·11						·03	·06		·02	·18		14
15	·44		·21				·13	·06		·14			15
16			·68			·09				·08			16
17	·12	·08	·29			·14		·02	·06				17
18	·08		·30			·23					·02		18
19	·06		·30			·01		·05	·08		·50		19
20		·10			·02	·39		·03	·10				20
21		·04				·19		·04					21
22	④			·21	·12	·54		·49	·15	·09			22
23	⑥	·27		·24		·11			·12	·24			23
24	⑩	·19		·11					·04	·01			24
25	⑫	·49		·13		·12			·09			·12	25
26	⑭	·46		·12	·44					·24			26
27	⑩	·01		·34						·48			27
28	⑥	·23		·16	·04		·19			·45		·39	28
29	④			·01			·05					·03	29
30	·04	×	·14				·03			·02		·05	30
31	·26	×	·04	×	·01	×			×	·04	×		31
TOTAL	2·49	3·63	3·25	1·37	3·08	2·39	1·55	1·08	1·19	4·59	·99	1·33	YEAR'S TOTAL 26·94
*Days with ·01 in. or more.													
*Days with .04 in. or more.													✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Stuckeridge Bampton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 750 ft.

~~Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02							·60	·09	·02	·33	·76		1
2	·09		·09					·36	·65		·15	·39		2
3	·02				·04			·12	·04	·18		·42		3
4	·20		·11	·11	·36			·22		·47		·48		4
5			·07	·02	·18			1·69		·26	·28	·74		5
6	·01		·33	·16	·67	·07			·02	·52	·04	·42		6
7	·08							·07		·16		·57		7
8					·09					·07	·34	·72		8
9			·17	·06					·02		·25	·21		9
10	·23		·31	·32				·28		·04	·11	·04		10
11	·64			·49				·18				·62		11
12	·21			·06				·41				·07		12
13	·37			·28						·08		·31		13
14	·86		·47							·09	·09	·21		14
15	·15		·20							·32	·10	·29		15
16	·12		·54		·24					·07		·17		16
17	·49		·04	·22					·52	·01		·20		17
18	·23		·22	·51					·07	·02		·32		18
19			·23			·03			·16			·30		19
20			·04	·19			·53		·04			·03		20
21			·06			·22		·04		·18		·19		21
22	·03		·05					·09	·38			1·04		22
23	·03		·02	·34		·66		·03	·18	·04		·21		23
24		·30	·04	·03		·23	·19		·05	·07		·04		24
25		·08		·36		·19				·22		·68		25
26	·28			·03		·40			·17	·04	·07	·11		26
27	·04			·02		·27				·15		·32		27
28				·04			·36	·37	·31	·14		·74		28
29							·02	·28	·09	·14		·07		29
30		×						·12	·03	·21		·18		30
31		×		×	·37	×	·11	·02	×	·07	×	·17		31
TOTAL	4·10	·38	2·99	3·34	1·95	2·07	1·21	4·88	2·82	3·57	1·76	11·02	Year's Total 40·09 ✓	
*Days with ·01 in. or more.	19	2	17	17	7	8	5	16	16	24	10	31	172	
*Days with .04 in. or more.	14	2	16	13	7	7	4	14	13	21	10	30	151	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) D.S.

[P.T.O.

COPY FOR OFFICIAL USE.

1795

Section A for the entry of Daily Observations. Station No. ~~19~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bampton (Stuckeridge)

in the County of S Devon/6

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 750 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02							·60	·09	·02	·33	·76		1
2	·09		·09					·36	·65		·15	·39		2
3	·02				·04			·12	·04	·18		·42		3
4	·20		·11	·11	·36			·22		·47		·48		4
5			·07	·02	·18			1·69		·26	·28	·74		5
6	·01		·33	·16	·67	·07			·02	·52	·04	·42		6
7	·08							·07		·16		·57		7
8					·09					·07	·34	·72		8
9			·17	·06					·02		·25	·21		9
10	·23		·31	·32				·28		·04	·11	·04		10
11	·64			·49				·18				·62		11
12	·21			·06				·41				·07		12
13	·37			·28						·08		·31		13
14	·86		·47							·09	·09	·21		14
15	·15		·20							·32	·10	·29		15
16	·12		·54		·24					·07		·17		16
17	·49		·04	·22					·52	·01		·20		17
18	·23		·22	·51					·07	·02		·32		18
19			·23			·03			·16			·30		19
20			·04	·19			·53		·04			·03		20
21			·06			·22		·04		·18		·19		21
22	·03		·05					·09	·38			1·04		22
23	·03		·02	·34		·66		·03	·18	·04		·21		23
24		·30	·04	·03		·23	·19		·05	·07		·04		24
25		·08		·36		·19				·22		·68		25
26	·28			·03		·40			·17	·04	·07	·11		26
27	·04			·02		·27				·15		·32		27
28				·04			·36	·37	·31	·14		·74		28
29							·02	·28	·09	·14		·07		29
30		×						·12	·03	·21		·18		30
31		×		×	·37	×	·11	·02	×	·07	×	·17		31
TOTAL	4·10	·38	2·99	3·34	1·95	2·07	1·21	4·88	2·82	3·57	1·76	11·02	Year's Total 40·09	✓
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at STUCKERIDGE BAMPTON DEVON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 750 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·12	·56				·03		·24	·25	·04	·34		1
2		·10	·03			·24			·19	·33	·16	·14		2
3		·08	·14		·08	·09			1·05	·28	·22			3
4	·03	·23		·22	·05	·10			·04	·12	·27	·38		4
5		·33	·08	·05	·16	·10			·26	·53	·10	·06		5
6				·42		·79				·01	·08	·22		6
7				·72		·03				·44		·09		7
8				·28				·06		·32	·26	·15		8
9				·39					·03	·78	·14			9
10			·20 +	·35		·17	·02			·06				10
11	·35			·03		·18			·18	·05	·48			11
12	·05	·31				·26		·04	·02	·03	·02			12
13	·12	·17		·24					·03	·03	·42			13
14		·11		·29		·06			·21		1·34	·24		14
15		·28		·63		·12			·34	·05	·14	·28		15
16		·14	·04	·21		·13			·62	·11	·68	·03		16
17				·08	1·18 ×	·36		·14	·14	·06	·04			17
18		·05		·41		·03		·38	·58	·19	·21	·06		18
19				·09	·28	·05	·10		·23		·23			19
20		·44		·34	·21		·06			·10				20
21		·35		·16			·07		·05	·03				21
22		·05	·09	·34					·12	·31				22
23			·49					·44	·12	·06		·34	·9	23
24	·20	·34		·02	·14			·28	·16			·23		24
25	·42	·67				·04				·07		·38		25
26		·56						·31	·11	·32	·12	·61		26
27		·09					·09	·08	·06	·19	·10	·53		27
28		·21					·03	·12	·09	·07	·12	·02		28
29								·03	·14	·02	·31	·36		29
30	·06	×				·09		·52	·19	·69	1·32	·68		30
31		×		×	·04	×		·05	×		×	·16		31
TOTAL	1·30	4·63	1·73	5·28	2·14	2·84	·40	2·45	5·20	5·50	7·20	5·30	Year's Total. 43·97	
* Days with .01 in. or more.	8	19	8	19	8	17	7	12	24	27	22	20	191 ✓	
* Days with .04 in. or more.	7	19	7	17	8	15	4	11	21	22	21	18	170 ✓	

+ Snow.

40-9999

† Spare column, no entries required.

(Signed) B. S.

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bampton (Stuckeridge)
in the County of S Devon/6
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 750 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·12	·56				·03		·24	·25	·04	·34		1
2		·10	·03			·24			·19	·33	·16	·14		2
3		·08	·14		·08	·09			1·05	·28	·22			3
4	·03	·23		·22	·05	·10			·04	·12	·27	·38		4
5		·33	·08	·05	·16	·10			·26	·53	·10	·06		5
6				·42		·79				·01	·08	·22		6
7				·72		·03				·44		·09		7
8				·28				·06		·22	·26	·15		8
9				·39					·03	·78	·54			9
10			·30 ⊕	·35		·17	·02			·06				10
11	·35			·03		·18			·18	·05	·48			11
12	·05	·31				·26		·04	·02	·03	·02			12
13	·12	·17		·24					·03	·03	·42			13
14	~~4~~	·11		·29		·06			·21		1·34	·24		14
15		·28		·63		·12			·34	·05	·14	·28		15
16		·14	·04	·21		·13			·62	·11	·68	·03		16
17				·08	1·18 ⊕	·36		·14	·14	·06	·04			17
18		·05		·41		·03		·38	·58	·19	·21	·06		18
19				·09	·28	·05	·10		·23		·23			19
20		·44		·34	·21		·06			·10				20
21		·35		·16			·07		·05	·03				21
22		·05	·09	·34					·12	·31				22
23			·49					·44	·12	·06		·34		23
24	·20	·34		·03	·14			·28	·16			·23		24
25	·42	·67				·04				·07		·38		25
26		·56						·31	·11	·32	·12	·61		26
27		·09					·09	·08	·06	·19	·10	·53		27
28		·21	✓				·03	·12	·09	·07	·12	·02		28
29								·03	·14	·02	·31	·36		29
30	·06	×				·09		·52	·19	·69	1·32	·68		30
31		×		×	·04	×		·05	×		×	·16		31
TOTAL	1·30	4·63	1·73	5·28	2·14	2·84	·40	2·45	5·20	5·50	7·20	5·30	Year's Total 43·97	✓
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

⊕ Snow

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

1795/5
BAMPTON, OAKFORD
1933 — 40

780308

Section A for the entr
AIR MINIS ... AINFALL ORGANIZATION.

5/27 Station No. 1795/5

FORM 1090.

REG ... 1933.

5 Dec/6

BAMPTON
Kept at (Oakford

in the County of Dev

VG. record.

Diameter of Funnel of Gauge
Height of top of Gauge above Gr
,, Ground ,, Sea Level

oto 1933.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.30	0.48	0.33	·	0.01	0.07	·	·	0.04	0.02	0.19	0.87	1
2	0.29	0.01	0.60	·	0.36	0.44	·	·	·	·	0.03	·	2
3	0.03	0.27	0.09	·	0.01	·	·	-	·	·	·	·	3
4	0.28	0.19	0.13	·	0.20	·	·	·	·	·	·	·	4
5	0.25	0.03	0.47	·	0.32	·	·	·	·	-	·	·	5
6	0.04	0.55	0.04	·	0.17	·	0.03	·	·	0.12	·	0.04	6
7	0.30	0.32	Trace	·	0.15	·	0.23	0.04	·	0.09	0.01	·	7
8	0.12	0.17	0.05	·	·	·	0.19	·	·	0.10	·	·	8
9	0.01	0.06	·	·	1.01	·	0.29	0.02	·	0.55	·	·	9
10	0.12	0.34	·	·	·	·	0.02	·	·	1.79	0.08	·	10
11	0.03	·	·	·	·	·	0.08	0.26	·	0.37	0.01	0.03	11
12	Trace	·	·	0.09	0.05	·	0.28	·	0.60	·	·	·	12
13	·	·	·	·	0.25	0.10	0.35	0.17	·	0.23	0.12	·	13
14	0.10	·	·	·	·	·	0.10	0.06	·	0.01	0.22	·	14
15	0.60	·	0.27	·	·	·	0.08	0.07	·	0.15	·	·	15
16	·	0.03	0.72	·	·	·	·	0.03	Trace	0.10	·	·	16
17	0.10	SNOW 0.09	0.32	·	·	0.20	0.02	0.03	0.12	0.01	·	·	17
18	0.10	·	0.39	·	·	0.15	·	·	·	·	0.11	·	18
19	0.08	0.01	0.30	·	·	0.03	0.03	0.09	0.19	·	0.40	0.02	19
20	·	0.06	·	·	·	0.17	·	0.05	0.20	·	·	·	20
21	·	0.08	·	·	0.03	0.25	·	0.10	·	0.12	·	·	21
22	·	·	·	0.30	0.10	0.17	·	0.65	0.25	·	·	·	22
23	·	0.89	·	0.25	·	0.28	·	0.02	0.13	0.27	·	·	23
24	·	0.02	·	0.10	·	·	·	0.04	0.04	0.04	·	·	24
25	·	0.79	·	0.12	·	0.17	Trace	·	0.09	·	·	0.09	25
26	·	0.38	·	0.20	0.43	·	·	Trace	·	0.40	·	0.01	26
27	·	0.03	·	·	0.03	·	·	·	0.03	0.38	·	0.40	27
28	·	0.20	·	0.37	-	·	0.20	·	·	0.44	·	0.02	28
29	0.06	×	·	0.11	·	·	0.05	·	·	·	·	0.02	29
30	0.02	×	0.19	0.02	·	·	0.09	·	0.03	0.07	·	0.07	30
31	0.35	×	0.05	×	0.01	×	·	·	×	·	×	0.02	31
TOTAL	3.18	5.00	3.95	1.56	3.13	2.03	2.04	1.63	1.72	4.27	1.17	1.59	YEAR'S TOTAL 31.27
*Days with ·01 in. or more.	19	21	14	9	10	11	15	14	11	19	9	11	163
*Days with ·04 in. or more.	15	15	14	8	15	10	11	10	9	16	6	5	132

40-9999

*See Instruction 2 (*f*) on other side.

D N

MISS (Signed) Margaret E. Tedder

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. + 760655/27. Station No 1795/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

5 .../6

BAMPTON

Kept at Oakford

in the County of Devon

cf 1797

1932 NR

VG. record

C daily obs 1933.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 650 approx

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.30	0.48	0.33	·	0.01	0.07	·	·	0.04	0.02	0.19	0.87	1
2	0.29	0.01	0.60	·	0.36	0.44	·	·	·	·	0.03	·	2
3	0.03	0.27	0.09	·	0.01	·	·	·	·	·	·	·	3
4	0.28	0.19	0.13	·	0.20	·	·	·	·	·	·	·	4
5	0.25	0.03	0.47	·	0.32	·	·	·	·	·	·	·	5
6	0.04	0.55	0.04	·	0.17	·	0.03	·	·	0.12	·	0.04	6
7	0.30	0.32	Trace	·	0.15	·	0.23	0.04	·	0.09	0.01	·	7
8	0.12	0.17	0.05	·	·	·	0.19	·	·	0.10	·	·	8
9	0.01	0.06	·	·	1.01	·	0.29	0.02	·	0.55	·	·	9
10	0.12	0.34	·	·	·	·	0.02	·	·	1.79	0.08	·	10
11	0.03	·	·	·	·	·	0.08	0.26	·	0.37	0.01	0.03	11
12	Trace	·	·	0.09	0.05	·	0.28	·	0.60	·	·	·	12
13	·	·	·	·	0.25	0.10	0.35	0.17	·	0.23	0.12	·	13
14	0.10	·	·	·	·	·	0.10	0.06	·	0.01	0.22	·	14
15	0.60	·	0.27	·	·	·	0.08	0.07	·	0.15	·	·	15
16	·	0.08	0.72	·	·	·	·	0.03	Trace	0.10	·	·	16
17	0.10	SNOW 0.09	0.32	·	·	0.20	0.02	0.03	0.12	0.01	·	·	17
18	0.10	·	0.39	·	·	0.15	·	·	·	·	0.11	·	18
19	0.08	0.01	0.30	·	·	0.03	0.03	0.09	0.19	·	0.40	0.02	19
20	·	0.06	·	·	·	0.17	·	0.05	0.20	·	·	·	20
21	·	0.08	·	·	0.03	0.25	·	0.10	·	0.12	·	·	21
22	·	·	·	0.30	0.10	0.17	·	0.65	0.25	·	·	·	22
23	·	0.89	·	0.25	·	0.28	·	0.02	0.13	0.27	·	·	23
24	·	0.02	·	0.10	·	·	·	0.04	0.04	0.04	·	·	24
25	·	0.79	·	0.12	·	0.17	Trace	·	0.09	·	·	0.09	25
26	·	0.38	·	0.20	0.43	·	·	Trace	·	0.40	·	0.01	26
27	·	0.03	·	·	0.03	·	·	·	0.03	0.38	·	0.40	27
28	·	0.20	·	0.37	·	·	0.20	·	·	0.44	·	0.02	28
29	0.06	×	·	0.11	·	·	0.05	·	·	·	·	0.02	29
30	0.02	×	0.19	0.02	·	·	0.09	·	0.03	0.07	·	0.07	30
31	0.35	×	0.05	×	0.01	×	·	·	×	·	×	0.02	31
TOTAL	3.18	5.00	3.95	1.56	3.13	2.03	2.04	1.63	1.72	4.27	1.17	1.59	YEAR'S TOTAL 31.27
*Days with ·01 in. or more.	19	21	14	9	10	11	15	14	11	19	9	11	163
*Days with .04 in. or more.	15	15	14	8	15	10	11	10	9	16	6	5	132

40-9999

*See Instruction 2 (*f*) on other side,

D N

(Signed) MISS Margaret E. Tedder

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1795/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at OAKFORD

in the County of DEVON

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 12 in.

,, Ground ,, Sea Level 650 ft Approx

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.06					0.03		0.76	0.12	0.02	0.30	0.20		1
2	0.10		0.13					0.30	0.10	0.03	0.18	1.25		2
3	0.06				0.02			0.15		0.27		0.03		3
4	0.30		0.14	0.10	0.44			0.24		0.54		0.48		4
5	0.02		0.18	·	0.23	0.11		1.48		0.39	0.22	0.74		5
6	0.01		0.29	0.18	0.75				0.03	0.56	0.07	0.42		6
7	0.13			0.10	0.11			0.11		0.24	0.17	0.76		7
8	·		0.18	·				Trace	0.03	0.09	0.34	0.83		8
9	0.02	0.02		0.09				0.04		0.02	0.04	0.28		9
10	0.33		0.35	0.30				0.44		0.07	0.24	0.03		10
11	0.60			0.68			Trace	0.15				0.78		11
12	0.27			0.08				0.46		0.02	0.03	0.09		12
13	0.70			0.44						0.13		0.80		13
14	0.75		0.56							0.14	0.09	0.28		14
15	0.13		0.26		0.20		0.03			0.25	0.11	0.39		15
16	0.26		0.61	0.01	·	0.06		0.01		0.02		0.19		16
17	0.64		0.07	0.22	·				0.72	0.10	0.01	0.26		17
18	0.24		0.29	0.62	0.10			Trace	0.10	0.04		0.46		18
19	·		0.26		0.04			0.05	0.25	0.04		0.36		19
20	·	0.02	0.04	0.24	0.05		0.51		0.10	0.01		0.08		20
21	·		0.07			0.30		0.05		0.23		0.32		21
22	Trace	0.02	0.05	0.02		0.01		0.25	0.44			0.12		22
23	0.09		0.08	0.42		0.66			0.19	0.13		0.20		23
24	·	0.29	0.03	0.03		0.26	0.21		0.07	0.18		0.26		24
25	0.32	0.15	·	0.35		0.14	0.04		0.02	0.13		0.70		25
26	0.07		0.04	0.04		0.54	0.02	0.04	0.22	0.12	0.13	0.15		26
27	·			0.06		0.30		0.02	0.03	0.16		0.27		27
28	·			0.04		0.02	0.41	0.44	0.44	0.17		0.82		28
29	·						0.07	0.33	0.10	0.15	0.03	0.12		29
30	0.03	×					0.02	0.12	0.10	0.20	0.01	0.27		30
31	·	×		×		×	0.10	0.02	×	0.10	×	0.20		31
TOTAL	5.13	0.50	3.62	4.02	2.17	2.43	1.41	5.46	3.06	4.55	1.97	12.64	Year's Total. 46.96	
* Days with .01 in. or more.	21	5	18	19	10	11	9	20	17	29	15	31	205	
* Days with .04 in. or more.	17	2	17	15	9	9	6	17	13	23	11	29	168	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) M. E. Tedden

[P.T.O.

1795/5

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at OAKFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

" Ground " Sea Level 650 ft.

Observer says rain fell on both days of those which have been bracketed

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.12	0.32	0.44			0.03	0.06		0.29	0.31	0.13	0.32	1
2	0.01		0.15			0.27	0.03		1.06	0.33	0.22	0.18	2
3	0.04	0.11	0.08			0.07	0.05		0.10	0.25		0.42	3
4	0.04	0.28	0.13	0.31		0.12	0.02			0.15	0.32		4
5	.	0.34				0.03			0.25	0.52	0.12		5
6	.	.		0.56		0.78				0.01	0.08	0.37	6
7	.	.		0.68		0.07	–			0.47	0.02		7
8	.	.		0.47			0.06			0.36	0.24	0.21	8
9	0.03	.		0.48		0.09			0.09	0.92	0.58		9
10	0.01	.	0.07	0.34		0.14				0.09	.		10
11	0.32	0.46		0.02		0.22		TRACE	0.22		0.50		11
12	0.07					0.26		0.09	0.02	0.07	0.04		12
13	0.17	0.12		0.13		0.03			0.02	0.06	0.44		13
14	.	0.25		1.08	0.02	0.08			0.36	0.05	1.23	0.27	14
15	.	0.29			0.19	0.12			0.16	0.03	0.17	0.37	15
16	.	0.19	0.06	0.31		0.14	0.03		0.80	0.09	0.66	0.02	16
17	.	0.03		0.07	1.21	0.45	0.04	0.17	0.11	0.15	0.08		17
18	.	0.07		0.57	0.09	0.04	0.16	0.56	0.69	0.17	0.04		18
19	.	0.12	0.03	0.16	0.21	0.09	0.09		0.32	0.18	0.29		19
20	.	0.30		0.40	0.19	0.01			0.02	0.05	0.23		20
21	.	0.36		0.11					0.02	0.07			21
22	.		0.16	0.44					0.16				22
23	.	0.03	0.49		0.04			0.41	0.04	0.32		0.30	23
24	0.27	0.42		0.03	0.10			0.30	0.32	0.07		0.20	24
25	0.38	0.52		0.03	0.04	0.01						0.45	25
26	.	0.59				0.02		0.35	0.17	0.09		0.80	26
27	.						0.18	0.11	0.16	0.35	0.31	0.55	27
28	.						0.06		0.12	0.25	0.10	0.04	28
29	0.06	0.31						0.01	0.16	0.09	0.38	0.57	29
30	0.06	×			0.15	0.11		0.58	0.25		1.32	0.66	30
31	.	×		×		×		0.04	×		×	0.23	31
TOTAL	1.58	5.47	1.56	6.19	2.24	3.28	0.78	2.62	5.91	5.27	7.47	5.46	YEAR'S TOTAL 47.53
*Days with ·01 in. or more.	13	21	9	20	10	22	11	10	24	28	23	19	~~204~~ 210
*Days with ·04 in. or more.	10	~~16~~ 18	7	17	7	16	8	9	20	26	22	17	177

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Margaret E Tedder

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1795/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at OAKFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft — in.

,, Ground ,, Sea Level Approx. 650 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.16		0.20	0.01	0.14	1.26	0.01			0.13	0.24		1
2			0.04	0.08		0.32	0.12	0.17	0.04		0.09	0.04		2
3	0.05		0.19			0.25	0.10	0.12	1.00		0.06	0.09		3
4	0.06		0.22			0.09	0.02	0.04	1.06			0.50		4
5	0.56		0.07				0.49	0.18	0.24		0.30	0.18		5
6	0.06		0.05			0.05	0.38	0.05	0.20		1.05			6
7	0.46						0.29		0.05		0.35			7
8	0.31		0.51				0.81		0.09		0.31	0.13		8
9	0.53	0.09	0.23				0.55				0.32			9
10	0.06	0.06					0.02				0.34	0.02		10
11	0.27			0.04	0.15	0.15	0.02	0.08	0.12		1.00	0.07		11
12	0.01						0.80	TRACE	0.40		0.24			12
13	0.10						0.28	0.04	0.05	0.25	0.10	0.79		13
14						0.07	0.67			0.15	0.12	0.53		14
15					0.07		0.09		0.59		0.38	0.12		15
16		0.15		0.16	0.25		0.12		0.01		0.37	0.19		16
17	0.40	0.71			0.05		0.23	0.03	0.09		0.18	0.57		17
18	0.10	0.27	0.04		0.07		1.03	0.02				0.12		18
19	0.54		0.09	0.46		0.85	0.05	0.19						19
20	0.09	0.54	0.23				0.02		0.30					20
21	0.03		0.32	0.89		0.09								21
SNOW. 22	0.41	0.39	0.15				0.17							22
23	0.06	0.15	0.21	0.21			0.10			0.07				23
24	0.23	0.02	0.02	0.09	0.11		0.01		0.06	0.44				24
25	0.32			0.21			0.12		0.44	0.66	0.05			25
26	0.27	0.21	0.12				0.05		0.04	0.13				26
27	0.79	0.02	0.08	0.04			0.22		0.04					27
28	·		0.49				0.15			0.33		0.25		28
29	0.17	0.16	0.06		0.02	0.51	0.01			0.16	0.05	0.19		29
30	0.20	×	0.20			0.27	0.11			0.31				30
31	0.29	×	0.38	×		×	0.27		×	0.06	×	0.41		31
TOTAL	6.37	2.93	3.70	2.38	0.73	2.79	8.56	0.93	4.82	2.56	5.44	4.54	Year's Total. 45.75	✓
* Days with .01 in. or more.	25	13	20	10	8	11	30	11	18	10	18	17	191	✓
* Days with .04 in. or more.	23	11	19	10	6	11	24	8	17	10	18	16	173	✓

40-9999

† Spare column, no entries required.

(*Signed*) M. S. Tedden

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1795/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at OAKFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 650 ft.

File No 760655/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.32	0.04	0.01	0.27	·	·	0.04	·	0.10	0.16	0.06	0.39		1
2	0.58	0.69	0.02	0.24	·				0.07			0.09		2
3	·	0.33	0.01	0.10	0.14		0.09		0.04			0.61		3
4	0.22	0.41	·	1.10	·	0.01	0.04			0.01		SNOW 0.16		4
5	1.08	0.44	·	0.43	·		0.42			0.03				5
6	0.40	0.71	0.27	0.34	0.10		0.21		0.01					6
7	·				·	0.08			0.09		0.04	0.05		7
8	·	0.05	0.03		0.45	0.10	0.07				0.05	0.01		8
9	0.02		SNOW 0.13	0.12	0.29		0.04		0.92			0.02		9
10	0.15		0.78	0.32	0.04	0.08	0.04	0.10				0.45		10
11	0.02	0.04	0.29	0.25	0.21	0.02	0.68	0.05				0.07		11
12	0.37	0.38	0.20			0.40	0.11	0.12	0.29			0.23		12
13	·	0.15	SNOW 0.46	0.24		0.04		0.44	0.04			0.01		13
14	·	0.03	0.04	0.02			0.11	0.04	0.19			0.22		14
15	0.57	0.27	0.18	0.57			0.04		0.05		Trace	0.30		15
16	0.24	0.13	0.74				0.07	0.60	0.55		0.03			16
17	1.18	0.17	0.68					0.03	0.18		0.06			17
18	0.13	0.43	0.31			0.15			0.10		0.22	0.25		18
19	0.03	0.15	0.08	0.35	0.11			0.02	0.35		0.37	0.04		19
20	0.87	0.18	0.14	0.36					0.04		0.02	0.35		20
21	0.54	1.00	SNOW 0.19	0.21	0.38		0.20		0.14	0.15	0.06	0.02		21
22	0.14				0.35		0.28		0.06	0.69	0.44	0.05		22
23	0.48	0.29	0.02 (24)		0.05		0.04			0.20	0.71	Trace		23
24	0.63	0.70	0.37 (25)				0.04		04	0.93		0.08		24
25		1.17			Trace		0.01			0.19				25
26	SNOW 0.13	0.34	0.05		0.11	Trace				·				26
27		SNOW 0.65								051				27
28		0.13								0.12				28
29		✗				0.04				0.48	0.24	TRACE		29
30	0.42	✕				0.22			0.09	0.10	0.53			30
31	0.55	✕		✕		✕			✕	0.19	✕			31
TOTAL	9.09	8.88	5.00	3.92	3.02	1.14	2.53	1.40	3.35	3.76	2.83	3.40	Year's Total 48.32	48.32
* Days with .01 in. or more.	22	24	21	15	11	10	18	8	19	13	13	19	193	INCHES
* Days with .04 in. or more.	19	23	16	14	11	7	17	6	13	11	11	15	163	

† Spare column, no entries required.

(*Signed*) Margaret E. Tedder [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1795/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at OAKFORD
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground one ft. in.
„ Ground „ Sea Level 650 ft.

ags

FILE No: 760655/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		0.31				0.95	0.09	0.17		0.55	0.15	0.72		1
2		0.12		0.17	0.06					0.43	0.11	0.87		2
3							0.04	0.04		0.78	0.06	0.01		3
4	0.01			0.02	0.01	0.05	0.54	1.26	0.01	0.69		0.22		
5	0.02					0.06		0.02	0.02	0.35	0.02	0.09		5
6	0.27					0.16	0.11		0.14	0.25	0.01	0.14		6
7	0.26		0.03				1.05	0.97	0.07	0.22	Trace	0.17		7
8	0.7	0.10					0.43	0.21		0.86		0.05		8
9	0.77	0.26				0.03	0.32	0.04		0.07		0.95		9
10	0.21	0.01				0.01	0.37	0.09		0.05		0.76		10
11	0.35	0.02						0.90		0.03	0.45	0.80		11
12	0.49				0.30					0.41	1.15	0.02		12
13	0.12	0.01			0.14			0.02		0.16	0.13	1.19		13
14	0.53	0.10			0.13		0.44		0.04	0.01	0.01	0.02		14
15	0.29				0.23			0.06		0.08	0.25	0.46		15
16	0.45		0.03		0.05			0.20		0.02	0.36	0.02		16
17					0.02					0.32	0.02			17
18	0.38				0.14	0.09		0.14	0.09	0.03	0.44			18
19	0.05							0.13	0.49	0.02	0.76			19
20	0.03							0.03	0.21		0.36			20
21	0.10					0.03		0.01			0.22	0.09		21
22	0.04			0.10		0.11		0.58	0.14		0.44	0.07		22
23	0.01			0.05				0.04	0.01		0.22			23
24	0.10		0.28		0.24			0.05	0.05		0.40	0.18		24
25	0.17	0.22	0.04		0.30		0.17			0.11	0.67			25
26	0.36	0.58	0.13		0.27	0.05	0.04			0.25	0.21			26
27	0.46	0.44			0.37	0.28		0.49		0.03	0.35			27
28	0.34	0.31	0.04		0.22	0.20	0.34	0.50	0.02	0.01	0.03	0.03		28
29	0.47	✕	0.05		0.44	0.04			0.48	0.22	0.41	0.17		29
30	0.19	✕	0.04		0.12	0.05	0.03			0.02	0.49	0.08		30
31	0.48	✕	0.01	✕	0.32	✕			✕	0.30	✕	0.40		31
TOTAL	7.66	2.48	0.65	0.34	3.36	2.11	3.97	5.98	1.77	6.27	7.72	7.01	Year's Total 49.32	✓
* Days with .01 in. or more.	27	12	9	4	17	14	13	21	14	26	25	28	205	✓
* Days with .04 in. or more.	23	9	6	3	15	12	12	18	10	19	20	18	165	✓

Heavy 4 Aug. Thunder.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M.E. Fedden

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1795/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at OAKFORD

in the County of DEVON

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft — in.

,, Ground ,, Sea Level abt: 650 ft.

FILE No. 760655/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.30		0.09	0.04								X		1
2	0.26			0.28	0.28			0.50	0.33		0.23	0.12 (1)		2
3	0.26		0.07	0.73			0.03	0.20	0.24		0.16	0.20 (2)		3
4	0.02		0.39		0.45		0.48	0.04		0.43	0.56	0.72 (3)		4
5	·						0.75				0.74	.48 (4)		5
6	0.92	0.02	0.09		·		0.62	0.05			0.27	X		6
7	0.18	0.17			0.04		0.09	0.06		0.45	0.14	0.03 (6)		7
8	0.10	0.36	0.08				0.19	0.04		0.84	0.87	0.58		8
9	0.15	0.13	0.04					0.16		0.18	0.14	0.15		9
10	0.30							0.08	0.27	0.13	0.02	0.28		10
11	0.07					0.05				0.18		0.80		11
12	0.13	0.08	0.14				0.01			0.12				12
13	·			0.22	0.02	0.10	0.19			0.28	0.04			13
14	0.84	0.02		0.09	0.10	0.20	0.59			0.04	0.17			14
15	0.48			0.20	0.11	0.70	1.63			0.10	0.89			15
16	0.14			0.13	0.05	0.20	0.65				0.30			16
17	1.03	0.07					0.52				0.89			17
18	0.20					0.12	1.12			0.02	0.82	0.05		18
19	0.34		0.06			0.06	0.10							19
20	0.61		0.28			0.38	0.10	0.54						20
21	0.21	0.25			0.02	0.07	0.03	0.28	0.02					21
22	1.40	0.23	0.22	0.05	0.12	0.21	0.24				0.61			22
23	0.03		0.02	0.48		0.23	0.20			0.09				23
24	1.02	Trace	0.40				0.31	0.14		0.23	0.02			24
25	1.00	0.47					0.39	0.16		0.03	1.00			25
26	0.06	0.20				0.10	0.02	0.35			1.19	0.10		26
27	0.01	0.23	0.10			0.10	0.04	0.43		0.19	0.22			27
28	·	0.10		0.41			0.08			0.04	1.00			28
29	·	X		0.06		0.08	0.06			0.05	0.26			29
30	·	✕	0.02			0.22	0.12			0.21	0.18			30
31	·	✕		✕		✕	0.08	0.23	✕	0.59	✕			31
TOTAL	9.97	2.33	200	2.69	1.19	2.82	8.64	3.26	0.86	4.20	11.72	3.51	Year's Total 53.19	✓ "d"
* Days with .01 in. or more.	~~26~~	~~13~~	~~14~~	~~11~~	~~9~~	~~15~~	~~27~~	~~15~~	~~4~~	~~19~~	~~23~~	~~11~~	~~186~~	✓
* Days with .04 in. or more.	22	11	12	11	7	15	25	15	3	16	21	10	168	✓

X Should be Dec. 1st ↓ X 6th

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Margaret E. Tedder

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1795/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

2108

Kept at OAKFORD

in the County of DEVON

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. – in.

" Ground " Sea Level app. 650 ft.

Ack Totals

File No. 760655/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					0.34						0.10			1
2				0.13							1.48			2
3		0.71		0.14							2.07	0.22		3
4		0.16								0.20	0.26	0.12		4
5	0.05	0.04		0.18			0.28			0.02	0.57	0.34		5
6	Trace	0.44					0.49			0.27	0.36	0.37		6
7	0.28	0.11		0.18					0.01	0.32		Trace		7
8							0.01		0.01	1.02	0.47	0.90		8
9							0.48	0.01	0.09		0.73			9
10						0.01	0.14	0.13	0.08		1.08			10
11						0.07	0.54		TRACE		0.56	4		11
12			0.34				1.38		0.77		0.38	1.12		12
13		0.12	0.45				0.32			0.44	0.47	×		13
14			0.03	0.09	0.05		0.03		0.18	0.56	0.29	~~0.33~~	0.1	14
15			0.03	0.14	0.10				0.35	0.13	0.15			15
16	0.07	0.99	0.52	0.01			0.07		0.09	0.44	0.10			16
17		0.20	0.54	0.02			0.20		0.15					17
18	SNOW	0.28	0.39	0.35			0.60				0.10			18
19	0.33	0.08	0.19	0.26			0.21		0.38	0.06	0.20			19
20								0.06	0.13	0.10	0.15			20
21			0.05		0.20	0.26		0.14	0.13		0.40			21
22			0.30	0.24	0.40	0.04								22
23		0.31	0.06		0.09		0.02		0.04		0.04			23
24			0.04				0.33		0.06					24
25				0.07	0.44	0.10	0.25					0.36		25
26	× 2.14	0.26			0.18									26
27	×	0.20			0.13	0.02	0.03							27
28	0.48	0.08		0.15				0.01			0.02			28
29	0.17	×	0.36	0.71		0.09				0.09		0.50		29
30	0.09	×	0.02							0.88		0.31		30
31	·	×	0.07	×		×			×	0.35	×	0.20		31
TOTAL	3.61	3.98	3.39	2.67	1.93	0.59	5.38	0.35	2.47	4.88	9.98	4.77	Year's Total 44.00	
* Days with .01 in. or more.	9	14	15	14	9	7	17	5	14	14	21	12 ~~14~~	151	
* Days with .04 in. or more.	9	14	12	12	9	5	13	3	11	13	20	12 ~~13~~	133	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

1796

Section **A** **for the entry of**
AIR MINISTR
FALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGIS 931.

1796
BAMPTON
1931—35
780308

Kept at Bampton
in the County of De
Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02		.30			.05						1
2	.23	.05		.73		.03			.71	.15		.49	2
3	.07		.70				.03		.33		1.68		3
4			.12	.13		.23	.52	.65	.27			.04	4
5		.35		.15		.53	.35	.09			.10	.31	5
6		.05		.03	.45	.25	~~.25~~			.43	.26	.51	6
7		.04				.12	.06				.69	.05	7
8		.20		.15		.23						.11	8
9		.28				.06	.03			.20	.56		9
10		.04				.08	.06				.28		10
11	.23	.63	.08			.22	.06	2.16			.39		11
12							.38			.17			12
13	.05	.08			.05		.40 ~~.85~~				.02		13
14					.33	.32	.41 ~~.33~~				.64		14
15				.06	.06		~~.06~~		.23	~~[illegible]~~		.02	15
16	.15			.23	.12	1.19	.02						16
17		.70		.26			.57				.02	.03	17
18				.06			.16	.98			.29		18
19				.20		.24	.10				.41		19
20	.39		.27					.84			.27		20
21					.15		~~.15~~	.02			.05		21
22	.65	.03			.11		~~.10~~				.11	.02	22
23	.29	.04	.03	.39	.58		~~.55~~				.30		23
24	.32	.02		.53	.08		~~.08~~				.02		24
25		.38		.38			1.28					.03	25
26	.02			.27							.94	.02	26
27	.20				3.93		~~[illegible]~~				.13	.06	27
28	.36	.28	.13	.03	.12		.1~~2~~6	.15		.03		.26	28
29	.18	.19								.14			29
30	.15	×		.02	.12		.12	.04			.08		30
31	1.15	×		×	.20	×	~~.10~~		×		×	.31	31
TOTAL	4.54	3.38	1.33	3.92	6.30	3.50	4.72	4.93	1.54	1.12	7.24	2.26	YEAR'S TOTAL 44.78
*Days with .01 in. or more.													
*Days with .04 in. or more.													

40-9999

(Signed) Blumtray Head [P.T.O.

*See Instruction 2 (*f*) on other side.

1796.

Section **A** **for the entry of**

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bampton

in the County of Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 272 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02		·30			·05						1
2	·23	·05		·73		·03			·71	·15		·49	2
3	·07		·70				·03		·33		1·68		3
4			·12	·13		·23	·52	·65	·27			·04	4
5		·35		·15		·53	·35	·09			·10	·31	5
6		·05		·03	·45	·25	·25			·43	·26	·51	6
7		·04				·12	·06				·69	·05	7
8		·20		·15		·23					·56	·11	8
9		·28				·06	·03			·20			9
10		·04				·08	·06				·28		10
11	·23	·63	·08			·22	·06	2·16			·39		11
12			s				·38			·17			12
13	·05	·08			·05		·40 [illegible]				·02		13
14					·33	·32	·43				·64		14
15				·06	·06		·06		·23	[illegible]		·02	15
16	·15			·23	·12	1·19	·02						16
17		·70		·26			·57				·02	·03	17
18				·06			·16	·98			·29		18
19	·39			·20		·24	·10				·41		19
20			·27					·84			·27		20
21					·15		[illegible]	·02			·05		21
22	·65	·03			·11		[illegible]				·11	·02	22
23	·29	·04	·03	·39	·58		[illegible]				·30		23
24	·32	·02		·53	·08		·08				·02		24
25		·38		·38			1·28					·03	25
26	·02			·27							·94	·02	26
27	·20				3·93		[illegible]				·13	·06	27
28	·36	·28	·13	·03	·12		·16	·15		·03		·26	28
29	·18	·19								·14			29
30	·15	×		·02	·12		·12	·04			·08		30
31	1·15	×		×	·20	×	[illegible]		×		×	·31	31
TOTAL	4·54	3·38	1·33	3·92	6·30	3·50	4·72	4·93	1·54	1·12	7·24	2·26	YEAR'S TOTAL 44·78
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

(*Signed*) B Muntray Head

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1796

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bampton

in the County of Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 4" in.

,, Ground ,, Sea Level 272 ft.

daily

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60			·30	·04		·24	·23	·26	·02	·03		1
2	·18			·07			} ·03	·04	1·01	·02		·42	2
3	·02					·03			·27				3
4	·02							·11			·34	·04	4
5	·97		·08						·33	·07			5
6	·97		·05				·24		·27	} 1·48			6
7	·30		·12	·49					1·47				7
8			·79	·13	·22				·14				8
9	} 1·72	·04		·42									9
10				·29	·06				·25	·38			10
11	·11			·09	} ·59				·03		} ·03	·08	11
12	·87							·34	·14	·44		} ·35	12
13	·08			·21	·02		·24			·63			13
14	·30			·11						·08	·08	·15	14
15	} ·18			·17	·17					·06	·03		15
16				·17		·02	·25			·02		·06	16
17				·02	·18		·02			·10			17
18					·12				·57		·33		18
19	·06			·14	·18					·55			19
20				·11	·84			·03		·64	·19	·16	20
21			·11	·21			·05	1·84	·03	·52	} ·46		21
22				·08	·04				·63	·34		·09	22
23							·34		} ·14	·54	·13	·31	23
24							·24			·09	·07	} ·03	24
25	·02		·28				·45			·74	·24		25
26			·09	·18			·08			·34	·07		26
27			·48	·41	·16		·22			·45	·02		27
28			·28	·12	·14		·30					·13	28
29			·61	·21	·26	·47	·10	·64	·58	·84	} ·98	·50	29
30		×	·20	·04		·92	·68	·03	·78	·08		·02	30
31		×	·08	×	·04	×	·11		×	·05	×	·69	31
TOTAL	6·40	·04	3·17	3·97	3·08	1·44	3·59	3·26	6·90	8·45	3·00	3·03	YEAR'S TOTAL 46·33
*Days with ·01 in. or more.	18	1	12	21	16	4	17	8	17	26	16	15	171
*Days with .04 in. or more.	13	1	12	20	15	2	14	6	14	22	12	12	143

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Blundell Read.

P.T.O.

1796

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~1796~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bampton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 272 ft.

~~8~~ Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in		
1	·58	·35	·18		·09	·03			·03	·02	·08	·68		1
2	·28		·71		·55	·47						·08		2
3	·04	✗	·17		·05									3
4	✗ ·49	✗ ·93	·05		·10									4
5	✗	✗	·47		·12									5
6	·02	✗	·04		·25		·07			·05	·01			6
7	·20	·22	·02		·04		·03			·08		·03		7
8		·13			·10		·66			·08				8
9		·04			·75		·25			·57	·03			9
10	·05	·16			·02		·02	·09		1·77	·03			10
11	·03					·02	·07	·27		·25	·01			11
12				·07	·05	·07	·28		·63			·02 s		12
13					·13	·08	·52	·07			·08			13
14	✗ ·58						·03	·08		·10	·23			14
15	✗		·18				·09	·11		·07				15
16			·69			·09		·03				·03		16
17	✗ s	·07	·33			·16		·02			·02			17
18	✗ ·74		·35			·21			·10					18
19	✗		·35			·03		·05	·16		·33			19
20		·08				·17		·05	·16			·02		20
21		·02				·08		·24		·07				21
22				✗	·12	1·52		·48	·23	·02				22
23	✗ ·05	s 1·28		·74 ✗		·15			·10					23
24		·35 s		✗		·17								24
25		·91		·16		·01						·13		25
26		·50		·13	·57				·16	·36				26
27		·02		·01	·04				·05	·40		·57		27
28		·38		·47	·09		·18			·38 s		·03		28
29		✗		·14			·10							29
30	·02	✗	23	·11			·06		·04	·12				30
31	·37	✗	04	✗	·02	✗			✗	·07	✗			31
TOTAL	2·93	5·44	3·92	1·83	3·03	3·26	2·36	1·49	1·76	4·35	·82	1·54	Year's Total 32·73	
*Days with ·01 in. or more.	17	18	14	19	17	15	13	11	10	16	9	9	168	
*Days with ·04 in. or more.	14	15	13	18	15	11	10	9	9	14	5	4	137	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) B. Mountary Read.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1796

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bampton

in the County of Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft 4" in.

,, Ground ,, Sea Level 272 ft.

Days

all

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·04

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						·23		·56	·18	·02		·85		1
2	·15		·10					·25	·67	·03	·38	·30		2
3	·03	·04						·27	–			·43		3
4	·21		·11	·10	·33			1·32	·14	·89		·52		4
5			·21	·03	·30	·12					·36	·65		5
6			·24	·16	·77					·65		·43		6
7	·05			·03				·10			·33	·63		7
8					·17				·03			·92		8
9	·02		·25	·15				·03	·03			·21		9
10	·24		·39	·32				·35				·15		10
11	·64			·48				·09			·07	·63		11
12	·27			·05								·07		12
13	·34			·37							·03	·27		13
14	·78		·49	·01						·22		·17		14
15	·13		·23		·17		·03			·16	·10 ·15	·27		15
16	·19		·54		·03					·03		·17		16
17	·50		·03	·16	·04				·49			·26		17
18	·29		·32	·58					·22			·27		18
19			·33		·03	·04			·08	·03		·30		19
20			·06	·18	·02		·14					·03		20
21			·10			·26		·07	·05			·20		21
22			·10						·39	·24		1·25		22
23			·04	·26		·50		·11				·16		23
24	·06	~~·25~~	·06	·03		·17	·28	–	·23	·25		·04		24
25	·32	·08		·31		·54	·02	–	·06			·84		25
26	·04	·02		·08		·44			·18	·08		·14		26
27				·08					·02	·11		·34		27
28				·04			·25	·62	·27	·16		·83		28
29							·02	·25				·06		29
30		×					·03		·04	·18		·18		30
31	26	×		×		× 2·30	·13		×	·09	×	·11		31
TOTAL	4·39	·39	3·60	3·41	1·86	~~2·29~~	·90	4·02	3·04	3·14	1·21	11·68	Year's Total. 39·90 80	
* Days with .01 in. or more.	17	4	16	19	9	8	8	12 ~~13~~	17 ~~18~~	18	9	31	169	
* Days with .04 in. or more.	15	3	16	15	6	8	4	11 ~~12~~	13	14	8	30	142	

40-9999

† Spare column, no entries required.

(*Signed*)

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1796

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bampton Devon

in the County of

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 272 ft.

Rec. Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·13	·70			·03	·11		·25	·38	·04	·36		1
2						·27			·13	·38	·11			2
3	·02	·12	·16		·05	·11			·76	·28	·27	·02		3
4	·02	·21		·19	·05	·13	·02			·10	·22	·37		4
5		·36		·05		·07			·04	·40	·08	·05		5
6	·02			·45		·86				·03	·07	·17		6
7				·84		·11				·43	·02	·10		7
8				·32				·72		·37	·24	·07		8
9				·56						·80	·32			9
10			·24	·35		·17			·17	·04		·03		10
11	·36			·04		·22				·04	·42			11
12	·06	·37				·25			·07	·01	·04			12
13		·06		·28		·03		·05	~~·42~~	·04	1·71			13
14		·45		·28	·03	·08			2 ·49	·03		·21		14
15				·70	·15	·03			·15	·01	·17	·22		15
16		·14	·06	·20		·07			·65	·04	·67			16
17				·09	1·19	·36	·02	·15	·26	·11	·16			17
18		·04		·45	·05	·02	·04	·22	·60	·12	·01			18
19				·08	·17		·13		·23	·26	·22			19
20		·48		·45		·06	·04				·25			20
21		·44		·32					·06	·07	·02			21
22			·16	·31					·06	·04				22
23			·36	·03	·02			·40	·25	·32		·40		23
24	·18	·34	·02		·15			·28		·09		·73		24
25	·39	·82		·02	·02	·03			·07	·01				25
26		·64				·04		·34		·05	·08	·60		26
27		·10					·09	·05	·17	·25	·22	·49		27
28		·17					·03	·29	·06	·25		·03		28
29		×						·05			·40	·42		29
30	·08	×						·52	·35	·75	1·34	·73		30
31		×		×	·07	×		·06	×		×	·23		31
TOTAL	1·17	4·87	1·70	6·01	1·95	2·94	·48	3·13	4·77	5·70	7·12	5·23	Year's Total. 45·07	
* Days with .01 in. or more.	9	17	7	20	11	19	8	12 ~~13~~	21 ~~23~~	30	25	19	198	
* Days with .04 in. or more.	6	17	6	18	9	14	6	12 ~~11~~	19	25	~~23~~ 22	~~17~~ 16	170	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

1797.

MOREBATH MANOR.

1931 – 40.

780308

035626/29

1797

S

F

COPY FOR OFFICIAL USE.

FFICE.—BRITISH RAINFALL ORGANIZATION.

NFALL IN 1931 .

D TO THE PREVIOUS DAY.

An observer who does not *ading made on January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·14	—	·24	—	·02	·05	—	·42	·06	—	—	1
2	·29	·05	—	·67	—	·02	·01	—	·61	·06	·14	·35	2
3	·03	—	·76	—	—	·20	·02	·04	·78	—	1·81	·26	3
4	·14	—	·15	·07	·04	—	·49	·69	·33	·08	—	·03	4
5	—	·29	—	·15	—	·54	·08	·22	—	—	·09	·33	5
6	—	·08	—	·04	·07	·26	·30	·01	—	·40	·30	·62	6
7	—	·04	—	—	·25	·12	·02	·18	—	·14	·66	·07	7
8	—	·28	—	·14	—	·31	—	·18	—	—	·10	·13	8
9	·02	·32	—	—	—	·07	·06	—	—	—	·68	—	9
10	—	·05	—	—	·07	·06	·10	·04	—	—	·32	—	10
11	·25	·77	·04	—	—	·16	·06	·01	·12	—	·26	·04	11
12	·03	·06	—	—	·03	—	·39	—	·13	·15	·03	—	12
13	—	·06	—	—	·07	—	·33	·15	·02	·01	—	—	13
14	·06	·10	·03	—	·28	·30	·40	·34	·05	—	·69	—	14
15	·01	·23	—	·04	·05	·02	—	·55	·05	—	—	·01	15
16	·15	·16	—	·22	·15	·76	·03	·61	·10	—	—	—	16
17	·03	·12	—	·09	—	·17	·47	—	·04	—	·01	—	17
18	·06	·01	·01	·05	—	·26	·10	·89	·02	—	·29	—	18
19	·15	·07	·09	·20	—	·18	—	·17	—	—	·28	—	19
20	·03	·13	·19	—	—	—	—	·76	—	—	·41	—	20
21	·18	·03	·03	·04	·13	—	—	—	—	—	·05	—	21
22	·47	·06	·03	—	·11	—	—	—	—	—	·11	—	22
23	·27	·05	—	·41	·56	·02	·03	—	—	—	·38	·04	23
24	·32	·05	·03	·48	·10	—	·75	·22	—	—	·01	—	24
25	·18	·23	—	·40	·03	—	·23	—	—	—	·07	·03	25
26	—	·24	—	·29	—	—	·27	—	—	—	·87	·04	26
27	·18	·31	—	—	3·85	—	·06	—	—	·03	·18	·06	27
28	·35	·22	·10	·04	·11	—	·07	·09	—	·10	—	·21	28
29	·18		·12	—	·07	—	·15	·09	—	·12	·06	·25	29
30	·03	×	—	—	·04	—	·03	·12	·04	—	—	—	30
31	1·40	×		×	·26	×	—	—	×	—	×	·36	31
TOTAL	4·83	4·15	1·58	3·57	6·27	3·47	4·50	5·36	2·71	1·15	7·80	2·83	YEAR'S TOTAL 48·22
*Days with ·01 in. or more.	24	26	12	17	19	17	24	19	13	10	23	16	220
*Days with ·04 in. or more.	16	24	7	17	17	13	18	17	11	8	20	13	181

40-9999

(Signed)..................

P.T.O.

*See Instruction 2 (*f*) on other side.

35626/29 1797

S

COPY FOR OFFICIAL USE.

A

AIR MINISTRY.—METEOROLOG FFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Morebath Manor

in the County of Devon

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1ft ft in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·14	—	·24	—	·02	·05	—	·42	·06	—	—	1
2	·29	·05	—	·67	—	·02	·01	—	·61	·06	·14	·35	2
3	·03	—	·76	—	—	·20	·02	·04	·78	—	1·81	·26	3
4	·14	—	·15	·07	·04	—	·49	·69	·33	·08	—	·03	4
5	—	·29	—	·15	—	·54	·08	·22	—	—	·09	·33	5
6	—	·08	—	·04	·07	·26	·30	·01	—	·40	·30	·62	6
7	—	·04	—	—	·25	·12	·02	·18	—	·14	·66	·07	7
8	—	·28	—	·14	—	·21	—	·18	—	—	·10	·13	8
9	·02	·32	—	—	—	·07	·06	—	—	—	·68	—	9
10	—	·05	—	—	·07	·06	·10	·04	—	—	·32	—	10
11	·25	·77	·04	—	—	·16	·06	·01	·12	—	·26	·04	11
12	·03	·06	—	—	·03	—	·39	—	·13	·15	·03	—	12
13	—	·06	—	—	·07	—	·33	·15	·02	·01	—	—	13
14	·06	·10	·03	—	·28	·30	·40	·34	·05	—	·69	—	14
15	·01	·23	—	·04	·05	·02	—	·55	·05	—	—	·01	15
16	·15	·16	—	·22	·15	·76	·03	·61	·10	—	—	—	16
17	·03	·12	—	·09	—	·17	·47	—	·04	—	·01	—	17
18	·06	·01	·01	·05	—	·26	·10	·89	·02	—	·29	—	18
19	·15	·07	·09	·20	—	·18	—	·17	—	—	·28	—	19
20	·03	·13	·19	—	—	—	—	·76	—	—	·41	—	20
21	·18	·03	·03	·04	·13	—	—	—	—	—	·05	—	21
22	·47	·06	·03	—	·11	—	—	—	—	—	·11	—	22
23	·27	·05	—	·41	·56	·02	·03	—	—	—	·38	·04	23
24	·32	·05	·03	·48	·10	—	·75	·22	—	—	·01	—	24
25	·18	·23	—	·40	·03	—	·23	—	—	—	·07	·03	25
26	—	·24	—	·29	—	—	·27	—	—	—	·87	·04	26
27	·18	·31	—	—	3·85	—	·06	—	—	·03	·18	·06	27
28	·35	·22	·10	·04	·11	—	·07	·09	—	·10	—	·21	28
29	·18		·12	—	·07	—	·15	·09	—	·12	·06	·25	29
30	·03	×	—	—	·04	—	·03	·12	·04	—	—	—	30
31	1·40	×		×	·26	×	—	—	×	—	×	·36	31
TOTAL	4·83	4·15	1·58	3·57	6·27	3·47	4·50	5·36	2·71	1·15	7·80	2·83	YEAR'S TOTAL 48·22
*Days with ·01 in. or more.	24	26	12	17	19	17	24	19	13	10	23	16	220
*Days with ·04 in. or more.	16	24	7	17	17	13	18	17	11	8	20	13	181

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

1797

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Morebath Manor
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level 600 ft.

Aug 21 high

MOREBATH MANOR ESTATE.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·72	—	—	·39	·10	—	·20	·50	·52	·04	·07	·02	1
2	·25	—	—	·08	·16	—	·03	·04	1·17	·02	·04	·41	2
3	·03	—	—	·03	·01	—	·02	—	·28	·05	·04	·05	3
4	·03	—	—	—	—	—	·02	·13	—	—	·21	—	4
5	·86	—	—	—	—	—	—	·01	·39	—	—	—	5
6	·95	—	·14	·48	—	—	·28	—	·32	·01	—	—	6
7	·26	—	·05	·11	—	—	—	—	·75	1·08	—	—	7
8	—	—	·78	·05	·21	—	—	—	·50	·26	—	—	8
9	1·03	·03	—	·33	—	—	—	—	·04	·04	—	—	9
10	·86	—	—	·34	—	—	—	—	·22	·30	—	—	10
11	·08	—	—	·08	·11	—	·01	—	·10	·24	—	·09	11
12	·85	—	—	·03	·49	—	—	—	·15	·64	—	·03	12
13	·11	—	—	·18	·04	—	·35	·32	·04	·71	·04	·40	13
14	·33	—	—	·06	·12	—	—	—	—	·12	·15	·16	14
15	·01	—	—	·15	·14	—	—	—	—	·09	·25	·05	15
16	·21	—	—	·30	—	—	·13	—	—	·03	—	—	16
17	·01	—	—	·03	·04	—	·01	—	—	·11	·01	—	17
18	—	—	—	—	·15	—	—	—	·38	—	·36	—	18
19	·04	—	—	·13	·21	—	—	—	·09	·55	—	—	19
20	—	—	—	·12	·90	—	—	—	·01	·71	·19	·14	20
21	·04	—	·14	·18	—	—	·01	2·64	·02	·69	·11	·18	21
22	—	—	·02	·13	·16	—	·02	—	·63	·19	·41	·10	22
23	—	—	—	—	·02	—	·32	—	·03	·57	·16	·27	23
24	—	—	—	—	·04	—	·20	—	·12	·07	·13	·62	24
25	—	—	·20	—	—	—	·69	—	·08	·84	·20	—	25
26	—	—	·14	·14	—	—	·15	—	·04	·34	·29	—	26
27	—	—	·56	·41	·14	—	·20	—	—	·70	·04	·07	27
28	—	—	·33	·17	·07	—	·35	—	—	—	—	·11	28
29	—	·03	·62	·21	·21	·48	·18	·64	·64	·73	·09	·51	29
30	—	×	·30	·02	·02	·81	·73	·05	·75	·17	·85	·05	30
31	—	×	·07	×	·05	×	·20	—	×	·03	×	·68	31
TOTAL	6·67	·06	3·29	3·25	3·39	1·29	4·10	4·33	7·27	9·33	3·64	3·36	YEAR'S TOTAL 49·98
*Days with ·01 in. or more.	18	2	12	24	21	2	20	8	23	27	19	18	194
*Days with ·04 in. or more.	14	—	11	20	18	2	13	7	20	23	18	15	161

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) C H W Malet

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Morebath Manor

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·63	·36	·20	—	·09	·01	—	—	·02	·01	·05	·73		1
2	·27	—	·63	—	·47	·42	—	—	—	—	·03	·10		2
3	·02	·27	·14	—	·08	—	—	—	—	—	—	—		3
4	·31	·11	·05	—	·11	—	—	—	—	—	—	—		4
5	·13	·04	·54	—	·09	—	—	—	—	—	—	—		5
6	—	·54	·06	—	·25	—	·04	—	—	·12	—	—		6
7	·24	·21	·02	—	·03	—	·05	·02	—	·10	—	·02		7
8	·08	·15	·03	—	·12	—	·52	·01	—	·14	—	—		8
9	—	·06	—	—	·58	—	·28	—	—	·52	·05	—		9
10	·05	·25	—	—	—	—	·04	·04	—	1·92	·03	—		10
11	·02	—	—	—	—	·10	·17	·19	—	·20	—	—		11
12	—	·01	—	·06	·03	·07	·27	—	·57	·05	—	—		12
13	—	—	—	—	·17	·05	·45	·07	—	·15	·10	·01		13
14	·10	—	—	—	—	—	·03	·05	—	—	·24	—		14
15	·48	—	·24	—	—	—	·27	·08	—	·10	·02	·03		15
16	—	·01	·79	—	—	·04	—	—	—	·03	—	—		16
17	·11	·07	·29	—	—	·12	—	·03	·08	—	—	—		17
18	·07	·01	·30	—	—	·17	—	—	—	—	·04	—		18
19	·07	—	·32	—	—	·03	—	·06	·09	—	·39	·02		19
20	—	·10	—	—	·01	·12	—	·10	·12	—	·01	—		20
21	—	·03	—	—	—	·01	—	·13	—	·05	—	—		21
22	—	—	—	·23	·10	·26	—	—	·17	·03	—	—		22
23	—	·26	—	·27	—	·19	—	·36	·17	·23	—	—		23
24	—	·13	—	·17	—	—	—	—	·02	·02	·01	—		24
25	—	·66	—	·16	—	·17	—	·04	·20	·01	—	·12		25
26	—	·95	—	·12	·55	—	—	—	—	·23	—	·02		26
27	—	·02	—	—	·04	—	—	—	·05	·54	—	·44		27
28	—	·28	—	·39	·22	—	·11	—	—	·36	—	·07		28
29	·05		—	·19	—	—	·02	—	—	—	—	·02		29
30	·03	×	·16	·15	—	—	·09	—	·03	·15	—	·14		30
31	·30	×	·04	×	—	×	—	—	×	·17	×	·01		31
TOTAL	2·96	4·52	3·81	1·74	2·94	1·76	2·34	1·18	1·52	5·13	·97	1·73	Year's Total 30·60	
*Days with ·01 in. or more.	14	21	15	9	16	14	13	13	11	21	11	13	174	
*Days with .04 in. or more.	14	16	13	9	13	11	11	10	8	16	6	6	133	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Otto Malet agent

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Morebath Manor

in the County of Devon

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	—	—	—	·01	—	·63	·02	·04	·29	·70	1
2	·12	—	·06	—	—	—	—	·25	·69	·03	·13	·44	2
3	·03	·03	—	—	·02	—	—	·04	·06	·24	—	·45	3
4	·22	—	·14	·13	·38	—	—	·16	·05	·49	—	·49	4
5	·01	—	·11	·03	·24	—	—	1·60	—	·19	·47	·83	5
6	—	—	·38	·15	·86	·08	—	—	·03	·69	·06	·39	6
7	·09	—	—	—	—	—	—	·11	—	·23	·09	·67	7
8	—	—	—	—	·19	—	—	—	·03	·09	·26	·87	8
9	·01	—	·20	·13	—	—	—	·03	—	·02	·24	·26	9
10	·24	—	·39	·38	—	—	—	·17	—	·04	·15	·05	10
11	·84	—	—	·50	—	—	—	·20	—	—	—	·72	11
12	·23	—	—	·08	—	—	—	·38	—	—	—	·08	12
13	·44	—	—	·49	—	—	—	—	—	·13	·03	·23	13
14	·63	—	·55	·02	—	—	—	—	—	·10	·06	·20	14
15	·12	—	·19	—	·14	—	·01	·03	—	·22	·15	·38	15
16	·25	—	·51	·01	·03	—	—	—	·17	·03	·01	·20	16
17	·48	—	·04	·14	·02	—	—	—	·32	·07	—	·19	17
18	·21	—	·30	·58	—	—	—	—	·13	·02	—	·53	18
19	·01	—	·28	—	·03	·09	—	·03	·10	·03	—	·27	19
20	—	—	·04	·18	·06	—	·22	—	·17	·01	·02	·03	20
21	—	—	·11	—	·05	·30	—	·04	—	·24	—	·16	21
22	·04	—	·08	—	·01	—	—	·11	·48	—	—	1·17	22
23	·03	—	·05	·28	—	·55	—	·04	·18	·04	·01	·15	23
24	—	·24	·10	·01	—	·17	·20	—	·08	·06	—	·03	24
25	·28	·12	—	·33	—	·98	—	—	·01	·27	—	·79	25
26	·05	·02	·03	·08	—	·39	·01	—	·21	·05	·05	·15	26
27	—	—	—	·13	—	·33	—	—	·02	·13	—	·28	27
28	—	—	—	·07	—	·01	·26	·47	·32	·10	—	·89	28
29	—	—	—	—	—	—	·11	·19	·10	·18	—	·07	29
30	·04	×	—	—	—	—	·03	·04	·08	·31	·03	·23	30
31	—	×	—	×	·04	×	·05	·01	×	·06	×	·14	31
TOTAL	4·43	·41	3·56 3·56	3·72	2·09	2·82	·89	4·53	3·25	4·11	2·08	12·04	YEAR'S TOTAL 43·93
*Days with ·01 in. or more.	22	4	18	19	13	10	8	19	20	28	16	31	208
*Days with .04 in. or more.	17	2	17	15	8	8	5	15	15	22	11	29	164

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. Maddicks.

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Morebath Manor.

in the County of Devon

MOREBATH MANOR ESTATE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·24	·58	—	—	·01	·04	—	·21	·53	·05	·39		1
2	—	·14	·02	—	—	·12	·01	—	·17	·28	·12	·23		2
3	—	·14	·11	·03	·05	·11	·03	—	·66	·22	·28	—		3
4	·02	·27	—	·15	·06	·19	·01	—	·04	·12	·17	·57		4
5	·02	·44	·10	·08	—	·19	—	—	·25	·57	·16	·08		5
6	—	—	·01	·52	—	·84	—	—	—	—	·08	·15		6
7	—	—	—	·68	—	·08	—	—	—	·41	·01	·16		7
8	—	—	—	·35	—	—	—	·04	—	·36	·23	·08		8
9	·02	—	—	·60	—	·11	—	—	·10	·81	·36	·02		9
10	·01	—	·23	·24	—	·10	·01	—	·01	·07	·03	·01		10
11	·30	·02	—	—	—	·26	—	—	·17	·04	·44	·02		11
12	·05	·22	—	—	—	·23	—	·03	·03	·02	·04	—		12
13	·09	—	—	·24	—	·03	—	—	·01	·05	·31	—		13
14	—	·15	—	·26	·07	·05	—	—	·07	·03	1·34	·20		14
15	—	·42	—	·72	·21	·05	—	—	·47	·02	·16	·28		15
16	—	·10	·07	·27	—	·02	·03	—	·77	·05	·91	·07		16
17	—	·02	—	·10	1·17	·38	—	·21	·31	·13	·07	—		17
18	—	·07	—	·46	·02	·01	·05	1·22	·63	·09	—	·07		18
19	—	·03	—	·08	·31	·08	·22	—	·26	·40	·18	·01		19
20	—	·40	—	·42	·10	·02	·05	—	·01	—	·28	—		20
21	·01	·38	·02	·33	—	—	·06	—	·09	·09	·01	—		21
22	—	·12	·15	·25	—	—	—	—	·20	·05	—	—		22
23	—	·01	·45	—	·03	—	—	·41	·21	·38	—	·33		23
24	·21	·40	·02	·04	·17	·04	—	·30	·32	·07	—	·29		24
25	·36	·60	—	·03	·03	·04	—	—	—	—	—	·39		25
26	—	·91	—	—	—	·01	—	·27	·16	·07	·16	·67		26
27	—	·14	—	—	—	—	·12	·19	·08	·20	·20	·51		27
28	·03	·15	—	—	—	—	·03	·32	·10	·12	·11	·02		28
29	—		—	—	·01	—	—	—	·23	·12	·25	·40		29
30	·08	×	—	—	—	·07	—	·62	·18	·06	1·52	·74		30
31	—	×	—	×	·03	×	—	·07	×	·76	×	·24	Year's Total	31
TOTAL	1·23	5·37	1·76	5·85	2·26	3·04	·66	3·68	5·74	6·12	7·47	5·93	49·11	
*Days with ·01 in. or more.	13	22	11	20	13	23	12	11	26	28	25	24	228	
*Days with ·04 in. or more.	6	18	7	18	8	17	6	10	22	25	22	19	178	

40-9999

*See Instruction 2 (*f*) on other side.

MOREBATH MANOR ESTATE.

† Spare column, no entries required.

(*Signed*) C. H. L. Malet

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Morebath Manor

in the County of Devon

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 650 ft.

Ann total corr for auth

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·21	·05	·21	—	·11	1·11	—	—	—	·08	·15		1
2	·01	—	—	·04	—	·03	·07	·18	·06	—	·15	·01		2
3	·06	·01	·10	·72	—	·05	·14	·05	·79	—	·10	·10		3
4	·02	—	·20	—	—	·17	·03	·01	·85	—	·07	·41		4
5	·64	—	·02	—	—	—	·50	·08	·16	—	·01	·10		5
6	·12	—	·04	—	—	·05	·28	·17	·12	—	·28	—		6
7	·35	—	·15	—	—	—	·41	—	·19	—	1·27	·06		7
8	·29	—	·42	—	—	—	·44	—	—	—	·72	·05		8
9	·53	·04	·31	—	—	·01	·17	—	·08	·01	·22	—		9
10	·05	·04	—	—	—	—	·01	—	—	—	·28	—		10
11	·10	·06	—	—	—	·15	·02	·08	·15	—	·84	·05		11
12	·15	—	—	·10	—	—	·76	—	·59	·08	·33	—		12
13	·10	—	—	·04	—	—	·19	·03	·03	·15	·13	·79		13
14	—	·05	—	—	—	·11	·66	—	·15	·07	·03	·55		14
15	—	—	—	—	·16	—	·10	—	·84	—	·31	·17		15
16	·01	·15	—	·10	·11	—	·09	—	·04	—	·32	·14		16
17	·35	·83	—	—	·05	—	·14	·01	—	·21	·07	·50		17
18	·04	·30	·03	—	·27	·22	·78	·01	—	·13	—	·13		18
19	·66	·03	·06	·34	—	·29	·10	·24	—	—	—	—		19
20	·10	·42	·21	·03	—	—	·02	—	·28	—	—	·03		20
21	·05	—	·09	·68	—	·04	—	—	·01	—	—	—		21
22	·15	·44	·61	—	—	—	·18	—	—	·04	—	·03		22
23	·17	·12	·24	·19	·11	—	·07	—	—	·06	—	—		23
24	·14	·02	·07	·05	·22	—	·02	—	·07	·37	—	·02		24
25	·37	—	·35	·14	·02	—	·23	—	·24	·52	·05	—		25
26	·20	·18	·31	·01	—	—	·17	—	—	·30	—	—		26
27	·18	·02	·02	—	—	—	·20	—	·02	·22	—	—		27
28	·69	·01	·50	—	—	·30	·73	—	—	·02	—	·23		28
29	·06	·28	·05	—	—	·11	·03	—	—	·10	·12	·22		29
30	·17	×	·14	—	·02	·08	·05	—	—	·31	—	—		30
31	·38	×	·40	×	—	×	·10	—	×	·23	×	·42	45·26	31
TOTAL	6·16	3·21	4·37	2·65	·96	1·72	8·30	·86	4·67	2·82	5·38	4·16	Year's Total 45·28	✓
* Days with .01 in. or more.	29	18	22	13	8	14	30	10	18	16	19	20	217	✓
* Days with .04 in. or more.	25	13	19	11	6	12	24	6	15	14	17	16	178	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. H. W. Malet [P.T.O.

MOREBATH MANOR ESTATE.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at MOREBATH MANOR.
in the County of DEVON.
Diameter of Funnel of Gauge ~~6~~ 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·01	·02	·22	—	—	·03	—	·16	·12	·16	·33		1
2	·44	·66	—	·24	—	—	—	—	·08	—	—	·16		2
3	·01	·29	·06	·16	·21	—	·05	—	·03	—	·02	·07		3
4	·14	·42	—	·07	·14	·02	·31	·04	—	—	—	·49		4
5	·83	—	—	·01	·01	—	·15	—	—	—	—	·07		5
6	·39	·41	·38	·38	·08	—	—	—	—	·04	—	—		6
7	—	·65	·07	·42	—	·14	—	—	·08	·04	·01	·39		7
8	—	·10	·03	—	·37	·03	·07	—	—	—	·06	—		8
9	·03	·06	·11	·08	·20	—	·02	·13	·84	—	—	·26		9
10	·19	—	·90	·57	—	·09	—	·10	—	—	—	·30		10
11	·04	—	·33	·29	·49	—	·57	·06	—	—	—	·06		11
12	·41	·35	·16	—	—	·30	·08	·13	·29	—	—	·19		12
13	—	·14	·41	·25	—	·04	—	·31	·08	—	—	·09		13
14	—	·03	·93	·01	—	—	·11	·03	·14	—	—	·19		14
15	·65	·21	·16	·51	—	—	·24	·80	·10	—	—	·29		15
16	·20	·19	·74	·05	—	—	·05	·04	·31	—	—	—		16
17	1·47	·11	·89	—	—	—	—	—	·14	—	·09	—		17
18	·15	·25	·35	—	—	·14	—	—	·25	—	·22	·34		18
19	·09	·19	·20	·30	·07	·02	—	—	·22	—	·36	·02		19
20	·66	·08	·08	·37	·07	—	—	—	·12	—	—	·41		20
21	·59	·72	·21	·18	·30	—	·11	—	·09	·10	·07	·04		21
22	·18	—	·16	—	·27	—	·26	—	·04	·76	·65	·05		22
23	·36	·22	·02	—	·16	—	·02	—	—	·14	·37	·02		23
24	·74	·66	·06	—	—	—	·06	—	·05	1·11	—	·03		24
25	—	·94	·36	—	—	—	—	—	·01	·14	—	·08		25
26	—	·33	·03	—	·16	—	—	—	—	—	—	·03		26
27	·02	·31	—	—	—	—	—	—	—	·38	—	—		27
28	·60	·11	—	—	—	·03	—	—	—	·13	—	·01		28
29	—	×	—	—	—	—	—	—	—	·48	·24	·02		29
30	·46	×	—	—	—	·29	—	—	·03	·20	·43	—		30
31	·52	×	—	×	—	×	—	—	×	·33	×	—		31
TOTAL	9·45	7·44	6·66	4·11	2·53	1·10	2·13	1·34	3·06	3·97	2·68	3·94	Year's Total. 48·41	✓ ✓
* Days with .01 in. or more.	24	24	23	17	13	10	15	9	19	13	12	24	203	✓ ✓
* Days with .04 in. or more.	21	22	19	15	12	6	12	8	16	13	10	18	172	✓ ✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C Otho Malet

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Morebath Manor

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 650 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·22	—	—	—	·82	·13	·29	—	·62	·12	·50		1
2	—	·10	—	·19	·14	—	—	—	—	·62	·09	·28		2
3	·01	—	—	—	·27	·03	·08	·01	—	·68	·05	·01		3
4	·03	—	—	—	—	·09	·43	1·70	·02	·90	·06	·16		4
5	·05	—	—	—	—	·03	·03	·08	·06	·01	·02	·16		5
6	·19	—	—	—	—	·13	·91	—	·06	·24	—	·14		6
7	·23	—	—	—	—	—	·43	·14	·16	·35	·01	·17		7
8	·68	·09	—	—	—	—	·11	·05	·01	·63	·01	·03		8
9	·57	·16	—	—	—	·08	·01	·02	—	·02	·01	1·01		9
10	·12	·02	—	—	—	—	·27	·09	—	·04	—	·89		10
11	·24	·01	—	—	—	·02	·06	·57	—	·01	·34	·69		11
12	·48	—	—	—	·31	—	·01	—	—	·42	1·05	·03		12
13	·08	—	—	—	·13	—	—	—	—	·11	·77	·86		13
14	·54	—	—	—	·12	—	·45	—	·04	·01	·01	·02		14
15	·20	—	—	—	·25	—	·01	·07	—	·07	·19	·39		15
16	·59	·03	·03	—	·03	—	—	·20	—	·01	·32	·01		16
17	—	·16	—	—	—	—	·02	—	·07	·35	·05	—		17
18	·28	—	—	—	·03	·13	—	·16	·54	·16	·37	—		18
19	·06	—	—	—	—	—	·01	·06	·11	·01	·67	—		19
20	·05	—	—	—	—	—	—	·01	·01	—	·25	—		20
21	·09	—	—	—	—	·01	—	·05	·15	·01	·24	·18		21
22	·04	—	—	·10	—	·11	—	·51	·01	·08	·47	·08		22
23	·01	—	—	·01	—	·03	—	·01	—	—	·27	·07		23
24	·04	—	·20	—	·09	—	—	·06	·06	—	·37	—		24
25	·24	·21	·03	—	·27	—	·15	—	—	·10	·12	·05		25
26	·27	·54	·10	—	·39	·04	·09	—	—	·15	·17	·11		26
27	·12	·36	—	—	·38	·25	·31	·50	·02	·04	·38	—		27
28	·37	·25	·05	—	·24	·22	·01	·45	·03	·01	·02	·01		28
29	·37		·01	—	·43	—	·02	—	·07	·24	·43	·04		29
30	·15	✗	·01	—	·10	·02	—	—	·39	·02	·46	·09		30
31	·49	✗	—	✗	·28	✗	·02	—	✗	·32	✗	·42		31
													Year's Total	
TOTAL	6·59	2·15	·41	·30	3·46	2·01	3·56	5·03	1·81	6·63	7·32	6·40	45·67	✓
* Days with .01 in. or more.	28	12	7	3	16	15	21	20	17	28	28	25	220	✓
* Days with .04 in. or more.	25	9	2	2	14	9	12	16	11	20	22	19	161.	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) CHW Maler

[P.T.O.

MOREBATH MANOR ESTATE.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1797
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at MOREBATH MANOR
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	—	·14	·11	·02	—	·07	·02	·01	·01	·23	·07		1
2	·09	—	—	·24	—	—	·01	·36	·29	—	·28	·24		2
3	·24	—	·06	·51	—	—	—	·13	·33	—	·10	·68		3
4	·01	·01	·38	·75	·44	—	·46	·02	—	·36	·62	·49		4
5	—	—	·04	·13	·09	—	·64	·15	—	·37	·62	·01		5
6	·70	—	·07	·02	—	—	·68	·07	—	·08	·26	—		6
7	·16	·17	·01	—	—	—	·12	·03	—	—	·23	·53		7
8	·10	·32	·02	—	·05	—	·12	·27	—	·61	·63	·24		8
9	·14	·09	·07	—	—	—	·01	·12	—	·25	·18	·10		9
10	·29	·02	·01	—	—	·07	—	·14	·16	·21	·01	·38		10
11	·03	·01	·12	—	—	—	—	—	—	·40	·02	·01		11
12	·13	·06	—	·03	—	—	—	—	·09	·11	·04	—		12
13	·01	—	—	·19	·01	·13	·17	—	·14	·44	·02	—		13
14	·75	·01	—	·07	·10	·15	·41	—	—	·04	·17	·03		14
15	·54	·03	·01	·15	·14	·66	·49	—	·03	·06	·43	—		15
16	·13	·01	—	·14	·19	—	·10	—	—	—	·71	—		16
17	·89	·03	—	—	·03	·14	·35	—	—	—	·14	—		17
18	·09	·10	·08	—	—	·04	·94	—	—	·04	·77	·02		18
19	·31	·01	—	—	—	—	·22	—	—	—	·01	·01		19
20	·53	—	—	—	·02	·45	·01	1·42	—	—	—	—		20
21	·06	·25	·30	—	·06	·20	·10	·68	—	—	—	—		21
22	1·35	·37	·26	·06	·02	·45	·24	—	·01	—	·58	—		22
23	·02	·06	·07	·34	—	·01	·11	—	—	·16	·76	—		23
24	·14	·02	·13	·11	—	·37	·20	—	—	·15	·01	—		24
25	·15	·31	·02	·05	—	—	·12	·02	—	·20	1·06	—		25
26	·51	·74	—	·08	—	·01	·02	·51	—	·19	·97	—		26
27	·03	·18	·11	·01	—	·07	·02	·27	—	—	·24	—		27
28	·02	·13	·07	·40	—	·08	·06	—	—	—	·77	·11		28
29	·04		—	·13	—	·03	·08	—	—	·42	·34	—		29
30	—	✕	·03	·63	—	·30	·08	·01	—	·22	·17	—		30
31	—	✕	—	✕	—	✕	·11	·14	✕	·47	✕	·03		31
Total	7·62	2·32	1·99	4·05	1·17	3·16	5·94	4·36	1·06	6·79	10·37	2·96	Year's Total [illegible]	✓
* Days with .01 in. or more.	28	21	20	20	12	16	27	17	8	20	28	15	232	✓
* Days with .04 in. or more.	22	12	14	17	7	13	21	12	5	19	23	9	144	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1940

1940.

Kept at MOREBATH MANOR

in the County of DEVONSHIRE

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 650 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·08	–	·06	·08	–	–	–	–	–	·17	–		1
2	–	·03	–	·11	–	–	·06	–	–	–	1·36	·03		2
3	·01	·45	–	·04	–	–	–	–	–	·20	1·77	·13		3
4	–	·15	–	·23	–	–	·22	–	–	·33	·03	·10		4
5	·02	·02	–	–	–	–	·10	–	–	·38	·74	·34		5
6	·18	·34	–	–	–	–	·04	–	–	·38	·23	·30		6
7	·08	·08	–	·06	–	–	·14	–	·03	·04	–	·10		7
8	·01	–	–	–	–	–	–	–	–	·48	·31	·42		8
9	–	–	–	–	–	–	·60	·05	·06	·21	·72	·45		9
10	–	–	·04	–	–	–	·16	·05	·05	·12	·30	·30		10
11	–	·09	·03	·03	–	·05	·54	–	–	–	1·21	·04		11
12	–	–	·31	–	–	·06	·69	–	·58	–	·15	–		12
13	–	–	·45	–	–	–	·93	–	·04	·33	·95	·10		13
14	–	–	·20	·14	·07	–	·01	·04	·18	·66	·05	·42		14
15	·08	·13	·02	·15	·16	–	·02	–	·24	–	·50	·01		15
16	–	·17	·42	·04	–	–	·06	–	·13	·80	·11	·03		16
17	–	·50	·62	–	–	–	·10	–	·14	–	·02	–		17
18	–	·91	·33	·78	–	–	·04	·02	·09	–	·03	·23		18
19	–	·06	·18	·13	–	–	·62	–	·29	·08	·23	·01		19
20	–	·01	·09	·04	–	–	·16	·11	·30	–	·11	·03		20
21	–	–	·04	–	·28	·21	·03	–	·01	·13	·43	–		21
22	–	·01	·18	·32	·01	·35	–	–	·15	–	·01	–		22
23	–	·16	·23	·06	·05	·02	·02	–	·04	·03	·03	·01		23
24	·04	–	·17	·03	·04	·16	·35	–	–	–	–	–		24
25	·16	–	·04	·07	·11	–	–	–	–	–	–	–		25
26	1·28	·28	–	·03	·37	–	·17	–	–	–	·03	–		26
27	·44	·15	·03	·45	·12	–	·15	–	–	–	–	–		27
28	·65	·04	·01	·13	·42	–	–	–	–	–	–	·05		28
29	·24	·13	·32	·62	–	·10	–	–	–	·03	–	·53		29
30	·03	✕	·02	·08	·01	–	–	–	–	·40	–	·20		30
31	·08	✕	·05	✕	–	✕	–	–	✕	·63	✕	·22		31
													Year's Total	
TOTAL	3·30	3·79	3·78	3·60	1·72	·95	5·21	·27	2·33	5·23	9·49	4·05	43·72	✓
* Days with .01 in. or more.	14	20	21	21	12	7	22	5	15	17	23	22	199	✓
* Days with .04 in. or more.	10	16	16	18	10	6	18	4	13	15	17	16	159	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) pp. ....

[P.T.O.

1798

Section **A** for the entry of Dail

AIR MINISTRY.—M

OPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTE

1798

BUDLEIGH

SALTERTON WESTWAYS

1931 — 40

780388

Kept at Budleigh Saltert

in the County of Devo

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				66	10		8		21	2			1
2	28	2		60					36		7	15	2
3	17		63				4		10		1·39		3
4	3		21		18		13	11	12				4
5		41	9	7		19		14				48	5
6		6			8	60	8			18	15	30	6
7					24	15	25	12			47	13	7
8		18		23		24					16	3	8
9	3	8				48	5				40		9
10		4			5	5		8	61		52		10
11	9	35				19	7				39		11
12	10	5				21	20	11	4	7			12
13		6			5		11		13				13
14	3	8				11	1·01		3		31		14
15		10			12			10					15
16		16		3	15	42			7				16
17		8		4			30						17
18				13		23	5	1·73			26		18
19	3	3	6	8		20	3	5	4		8		19
20		15	38					22			9		20
21	11		2		27								21
22	23			5	10								22
23	19	4		16	70						28		23
24	9			46	11		59	62			2		24
25	12			38	3		22				18		25
26				10			22				51		26
27	11	11			45		4				15		27
28	5		9		20							10	28
29	4	7			7			23				18	29
30		×	15		3				3				30
31	43	×		×	8	×	4		×		×	43	31
TOTAL	2·11	2·02	1·63	2·99	3·01	3·17	3·55	3·51	1·74	·27	5·33	1·80	YEAR'S TOTAL 31·13
*Days with ·01 in. or more.	17	18	8	13	17	12	16	11	11	3	17	8	151
*Days with ·04 in. or more.	13	15	7	12	15	12	15	11	9	2	16	7	134

40-9999

(Signed) J Harbree. [P.T.O.

*See Instruction 2 (*f*) on other side.

1798

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				66	10		8		21	2			1
2	28	2		60					36		7	15	2
3	17		63				4		10		1·39		3
4	3		21		18		13	11	12				4
5		41	9	7		19		14				48	5
6		6			8	60	8			18	15	30	6
7					24	15	25	12			47	13	7
8		18		23		24					16	3	8
9	3	8				48	5				40		9
10		4			5	5		8	61		52		10
11	9	35				19	7				39		11
12	10	5				21	20	11	4	7			12
13		6			5		11		13				13
14	3	8				11	1·01		3		31		14
15		10			12			10					15
16		16		3	15	42			7				16
17		8		4			30						17
18				13		23	5	1·73			26		18
19	3	3	6	8		20	3	5	4		8		19
20		15	38					22			9		20
21	11		2		27								21
22	23			5	10								22
23	19	4		16	70						28		23
24	9			46	11		59	62			2		24
25	12			38	3		22				18		25
26				10			22				51		26
27	11	11			45		4				15		27
28	5		9		20							10	28
29	4	7			7			23				18	29
30		×	15		3				3				30
31	43	×		×	8	×	4		×		×	43	31
TOTAL	2·11	2·02	1·63	2·99	3·01	3·17	3·55	3·51	1·74	·27	5·33	1·80	YEAR'S TOTAL 31·13
*Days with ·01 in. or more.	17	18	8	13	17	12	16	11	11	3	17	8	151
*Days with ·04 in. or more.	13	15	7	12	15	12	15	11	9	2	16	7	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Hartree.

[P.T.O.

1798

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

dup

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ? 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			2	28			3	49			14		1
2				22		4		4				12	2
3				[illegible]		98	4		49		3	8	3
4						22					26		4
5	18		5				3		5				5
6	37			6	20		9		45				6
7	9			7	16				32	1·32			7
8			45						35				8
9	62			12	4								9
10	32			22	9					20			10
11				12	12					6		10	11
12	55				31				2	10			12
13	3			12	5	5	27	67		97	2	24	13
14	26			13	21	4				2			14
15				11	15							2	15
16	14			6			4					~~4~~	16
17				2									17
18					32				13	5	23		18
19	13				20				5	27			19
20	4				1·45		4	2		76	27	16	20
21	2		11	22				15	7	37	16	12	21
22								8	85	27			22
23							15			52		18	23
24		2		[illegible]	2		68		13	5	4		24
25			69	3			4		9	15	2		25
26			9	2			6			6	5		26
27			56	34	12					31		8	27
28			5		16		7					10	28
29			43	11	21	42		62	66	32		40	29
30		×		4		1·72	29		57	13	1·26	4	30
31		×	14	×	26	×			×		×	57	31
TOTAL	2·94	·02	2·59	2·29	4·07	3·47	1·83	2·07	4·27	5·92	2·47	2·21	YEAR'S TOTAL 33·55
*Days with ·01 in. or more.	~~12~~	~~1~~	~~10~~	~~18~~	~~17~~	~~7~~	~~13~~	~~6~~	~~14~~	~~18~~	~~11~~	~~13~~	~~138~~
*Days with ·04 in. or more.	10	0	9	15	16	7	11	5	13	17	8	12	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M Hartree J.P

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level ? 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	55	25	9		3	19					3	1'61		1
2	57		75		54	24						8		2
3	10	11	21											3
4	15		12		7									4
5			30							3				5
6		42			11		12			9				6
7		6	3		6					18				7
8	4				2		11							8
9		3			35		18			18	5			9
10		18					16			38				10
11	8					27	5	19						11
12				36		9	5	‡	62					12
13					8	2	17	29		10	3			13
14							17	15		17	30			14
15	43		16				88				41			15
16			72							3				16
17	3	6	30			10			7	12				17
18	5		10			6					2			18
19	19		23					5	6		44	5		19
20		3				37								20
21						3		9		3				21
22				8		13		30	54					22
23		82		18		23			72	27				23
24		80		22					11	5				24
25		109		24		27			19	3		16		25
26		36		27	9									26
27		4								34	8	49		27
28				39	25		60			26		25		28
29	7	3		11			4		4			9		29
30	3	×	7				6		15			8		30
31	9	×	8	×		×			×	5	×			31
TOTAL	2'38	4'27	3'16	1·88	1·60	2'00	2·59	1·07	2·50	2'31	1·36	2·81	Year's Total 27'93	
*Days with ·01 in. or more.	13	14	13	8	10	12	12	6	9	16	8	8	..	
*Days with .04 in. or more.	11	11	12	8	8	10	12	6	9	12	5	8	112	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) J Hartree

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH ~~RAINFALL~~ ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 170 ft.?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 5

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										8	5			1
2	4					4		65	14		9	59		2
3	14		6						68		21	37		3
4	4							3		38		24		4
5	7		9	3	18			7	21	25		30		5
6	'		[illegible]		15	11		71		11		35		6
7	5		35	7	20					38		43		7
8	2									10		48		8
9					11				6		15	26		9
10	2		23	3				12			73	8		10
11	14		21	32							4	19		11
12	40		8	35								65		12
13								3				18		13
14	12			39							4	40		14
15	22		48	3							60	32		15
16	3		9		5					13	11	32		16
17	5		34		5							38		17
18	8			10	3				8	8		30		18
19	8		24	52					5			24		19
20	2		22	21		5			9			5		20
21			10	14			6							21
22			7			12		14		30		44		22
23			8					4	25			81		23
24	8		[illegible]	9		103	14		10	6		7		24
25	12	6	4	3		25	5		22	11		4		25
26	27			21		6				27		76		26
27			4	4		17			5					27
28				2		4			2			34		28
29				4		2		50	20			84		29
30		×						2	5	3		2		30
31		×		×		×	2	.6	× +.08	6 +.85	×	22 +.05		31
TOTAL	1.99 2.29	.06	2.72	2.62	.77	1.89	.27	2.36 7	2.28	2.31	1.97	9.72	Year's Total ~~29.06~~	28.97
*Days with ·01 in. or more.	19	1	16	17	7	10	4	11	15	14	8	29	151	
*Days with .04 in. or more.	15	1	16	12	6	9	3	8	14	13	8	28	133	

40-9999

† Spare column, no entries required.

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level ?.150 ft.

·40

days/total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			66			17			9	8	10	10		1
2			3						4	28	12	9		2
3			14		10	15			4	62	18	8		3
4	5	15		7		34			11	3	19	30		4
5		14	7	6		5			13	17	8			5
6				33		92				4	10	27		6
7				30						20	4			7
8				37					27	2	36	5		8
9				39		13			3	70	18			9
10	8		10							2		4		10
11	16		13			30			10	1	38			11
12	3	4				65			2		19			12
13	2	8		27		8			3		24			13
14		3		20					9		1·10	25		14
15				75	17	29			14		37	9		15
16		8	8	13		21			49		1·05			16
17				3	97	25					8			17
18		4		10			12	18	14		5	18		18
19					29	5	10			11	43			19
20		23		18	8									20
21		51		12					5	9				21
22		5		9					3					22
23	2	8			12				5	39		40		23
24	15	63			9	14		42	26	10		33		24
25		26		4	5			70				16		25
26		60						20	10			88		26
27		20						2	~~10~~2	2	5	43		27
28		1·14						9	15	2		8		28
29									9	[illegible]		49		29
30	3	×				11		79	6	22	52	46		30
31		×		×		×		2	×	75	×	25	4	31
TOTAL	·54	4·26	1·21	3·43	1·87	3·84	·22	2·43	2·53	3·87	5·81	4·93	Year's Total 38·93	
* Days with .01 in. or more.	8	16	7	16	8	15	2	8	23	19	20	19	161	✓
* Days with .04 in. or more.	4	15	6	15	8	15	2	6	18	13	20	19	141	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) J Hartree

[P.T.O.

COPY FOR OFFICIAL USE

Section | **A** | for the entry of Daily Observations

Station No. 1798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Budleigh Salterton
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 140 130 ? ft.

To be Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	5	18				22	38					4		1
2			16	10		20	30				8			2
3			1	90		11	16		69		30	4		3
4									30		7	6		4
5	48		2			6	4		8			20		5
6	19					4	18		21		22			6
7	4		34				5				20	3		7
8	40		71				39				29	4		8
9	50	53	10				31		14					9
10	24	48					8				19			10
11	40	3				7	9	7	3		73	8		11
12				6		5	19		39	3	8	5		12
13	6	3	2				3	2		2	4	69		13
14							45		10			42		14
15	8				24		22		8		9	22		15
16		72					23				8	10		16
17	3						19				3	43		17
18	20	23	20				34					8		18
19	55		19			81	3							19
20	4		3	10		2			31					20
21			15	75		5	10							21
22	55	41					11							22
23		5	3	16			12			14				23
24		3	10		26				29	23				24
25	20	3		10			17			15				25
26	19		14				45		7					26
27	58	1	7				8		3	20				27
28	1·07		73				3					20		28
29						3				10	9	6		29
30	27	X	69			6				5				30
31	5	X	13	X	15	X	4		X		X	39		31
TOTAL	6·16	2·73	3·82	2·17	·65	1·69	4·76	·09	2·78	·92	2·46	3·13	Year's Total 31·36	✓
* Days with .01 in. or more.	21	12	18	7	3	12	26	2	13	8	14	17	153	✓
* Days with .04 in. or more.	21	7	13	7	3	10	23	1	12	6	13	16	132	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Harbee

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Budleigh

in the County of Devon

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	7	38		45							68	28		1
2		20	22	19					15			4		2
3		74		5	4							43		3
4	16				3			2				7		4
5	8	50	44	4			55							5
6	4	75	2	15	2		30							6
7				3		2					2			7
8			12		97		6				14	7		8
9			73	11					68					9
10	20		21	32		19						25		10
11	2	35	4	19	61	7	38							11
12	49	4	81	32	16	33	5	96	11			47		12
13		2	9	19				30	3					13
14		8	13	4			1'10	8	5			3		14
15	30	8	47	26			28		8			15		15
16	4	7	61	2				24	63		19			16
17	60	4	23						3		32			17
18	18		7			14			11		26	22		18
19	15	9		5	5				4		4	3		19
20	49	37	10	9	5							59		20
21	46		9	3	30		7		11		8			21
22	30	25			22		3		22	53	23	6		22
23	23	57	2		2					20	33			23
24	40	43	50							1'04				24
25	61	39	3							27				25
26		17			17									26
27		15								29				27
28	22									10				28
29										31	18			29
30		×							2	10	30			30
31	44	×		×		×			×		×			31 d
TOTAL	6'13	5'67	4'91	2'56	2'64	'75	3'32	1'60	2'31	2'84	2'67	2'69	Year's Total 38·09	✓ ✓
* Days with .01 in. or more.	19	20	19	17	12	5	9	5	13	8	12	13	152	✓ ✓
* Days with .04 in. or more.	18	19	16	14	9	4	8	4	10	8	16	11	132	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J Hartree [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Snow

Kept at Bickleigh Station

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level about 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1		3			2	18		11		37		6		1	
2		4			12					15	5	11		2	
3						2				23	11			3	
4						10	19	1·85		30		5		4	
5						1	1	19		29				5	
6	7					8	96		13	7		3		6	
7	6					4	22		4	5	4	6		7	
8	41					3	8	5		14				8	
9	13					5						34		9	
10		4										79		10	
11	52	5						13			25	12		11	
12	2				17		3			14	43	66		12	
13	23				11						30			13	
14					14		80							14	
15	83				14		29			21	17	44		15	
16	22										56			16	
17		13	3		5							2		17	
18	9				2	8			8	10	26			18	
19								7	40		77			19	
20											6			20	
21									5		44	x		21	
22	4			9		11		46			36	x		22	snow
23				6				4			2	✓ 30		23	
24			11						9		29			24	
25	8	25			23		53				1·31			25	
26	27	21			24					14		4		26	
27	10				10	9	36	61		4	25	16		27	
28	6	8			13	7		81	8			2		28	
29	12				38				9	26	23	1		29	
30	2	✕			5	29	4		36		10	4		30	
31	23	✕		✕		✕			✕	8	✕	20	"d"	31	
TOTAL	3·46	83	14	15	1·90	1·15	3·51	4·32	1·42	2·56	6·00	3·47	Year's Total 28·91		✓
* Days with .01 in. or more.	~~18~~	~~8~~	~~2~~	~~2~~	~~14~~	~~13~~	~~11~~	~~10~~	~~9~~	~~15~~	~~19~~	~~18~~	~~139~~		
* Days with .04 in. or more.	16	7	1	2	12	10	10	10	9	15	16	15 ~~14~~	5 ~~124~~		✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J Harker J.P.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 7 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 150 ft.

Cond from old, see
w/10 yr book
HR 11/48

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	6		6	3	2	[illegible]	14	37	15		27	3		1
2	12			21		4	4	38	98		7	✗		2
3				49				6			11	} 49 ✗		3
4	46		50	7	24	[illegible]	63	2		35	10	15		4
5	3		5	13		[illegible]	10	22		10	70			5
6	50		14	12		[illegible]	62			25	15			6
7		39	3					2			28	35		7
8		22			7	[illegible]	6	16		1·30	27	11		8
9			3							14	6	✗		9
10	32					3		23	4	6		} 20 ✗		10
45 11		2	7							36				11
12		6		9		1				3				12
13	5			11		5	32		11	91	5			13
14	83					4	25			5	23			14
15	49		3		4	66	11		3		11	7		15
16	19			14			6				6			16
17	52				1	20	35				2			17
18	4				2		78				49	4		18
19	24						30							19
20	33				6	14	7	1·92				5		20
22 21	5	19	2			32	41	18				10		21
22	35	22	14			41	21				23			22
23				15			8				66			23
24	68		22	11		36	16		[illegible]	10				24
25	60	13		10			2	10	[illegible]	4	12			25
26	3			16		7		18	[illegible]	11	14			26
27		25		2[illegible]		8				3	10			27
28		8		4		11	24				25			28
29						4	13			20				29
7 30		✗	3	21		12		16	[illegible]	25				30
31		✗		✗		✗	3	3	✗	43	✗			31
TOTAL	5·39	1·56	1·32	2·36	46	2·64 ~~2·59~~	4·91	4·03	1·31	4·49	4·47	1·59	Year's Total ~~25·47~~	34·53
* Days with .01 in. or more.	19	9	11	16	7	15	22	14	5	17	21	12 ~~10~~	168	
* Days with .04 in. or more.	18	8	6	16	4	13	20	11	4	15	20	11 ~~8~~	146	

* See Instruction 3 (f) on other side.

26 53
15 6

† Spare column, no entries required.

(*Signed*) J Harlee

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 120 ft.

Rcys Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					24						22			1
2		12		19			1				66			2
3		46								21	64	3		3
4	1	16									4			4
5	2						11				58			5
6	23	50							11	14	5	9		6
7	10						1			1	} 79	12		7
8		3					7			32	}	27		8
9										28	14	} 73		9
10							69	2	7		45	}		10
11				3			7				46			11
12			16			5	27		48	3	16			12
13			24				1			80	1·27			13
14			8		53				23	31	1	71		14
15		7		4	3		3		17		43			15
16		94	67	8			18			27				16
17		18	30	7			7		5	47	18	4		17
18		31	21	97			3		2		2			18
19		5	17	11					31		} 18			19
20										4	}			20
21		2	2		16						38			21
22				20		43	10		1					22
23			18	8					1	16				23
24		5												24
25	27	5	23			8	31							25
26	45	25		18	43									26
27	28	45	3		39									27
28	31	9												28
29	22	13	18	1·10					2	2		} +	partly	29
30		×		12		4				29		} 84 +	melted	30
31	7	×	4	×		×			×	69	×	} +	snow	31
TOTAL	1·96	3·50	2·51	3·17	1·78	·60	1·96	·02	1·48	4·04	6·68	2·83	Year's Total 30·53	
* Days with .01 in. or more.	10	17	13	12	6	4	14	1	11	15	19 ~~20~~	11	133	
* Days with .04 in. or more.	8	15	11	11	5	4	9	0	7	13	16 ~~18~~	10	109	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J Hartree

[P.T.O.

1799

Section **A** for the entry of Dai

AIR MINISTRY.—

OPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTE

1799

BUDLEIGH SALTERTON

BRAYWICK

1931 — 40

780308

Kept at BUDLEIGH SAL

9

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	—	.56	—	.02	.09	—	.31	.02	—	—	1
2	.30	.02	—	.61	} .24	—	—	—	.27	—	~~.44~~	.14	2
3	.13	—	.65	—		—	.06	—	.10	—	1.36	.03	3
4	.04	—	.17	—	.03	.21	.16	.10	.17	—	—	—	4
5	—	.44	.09	.09	—	.59	—	.14	—	—	.07	.24	5
6	—	.05	—	.02	.08	.16	.02	—	—	.20	.09	.47	6
7	—	.02	—	—	.22	.23	.25	.15	—	—	.43	.13	7
8	—	.19	—	.23	—	.44	.05	.05	—	.08	.23	.05	8
9	.04	.11	—	—	—	.06	.05	—	—	—	.31	.01	9
10	—	.03	—	—	.06	.16	—	—	.76	—	.54	—	10
11	.11	.43	—	—	—	.20	.09	—	.07	—	.35	—	11
12	.10	.05	—	—	—	—	.19	—	.10	.06	—	—	12
13	—	.08	—	—	.06	—	} 1.10	.10	—	—	—	—	13
14	.02	.03	—	—	.01	.11		—	.03	—	.25	—	14
15	—	.12	—	.02	.09	—	—	.10	—	—	—	—	15
16	—	.20	—	.04	.14	.43	—	.05	.09	—	—	—	16
17	—	.09	—	.06	—	.01	.34	—	—	—	—	—	17
18	.02	—	—	.15	—	.26	.06	1.54	—	—	.22	—	18
19	.03	.10	.05	.11	—	.17	.02	.11	.05	—	.07	—	19
20	—	.10	.39	—	—	—	—	.19	—	—	.09	—	20
21	.12	—	—	—	.21	—	—	—	—	—	—	—	21
22	.28	—	.02	.04	.09	—	—	—	—	—	—	—	22
23	.22	.03	—	.13	.63	—	.01	.05	—	—	.34	—	23
24	.06	—	—	.45	.09	—	.53	.49	—	—	.02	—	24
25	.15	—	—	.34	.05	—	.06	—	—	—	.19	—	25
26	—	—	—	.11	—	—	.01	—	—	—	.59	—	26
27	.13	.12	—	—	.58	—	—	.01	—	—	.08	—	27
28	—	.07	.06	—	.02	—	—	.20	—	—	—	.12	28
29	.04	—	.16	—	.07	—	—	—	—	—	.16	.18	29
30	.03	×	—	—	.04	—	—	.01	.03	.02	—	—	30
31	.44	×	.01	×	.10	×	.02	—	×	—	×	.38	31
TOTAL	2.26	2.30	1.60	2.99	2.81	3.05	3.51	3.34	1.98	.38	5.39	1.75	YEAR'S TOTAL 31.36
*Days with ·01 in. or more.	18	20	9	15	19	14	19	15	11	5	18	10	173
*Days with ·04 in. or more.	14	14	7	13	16	12	14	13	9	3	17	8	149

40-9999

(Signed) E. Fisher.

P.T.O.

*See Instruction 2 (*f*) on other side.

1799

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at BUDLEIGH SALTERTON ~~BRAYWICK~~ Station No 1799

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	—	.56	—	.02	.09	—	.31	.02	—	—	1
2	.30	.02	—	.61	} .24	—	—	—	.27	—	~~.17~~	.14	2
3	.13	—	.65	—		—	.06	—	.10	—	1.36	.03	3
4	.04	—	.17	—	.03	.21	.16	.10	.17	—	—	—	4
5	—	.44	.09	.09	—	.59	—	.14	—	—	.07	.24	5
6	—	.05	—	.02	.08	.16	.02	—	—	.20	.09	.47	6
7	—	.02	—	—	.22	.23	.25	.15	—	—	.43	.13	7
8	—	.19	—	.23	—	.44	.05	.05	—	.08	.23	.05	8
9	.04	.11	—	—	—	.06	.05	—	—	—	.31	.01	9
10	—	.03	—	—	.06	.16	—	—	.76	—	.54	—	10
11	.11	.43	—	—	—	.20	.09	—	.07	—	.35	—	11
12	.10	.05	—	—	—	—	.19	—	.10	.06	—	—	12
13	—	.08	—	—	.06	—		.10	—	—	—	—	13
14	.02	.03	—	—	.01	.11	} 1.10	—	.03	—	.25	—	14
15	—	.12	—	.02	.09	—	—	.10	—	—	—	—	15
16	—	.20	—	.04	.14	.43	—	.05	.09	—	—	—	16
17	—	.09	—	.06	—	.01	.34	—	—	—	—	—	17
18	.02	—	—	.15	—	.26	.06	1.54	—	—	.22	—	18
19	.03	.10	.05	.11	—	.17	.02	.11	.05	—	.07	—	19
20	—	.10	.39	—	—	—	—	.19	—	—	.09	—	20
21	.12	—	—	—	.21	—	—	—	—	—	—	—	21
22	.28	—	.02	.04	.09	—	—	—	—	—	—	—	22
23	.22	.03	—	.13	.63	—	.01	.05	—	—	.34	—	23
24	.06	—	—	.45	.09	—	.53	.49	—	—	.02	—	24
25	.15	—	—	.37	.05	—	.06	—	—	—	.19	—	25
26	—	—	—	.11	—	—	.01	—	—	—	.59	—	26
27	.13	.12	—	—	.58	—	—	.01	—	—	.08	—	27
28	—	.07	.06	—	.02	—	—	.20	—	—	—	.12	28
29	.04	—	.16	—	.07	—	—	—	—	—	.16	.18	29
30	.03	×	—	—	.04	—	—	.01	.03	.02	—	—	30
31	.44	×	.01	×	.10	×	.02	—	×	—	×	.38	31
TOTAL	2.26	2.30	1.60	2.99	2.81	3.05	3.51	3.34	1.98	.38	5.39	1.75	YEAR'S TOTAL 31.36
*Days with ·01 in. or more.	18	20	9	15	19	14	19	15	11	5	18	10	173
*Days with ·04 in. or more.	14	14	7	13	16	12	14	13	9	3	17	8	149

40-9999

(Signed) E. Fisher.

P.T.O.

*See Instruction 2 (*f*) on other side.

1799

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·45

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		—	.17	—	—	—	.60	—	—	—	—	1
2	—		—	.23	—	.05	.03	.04	.11	.01	—	.13	2
3	.03		—	—	—	.90	.02	—	.38	.03	.10	.07	3
4	.02		—	—	—	.19	—	.07	—	—	—	—	4
5	.15		.05	—	—	—	.03	—	.06	—	—	—	5
6	.50		—	.09	—	—	.12	—	.33	—	—	—	6
7	.10		—	.10	.19	—	—	—	.52	1.27	—	—	7
8	.02		.45	—	.16	—	—	—	.11	—	—	—	8
9	.71		—	.15	—	—	—	—	—	—	—	—	9
10	.21		—	.28	.13	—	—	—	—	.29	—	—	10
11	.01		—	.12	.12	—	—	—	—	.06	—	.09	11
12	.46		—	—	.31	—	.03	—	.02	.08	—	.02	12
13	.04		—	.12	.03	—	.25	.54	—	1.02	—	.23	13
14	.24		—	.12	.20	.10	—	—	—	—	—	.01	14
15	—		—	.11	.15	—	—	—	—	.04	—	.01	15
16	.15		—	—	—	—	—	—	—	—	—	—	16
17	.02		—	.02	.01	—	—	—	.02	—	—	—	17
18	—		—	—	.26	—	—	—	.15	—	.22	—	18
19	.10		—	.01	.26	—	—	—	.07	.30	—	—	19
20	.04		—	—	1.33	—	.03	.02	—	.74	.28	.21	20
21	.02		.11	.22	—	—	—	.15	.12	.33	.80	.11	21
22	—		—	—	—	—	.02	.08	.72	.33	.16	—	22
23	—		—	—	.02	—	.15	—	—	.49	—	.14	23
24	—	.03	—	—	.01	—	.69	—	.09	.04	.03	.01	24
25	—		.62	.03	—	—	.04	—	.08	.16	—	.01	25
26	—		.04	.03	—	—	.04	—	—	.07	.05	—	26
27	—		.53	.33	.12	—	.06	—	—	.25	—	.07	27
28	—		.09	.02	.14	—	—	—	—	—	—	.07	28
29	—		.36	.09	.20	.48	—	.60	.48	.47	.03	.37	29
30	—	×	—	.03	.02	1.35	.29	—	.48	.12	1.30	—	30
31	—	×	.14	×	.20	×	.01	—	×	.01	×	.54	31
TOTAL	2.83	.03	2.39	2.27	3.86	3.07	1.81	2.10	3.74	6.11	2.97	2.09	YEAR'S TOTAL 33.27
*Days with ·01 in. or more.	18	1	9	19	19	6	15	8	16	21	9	16	157
*Days with ·04 in. or more.	10	0	9	13	14	6	8	7	14	17	7	11	116

40-9999

(Signed) E. Fisher.

P.T.O.

*See Instruction 2 (*f*) on other side.

1799

Section A **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	.27	.04	—	—	.20	—	—	—	—	.03	1.72	1
2	.48	.01	.81	—	.67	.25	—	—	—	—	—	.07	2
3	.10	.12	.23	—	.01	—	—	—	—	—	—	—	3
4	.19	—	.13	—	.07	—	—	—	—	—	—	—	4
5	.03	—	.32	—	.03	—	—	—	—	.03	.02	—	5
6	—	.41	—	—	.10	—	.14	—	—	.10	—	—	6
7	—	.06	.03	—	.08	—	.04	—	—	.17	—	—	7
8	—	—	—	—	.02	—	.10	—	—	—	—	—	8
9	—	.02	—	—	}	—	.19	—	—	—	.05	—	9
10	.03	.20	—	—	} .46	—	.17	—	—	.39	.01	—	10
11	.06	—	—	.01	}	.29	.04	.23	—	—	—	—	11
12	—	—	—	.39	}	.10	.12	—	.64	—	—	.02	12
13	—	—	—	—	—	.02	.09	.24	—	.15	.04	—	13
14	.07	—	—	—	—	—	.90	.17	—	.16	.28	—	14
15	.46	—	.22	—	—	—	.21	—	—	.03	.43	—	15
16	—	—	.84	—	—	—	—	—	—	.16	—	—	16
17	—	.07	.21	—	—	.11	—	—	.08	—	—	—	17
18	.07	—	.12	—	—	.07	—	—	—	—	—	—	18
19	.19	—	.26	—	—	—	—	.04	.12	—	.50	.03	19
20	—	.03	—	—	—	.35	—	—	—	—	—	—	20
21	—	—	—	.09	—	.04	—	.01	—	.04	.02	—	21
22	—	—	—	.16	—	.14	—	.04	.59	—	—	—	22
23	—	—	—	—	—	.23	—	.29	.64	.27	—	—	23
24	—	1.27	—	.21	—	—	—	—	.09	.07	—	—	24
25	—	1.07	—	.21	—	.25	—	—	.23	—	—	.18	25
26	—	.35	—	.26	.09	.01	—	—	.01	.03	—	—	26
27	—	.03	—	—	—	—	—	—	—	.38	.08	.52	27
28	—	.04	—	.35	.24	—	.65	—	—	.27	—	.26	28
29	.06	×	—	.13	—	—	.04	—	.03	—	—	.11	29
30	.03	×	.07	—	—	—	.07	—	.16	—	—	.08	30
31	.09	×	.10	×	—	×	—	—	×	.06	×	—	31
TOTAL	2.31	3.95	3.44	1.81	1.77	2.06	2.76	1.02	2.59	2.31	1.46	2.99	YEAR'S TOTAL 28.47
*Days with ·01 in. or more.	14	14	13	9	12	13	13	7	10	15	10	9	140
*Days with ·04 in. or more.	11	10	12	8	10	11	13	6	9	12	6	7	115

40-9999

D

*See Instruction 2 (*f*) on other side.

(Signed) E. Fisher [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1799

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.06		—	—	—	—	—	.62	.10	—	.12	.62		1
2	.14		.07	—	—	—	—	—	.75	—	.22	.33		2
3	.04		—	—	—	—	—	—	—	.52	—	.28		3
4	.08		.09	.04	.15	—	—	.03	.24	.11	—	.33		4
5	.05		.08	—	.15	.14	~~.14~~	.03	—	.03	—	.39		5
6		.02	.31	.07	.22	—	—	.62	.01	.40	—	.44		6
7	.02		—	—	—	—	—	—	—	.11	.02	.52		7
8	.01		—	—	.13	—	—	.13	.03	—	.33	.25		8
9	.02		.25	.04	—	—	—	—	—	—	.55	.07		9
10	.17		.22	.34	—	—	.02	—	—	.01	.06	.23		10
11	.46	—	.09	.37	—	—	—	—	—	—	—	.62		11
12	.02	.02	.01	—	—	—	.02	.10	—	—	—	.23		12
13	.34		—	.44	—	—	—	—	—	—	.04	.42		13
14	.26		.35	.03	—	—	—	—	—	.01	.62	.27		14
15	.02		.11	—	.07	—	—	—	—	.15	.11	.33		15
16	.05		.31	—	.06	—	—	—	.04	.02	—	.39		16
17	.09		.07	.17	—	—	—	—	.05	.06	—	.27		17
18	.07		.21	.51	—	—	—	—	.04	—	—	.27		18
19	—		.19	.21	.02	.05	—	—	.11	—	—	.06		19
20	—		.09	.17	—	—	.05	—	—	—	—	—		20
21	—		.09	.02	—	.12	—	.03	.02	.31	—	.37		21
22	.02		.07	—	—	—	.14	.20	.25	—	—	.65		22
23	.09		.02	—	—	1.10	—	—	.28	.08	—	.06		23
24	—	.09	.04	.13	—	.24	.05	—	—	.11	—	.04		24
25	.25	.01	—	.10	—	.07	—	—	—	.25	—	.84		25
26	—		.05	.21	—	.20	—	—	.05	—	.02	.06		26
27	—		—	.05	—	.02	—	—	.02	—	—	.27		27
28	—		—	.03	—	.01	—	.49	.23	—	—	.70		28
29	—		—	.03	—	—	—	.02	.05	.04	—	.01		29
30	—	×	—	—	—	—	.03	.07	.08	—	—	.23		30
31	—	×	—	×	.02	×	.03	.03	×	.05	×	.05		31
TOTAL	2.26	.14	2.66	2.96	.82	1.95	.34	2.37	2.35	2.26	2.09	9.60	Year's Total 29.80	
*Days with ·01 in. or more.	20	4	20	18	8	9	7	12	17	16	10	30	171	
*Days with .04 in. or more.	14	1	17	14	6	7	3	7	12	12	8	29	130	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. Fisher.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1799

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 120 ft.

accumulation

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	.60	—	—	.17			.10	.10	.10	.13		1
2		—	.05	—	—	—			.05	.24	.13	.08		2
3		—	.16	—	.27	.15			.03	.63	.21	.03		3
4	.05	.17	—	—	.07	.27			.12	.04	.20	.26		4
5		.18	.07	.07	—	—			—	.14	.07	—		5
6		—	—	.35	—	.82			—	.04	.07	.26		6
7		—	—	.28	—	.04			—	.21	.06	.02		7
8		—	—	.37	—	—			.27	—	.31	.03		8
9		—	—	.33	—	.12			.03	.68	.18	—		9
10		.01	snow .17	—	—	.02			—	—	—	.03		10
11	.24	—	.04	—	—	.31			.11	.01	.33	—		11
12	.03	.04	—	—	—	.62		.03	.02	—	.18	—		12
13	.03	.08	—	.27	—	.08		—	.04	—	.30	—		13
14		.05	—	.24	—	.02		—	.21	.01	1.19	.24		14
15		.03	—	.64	.20	.34		—	.05	—	.39	.09		15
16		—	.08	.14	—	.14		—	.40	—	1.12	—		16
17		—	—	.03	.89	.25		.18	~~.18~~	—	.07	—		17
18		.06	—	.11	.03	—	.14	—	.14	.02	.06	.12		18
19		.02	—	.03	.33	.05	.11	—	.10	.11	.40	—		19
20		.28	—	.14	.03	—	.07	—	—	—	.23	—		20
21		.52	—	.12	—	.02		—	.05	.07	—	—		21
22		.03	.03	.10	—	—		—	.05	—	—	—		22
23		.04	.03	—	.15	—		.43	} .41 x	.35	—	.46		23
24	.03	.59	—	—	.12	—		.61	x	.08	—	.26		24
25	.15	.27	—	.06	.05	.14		.21	-	—	—	.18		25
26	.02	.58	—	—	—	—		.03	x	—	.02	.87		26
27		.15	—	—	—	—		.13	—	.03	.03	.46		27
28		.18	.02	—	.02	—		—	.14	.02	—	.06		28
29		x	—	—	—	—		—	.11	.02	.05	.50		29
30	.03	x	—	—	—	.14		.75	.06	.22	.53	.46		30
31		x	—	x		x		.03	x	.79	x	.24		31
TOTAL	.60	3.28	1.25	3.28	2.16	3.70	.32	2.40	2.49	3.81	6.23	4.78	Year's Total. 34.30	
* Days with .01 in. or more.	9	18	10	16	11	18	3	9	~~23~~ 22	20	23	20	~~180~~	179
* Days with .04 in. or more.	3	14	7	14	8	15	3	6	19	14	21	16	140	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. Fisher.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1799.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.15	—	.13		.23	.37		—		.01	.05		1
2	—	—	—	.06		.22	.30		.12		.11	—		2
3	—	—	—	.84		.14	.14		.47		.28	.03		3
4	—	—	.17	—		.09	—		.37		.08	.11		4
5	.42	.03	.02	—		—	.09		.05		—	.15		5
6	.11	—	.02	—		.04	.14	.01	.16		.23	—		6
7	.12	—	.30	—		—	.42		.01		.22	.04		7
8	.29	—	.72	—		—	—		—		.32	.04		8
9	.57	.46	.11	—		—	.28		.11		.03	—		9
10	.11	.33	—	—		.01	.08		—		.20	—		10
11	.40	.02	—	—		.08	.05	.05	.04		.75	.11		11
12	—	—	—	.07		.05	.19	—	.43		.06	—		12
13	.06	—	.02	—		—	.03	.04	—	.04	.04	.86		13
14	—	.03	—	—		—	.51	—	.11	.02	—	.49		14
15	.03	.02	—	—		—	.23	—	—	—	.11	.28		15
16	—	.18	—	—	.28	—	.21	—	—	—	.07	.12		16
17	.03	.79	—	.02		—	.15	—	.02	—	.03	.58		17
18	.21	.22	.20	—		—	.28	.05	—	.06	—	.08		18
19	.58	.03	.19	.05		.89	.03	—	.32	—	—	—		19
20	.03	.27	.14	.03		.02	.02	.01	—	—	—	—		20
21	—	.16	.02	.78		.06	.07		—	—	—	—		21
22	.14	.28	.21	—		—	.15		—	—	—	.02		22
23	.02	.06	.01	.16	.09	—	.05		—	.09	—	—		23
24	.34	.02	.10	—	.17	—	.01		.32	.25	—	.01		24
25	.13	—	.39	.10		—	.17		—	.20	—	—		25
26	.15	.02	.06	—		—	.37		.06	—	—	—		26
27	.59	.04	—	—		—	.07		—	.16	—	—		27
28	.91	—	.53	—		—	.03		—	.02	—	.16		28
29	.02	.03	—	—		.04	—		—	.09	.10	.05		29
30	.25	✕	—	—		.04	.03		—	.05	—	—		30
31	.05	✕	.62	✕	.12	✕			✕	—	✕	.38		31
TOTAL	5.61	3.14	3.83	2.24	.66	1.91	4.47	.16	2.59	.98	2.64	3.56	Year's Total 31.79	✓
* Days with .01 in. or more.	24	19	18	10	4	13	28	5	14	10	16	18	179	✓
* Days with .04 in. or more.	19	11	13	8	4	11	22	2	12	8	13	15	138	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. Fisher.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1799

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Budleigh Salterton
in the County of Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 120 ft.

Acc

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.02	—	.45	—	—	—	—		—	.02	.29		1
2	—	.39	.11	.18	—		—	—		—		.04		2
3	—	.19	.14	.07	.03		—	—		—		—		3
4	.16	.75	—	—	.04		—	.02		—		.51		4
5	—	.01	—	.05	—		—	—		—		.09		5
6	.05	.50	.46	.14	.02		.83	—		—		—		6
7	—	.76	.02	.02	—	.02	—	—		—	.04	snow .38		7
8	—	.05	—	—	.87	—	.07	—		—	.10	—		8
9	.02	—	.13	.11	.01	—	.01	—		.03		.05		9
10	.20	.02	.74	.31	.17	.21	.03	—		—		.22		10
11	.02	—	.22	.19	.44	.08	.34	—		—		—		11
12	.58	.31	.03	.33	.10	.29	.05	1.05		—		.45		12
13	—	.02	.76	.19	—		—	.31		—		—		13
14	—	.02	.12	.04	—		—	.03		—		.04		14
15	—	.08	.20	.25	—		1.34	—		—		.14		15
16	.03	.07	.35	.02	—		.08	.23		—	.14	—		16
17	.60	.08	.60	—	—		—	.03		—	.30	—		17
18	.07	.03	.28	—	—	.15	—			—	.23	.23		18
19	.16	.02	.04	.05	x		—			—	.04	.03		19
20	.43	.07	—	.10	x		—			—	—	.50		20
21	.47	.43	.12	.02	x .70		—			—	.10	.02		21
22	.22	.02	.09	—	x		.11			—	.26	.05		22
23	.19	.23	—	—	.01		—			.70	.27	.01		23
24	.34	.60	.03	—	—		—			.83	—	—		24
25	.53	.43	.53	—	.10		—			.21	.02	—		25
26	—	.35	.03	—	.07		—			.03	—	—		26
27	.03	Snow .25	—	—	—		—			.37	—	—		27
28	.18	.03	—	—	—		—			.13	.01	.04		28
29	.06	x	—	—	—		—			.29	.17	—		29
30	.69	✕	—	—	—		—			.11	.20	—		30
31	.46	✕	—	✕	—	✕	—		✕	.64	✕	—		31 d
TOTAL	5.54	5.73	5.00	2.52	2.56	.75	2.86	1.67	1.35	3.34	1.90	3.09	Year's Total 36.31	✓
* Days with .01 in. or more.	22	26	20	17	15 ~~13~~	5	9	6	(13)	10	14	17	~~159~~ (174)	✓
* Days with .04 in. or more.	18	17	16	14	11 ~~9~~	4	7	3	(10)	8	11	14	~~121~~ (133)	✓

Absent from home: daily falls not kept.

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. Fisher. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1799

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 120 ft.

July & August totals adjusted from nearby stns

ACF ✓ W.H.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·05

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.03			.02	.10	—	✗	—	.45	—	.09		1
2	—	.04			—	—	—	—	—	.14	.10	.12		2
3	—	—			.13	.01	.04	—	—	.24	—	/		3
4	—	—			—	.12	.17	✗	—	.33	—	.05		4
5	—	—			—	—	—	✓	.11	.25	—	.01		5
6	.08	—			—	.11	1.6	—	.03	.07	—	.03		6
7	.08	—			—	.03	.08	—	.03	.13	.04	.06		7
8	.44	.02			—	—	—	✗	—	~~.04~~	—	.01		8
9	.78	—			—	.06	—	—	—	—	—	.32		9
10	.13	.07			—	—	.03	—	—	—	—	.75		10
11	.10	—			.17	—	.08	✗	—	—	.26	.62		11
12	.30	—			.11	—	—	—	—	.15	.51	.08		12
13	.24	—			.16	—	.83	—	—	—	.20	.65		13
14	.70	—			.14	—	.30	—	—	—	—	—		14
15	.10	—			—	—	—	—	—	.20	—	.30		15
16	.17	—			.06	—	—	—	—	—	.52	.02		16
17	—	.13	.03		.03	—	—	—	—	—	.02	—		17
18	.10	—			—	.08	—	✓	.09	.12	.27	—		18
19	—	—			—	.03	—	✗	.35	.03	.74	—		19
20	—	—			—	—	—	✓	—	—	.08	—		20
21	—	—			—	.13	—	—	.04	—	.46	Snow .15		21
22	.04	—		.08	—	—	—	✗	.02	—	.34	.06		22
23	—	—		.07	—	—	—	✗	—	—	.02	.02		23
24	—	—	.13		.04	—	—	✗	.09	—	.28	—		24
25	.09	.26			.18	—	.56	—	—	.02	1.29	.05		25
26	.23	.23			.24	—	—	—	—	.09	.07	.05		26
27	.10	—			.09	.10	✗	✗	—	.04	.24	—		27
28	.06	.09			.14	.08	— (.40)	✗	.09	—	—	—		28
29	.08				.39	—	—	—	.19	.30	.21	.05		29
30	.02	×			.04	.29	✗	—	.25	—	.10	.03		30
31	.25	×		×	.11	×	—	—	×	.08	×	.25		31
TOTAL	3.49	.87	.16	.15	2.04	1.44	July 27 — Aug 29 ~~1.86~~ 4.09	4.46	1.29	2.68	5.69	3.85	Year's Total ~~26.22~~	29.91
* Days with .01 in. or more.	20	8	2	2	16	12	11	13	11	17	19	22	153	✓
* Days with .04 in. or more.	19	6	1	2	14	9	10	10	8	15	16	16	126	✓

away from home

Register not kept

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. Fisher.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1799

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Braywick, Budleigh Salterton

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.05	—	.06	.03	.02	—	.16	.40	1.00	—	.23	.63		1
2	.12	—	—	—	—	—	—	.39		—	.05	.07		2
3	.47	—	.04	.83	—	—	—	.05		—	.09	.49		3
4	.02	—	.45	.06	.26	—	.05	.01		.28	.06	.18		4
5	.02	—	.05	.14	—	—	.64	.20		.09	.67	.02		5
6	.55	—	.12	.15	—	—	.20	.05		—	.08	—		6
7	—	—	.03	—	—	—	.39	.01		.25	.30	.40		7
8	.02	.58	—	—	.08	—	.06	.15		.90	.26	.09		8
9	.33	—	.02	—	—	—	—	.13		.18	.09	.06		9
10	—	—	—	—	—	—	—	—	.04	.08	—	.18		10
11	—	.02	.07	—	—	—	—	—		.21	—	—		11
12	—	.07	—	.12	—	.02	—	—		.05	.03	—		12
13	.03	—	—	—	—	.05	.32	—	.10	.94	.04	—		13
14	.92	—	—	—	.01	.08	.27	—		.05	.24	.02		14
15	.45	.01	—	.15	.06	.61	.09	—		—	.15	.05		15
16	—	—	.02	—	—	—	.08	—		—	.06	—		16
17	.76	—	—	—	.01	.21	.47	—		—	.03	—		17
18	—	—	—	—	.03	.04	.80	—		—	.54	.05		18
19	.33	—	—	—	—	.02	.17	—		—	—	.04		19
20	.30	—	—	—	.08	.09	.08	1.90		—	—	.09		20
21	—	.16	.02	—	—	.33	.35	.16		—	—	—		21
22	—	.37	.14	—	—	.42	.23	—		—	.25	—		22
23	—	—	—	.16	—	—	.08	—		—	.71	—		23
24	1.25	—	.24	.10	—	.35	.17	—		.09	—	—		24
25	.45	.13	—	.11	—	~~.07~~	.01	.14		.04	.13	—		25
26	—	—	—	.16	—	.07	—	—		.14	.14	.02		26
27	—	.28	—	.02	—	.04	—	—		.03	.09	—		27
28	—	.03	—	.02	—	—	.25	—		—	.21	—		28
29	—		—	.02	—	—	.12	—		.25	—	—		29
30	—	✕	.03	.21	—	.12	.04	—		.55	—	—		30
31	—	✕	—	✕	—	✕	—	.30	✕	.13	✕	.03		31
4-29 TOTAL	6.07	1.65	1.29	2.28	.55	2.45	5.03	3.89	1.14	4.26	4.45	1.82	Year's Total 34.88	
* Days with .01 in. or more.	16	9	13	15	8	14	22	13	3	17	22	16	168	✓
* Days with .04 in. or more.	12	6	8	13	4	12	21	11	3	16	20	11	137	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. Fisher.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1799

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Budleigh Salterton Braywick.
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 120 ft.

Ack

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: nil

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.01	—	—	.12				—	—	.23	—		1
2	—	.12	—	.20	—				—	—	.59	.11		2
3	.12	.51	—	—	—				—	.20	.55	.26		3
4	.02	.19	—	—	—				—	.09	.05	—		4
5	.04	—	—	—	—		.22		—	.03	.55	.10		5
6	.20	.56	—	—	—				—	.13	.05	.11		6
7	.10	.01	—	—	—		away		.01	.02	—	.07		7
8	—	.03	—	—	—				—	.37	.24	.20		8
9	—	—	—	—	—		.61	.01	.01	.13	.52	.08		9
10	—	—	—	—	—		.09	.02	.07	.04	.14	.65	—	10
11	—	—	.03	.03	—		.26		—	—	.53	—		11
12	—	—	.15	—	—	.06	.13		.50	—	.15	—		12
13	—	—	.37	.01	—		.05		.02	.90	1.36	.39		13
14	—	Snow, .08	.02	.04	.52		.03		.23	.37	.02	.21		14
15	—	—	—	.08	.04		.22		.16	.19	.41	—		15
16	—	1.06	.61	.07	—		.07		.05	.42	.21	.02		16
17	—	.20	.34	.10	—		.03		—	—	.19	—		17
18	Snow .10	.28	.28	1.05	—		[illegible]		—	.05	.01	.04		18
19	—	.06	.21	.10	—		~~.09~~		.31	.01	.17	—		19
20	—	—	—	—	—		[illegible]		—	.07	.02	—		20
21	—	.02	.01	—	.17		~~.04~~		.02	—	.43	—		21
22	—	.05	.11	.14	—	.47	—			—	—	—		22
23	—	—	.17	.07	.04	—	.03			.15	—	—		23
24	.18	—	—	—	—	—	.28			—	—	—		24
25	—	—	.23	—	.14	.08	—			—	—	—		25
26	.51	.39	—	.18	.28	—	.10			—	—	—		26
27	.31	.06	.03	~~.04~~	.41	—	—			—	—	—		27
28	.34	.18	—	.04	—	—	—			—	—	—		28
29	—	.07	.15	1.09	—	.04	—			.03	—	.25		29
30	Snow .05	×	—	.03	.02	—	—			.29	—	.16		30
31	.02	×	.03	×	—	×	—		×	.61	×	.61		31
TOTAL	1.99	3.88	2.74	3.23	1.74	.65	2.25	.03	1.38	4.10	6.42	3.26	Year's Total 31·67	
* Days with .01 in. or more.	12	18	15	14	9	4	~~15~~ 14	2	10	19	20	15	153^{2}	
* Days with .04 in. or more.	10	14	10	12	8	4	? 11	—	6	16	17	14	141 about	122

† Spare column, no entries required.

(*Signed*) E. Fisher.

* See Instruction 3 (f) on other side.

[P.T.O.

FORM 1090. **B** Mo Su ...on.

1799/5

1799/5

BUDLEIGH SALTERTON
FRAYS' COTTAGE
1933, 1934
780308

Devon/7
698102/26

, The following register of month ... &c., is NOT required if daily ... values are given on the other s... ...ection and also the space for ... this register should be sent:—

...tage,
S. Devon.

RAINFALL IN 1933

At ~~Budleigh Salterton (F~~ ... in Summer ...
In the County of ~~S. Devon~~

Nearest Railway Station .... Distance .... Direction from gauge ....
Nearest Parish Church at .... Distance .... Direction from gauge ....

Rain Gauge
~~Diameter of Funnel 5 in.~~
~~*Height of Top above Ground* 1 ft. 0 in.~~
~~*Height of Ground above Sea Level* 150 ft.~~

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·76				
FEB.	3·64				
MAR.	3·06				
APRIL	1·67				
MAY	1·44				
JUNE	1·90				
JULY	1·77				
AUG.	(1·00)	allocated by surrounding stations			
SEPT.	(2·81) ~~3·81~~				
OCT.	2·09				
NOV.	1·31				
DEC.	2·33				
Total	24·78				

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

Signature Arthur A Sanders.
~~Rev. A A Sanders~~

*See Instruction 2 (*f*) below.

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

1931 NR 1932 NO c 1933

copied from reply to Circ. B. 7/4/34 J.O.O.

Circ H sent for particulars 7/4/34 J.O.O.

Looks Low

Nearest Railway Stn 1/2 mile Distance............ Direction from Gauge N.W.
,, Parish Church 1/2 mile ,, ... ,, S.W.
Diameter of Funnel of Gauge 5 in Height of top of Gauge above ground 1 ft.
Height of ground above Sea Level 150 Pattern of Gauge............
Nature of Objects nearest to Gauge Hedge with Elm Tree
Height of Objects 15 ft. Hedge 40 ft. Elm.
Distance from Gauge 20 yds
Direction ,, ,, South.

(*2507) Wt. 27196—7732 125 3/31 F.S. 118

drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

The number of days with ·04 in. or more ... *days with any rain except those for which the entries are trace*, ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D N

FORM 1090.

B M… Summary.

C Particulars of Station.

1799/5.

V/S. Devon/7

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Budleigh Salterton (Fray's Cottage)
In the County of S. Devon
Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 0 in.
Height of Ground above Sea Level 150 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more*	Number of Days with ·04 in. or more*
	Inches	Inches	Date.		
JAN.	1·76				
FEB.	3·64				
MAR.	3·06				
APRIL	1·67				
MAY	1·44				
JUNE	1·90				
JULY	1·77				
AUG.	(1·00)	allocated by surrounding stations.			
SEPT.	(2·81) ~~3·81~~				
OCT.	2·09				
NOV.	1·31				
DEC.	2·33				
Total	24·78	[illegible]			

Signature Arthur A Sanders.
Rev. A A Sanders.

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

698102/26

Name and Address to which any inquiry relating to this register should be sent:—
Rev. A.A. Sanders, Fray's Cottage,
Budleigh Salterton, S. Devon.

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

1931 NR 1932 NO c 1933

copied from reply to Circ. B. 7/4/34 J.O.O.

Circ H sent for particulars 7/4/34 J.O.O.

Looks Low

Nearest Railway Stn 1/2 mile Distance .... Direction from Gauge N.W.
,, Parish Church 1/2 mile ,, ... ,, S.W.
Diameter of Funnel of Gauge 5 in Height of top of Gauge above ground 1 ft.
Height of ground above Sea Level 150 Pattern of Gauge ....
Nature of Objects nearest to Gauge Hedge with Elm Tree.
Height of Objects 15 ft. Hedge 40 ft. Elm.
Distance from Gauge 20 yds
Direction ,, ,, South

(*2507) Wt. 27196—7732 125 3/31 F.S. 118

drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

The number of days with ·04 in. or more includes all the days with any rain except those for which the entries are trace, ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D N

1799/3.

V/S Devon/7

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Budleigh Salterton (Frays Cottage)

In the County of Devon

Rain Gauge

Diameter of Funnel .... in.

Height of Top above Ground ...... *ft* ...... *in*.

Height of Ground above Sea Level ...... *ft*.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·59	·26	14.	14.	13
FEB.	·11	·08	24	2.	1
MAR.	2·13,	·28	16	15.	15
APRIL	2·45	·38	18.	12.	12
MAY	·58	·28	6.	4	4.
JUNE	1·80	1·07	23	6.	6
JULY	·20	·11	22.	4.	4
AUG.	2·09	·50	1	9.	9
SEPT.	2·05	·63	2	11	10
OCT.	1·95	·55.	3.	11.	11
NOV.	2·08.	·71	9	8.	8
DEC.	8·26	·75	25	22	21
Total	25·29			120	114.

Signature Arthur A. Sanders

Rev. A. A. Sanders

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Frays Cottage
Budleigh Salterton Devon.

Hour of observation by the clock—in Winter 9. o.c. in Summer 9. o.c.

Nearest Railway Station Budleigh S. Distance 1/2 m. Direction from gauge N. W

Nearest Parish Church at Budleigh S. Distance 1 mile Direction from gauge S. W.

Nature of objects nearest to gauge	Hedge.	Tree.		
Heights of objects	20 ft.	40 ft.		
Distances ..	20 yds.	21 yds.		
Directions from gauge ..	S	S.		

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall, please give the observer's name and address:—**

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

1931 NR
1932 NR
1933 Lodged

+698102/26

1934 3"-5" too low Blacklisted

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

BUDLEIGH SALTERTON (FRAY'S COTTAGE)

498.102/26

1799/5

M.S.D.../7

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Budleigh Salterton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ft 6 *in.*
- *Height of Ground above Sea Level* 200 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more*	·04 in. or more*
	Inches	Inches	Date		
JAN.	1·59	·26	14	14	13
FEB.	·11	·08	24	2	1
MAR.	2·13	·28	16	15	13
APRIL	2·45	·38	18	12	11
MAY	·58	·28	6	4	4
JUNE	1·80	1·07	23	6	6
JULY	·20	·11	22	4	2
AUG.	2·09	·50	4	11	10
SEPT.	2·05	·63	2	11	10
OCT.	1·98	·55	3	11	11
NOV.	2·08	·71	9	8	8
DEC.	8·26	·75	25	22	21
Total	25·29				

Signature Arthur A. Sanders

X Rev A A Sanders. X

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— Frays Cottage
Budleigh Salterton

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station Budleigh S. Distance 1/2 Direction from gauge S.W

Nearest Parish Church at Ditto Distance 1/2 Direction from gauge S.W

Nature of objects nearest to gauge	Hedge	& Trees		
Height of objects	20 ft	40 ft.		
Distances	20 yds.	20 yds.		
Directions from gauge	S.	S.		

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

np cnd A

letter

c 1933. Low frp.
poor exposure to S.

Still too low (4-5")
Low frp.

D INSTRUCTIONS.

-4 APR. 1935

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

-4 APR. 1935

1800

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGIST

93/.

1800

BUDLEIGH SALTERTON, TIDWELL HSE

1931—40

78030P

Kept at Tidwell House, B

in the County of Devo

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

oo

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·62	·08				·24	·02			1
2	·29			·61					·29		·06	·10	2
3	·14		·69				·04		·11		1·15	·02	3
4	·03		·23		·20	·25	·14	·18	·15	·01			4
5		·50	·10	·05		·72		·11			·09	·19	5
6		·05		·02	·07	·16	·04			·18	·09	·42	6
7		·02			·24	·23	·25	·10		·05	·53		7
8		·22		·24		·40	·05				·15	·04	8
9	·02					·09	·05	·06			·44	·62	9
10		·08			·04	·15			1·20		·53		10
11	·10	·32				·24	·12	·07	·07		·56		11
12	·08	·06					·20	·01	·10	·05			12
13		·08			·05		·33	·13		·02			13
14		·03				·10	·90	·02	·04		·30		14
15	·01	·14		·02	·09			·10			·01		15
16		·20		·04	·18	·46			·09			·03	16
17		·09		·05		·02	·33	·01	·01				17
18			·01	·15		·30	·05	1·64			·24		18
19	·04	·13	·05	·07		·07	·02	·04	·05		·10		19
20		·10	·41					·21			·08		20
21	·14		·03		·22						·02		21
22	·18				·13								22
23	·22	·02		·12	·66		·03				·33		23
24	·07			·52	·08		·57	·57			·01		24
25	·14			·32	·04		·26				·16		25
26	·15	·01		·13			·22				·55		26
27		·12			·60		·05				·08		27
28	·07	·08	·08					·02					28
29	·05		·13		·08		·01	·18		·03	·14	·26	29
30		×			·04	·10			·03	·02			30
31	·48	×	·02	×	·09	×	·04		×		×	·42	31
TOTAL	2·24	2·25	1·45	2·96	2·89	3·29	3·70	3·48	2·41	·38	5·62	1·50	YEAR'S TOTAL 32·47
*Days with ·01 in. or more.	17	18	10	14	17	14	20	16	12	8	21	9	176
*Days with ·04 in. or more.	14	14	7	12	17	13	17	12	10	3	18	6	143

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) (Mrs.) J. H. Foster

P.T.O.

1800

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Tidwell House, Budleigh Salterton
in the County of Devon
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
" Ground " Sea Level .... ft.

Station No. 1800

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·62	·08				·24	·02			1
2	·29			·61					·29		·06	·10	2
3	·14		·69				·04		·11		1·15	·02	3
4	·03		·23		·20	·25	·14	·18	·15	·01			4
5		·50	·10	·05		·72		·11			·09	·19	5
6		·05		·02	·07	·16	·04			·18	·09	·42	6
7		·02			·24	·23	·25	·10		·05	·53		7
8		·22		·24		·40	·05				·15	·04	8
9	·02					·09	·05	·06			·44	·62	9
10		·08			·04	·15			1·20		·53		10
11	·10	·32				·24	·12	·07	·07		·56		11
12	·08	·06					·20	·01	·10	·05			12
13		·08			·05		·33	·13		·02			13
14		·03				·10	·90	·02	·04		·30		14
15	·01	·14		·02	·09			·10			·01		15
16		·20		·04	·18	·46			·09			·03	16
17		·09		·05		·02	·33	·01	·01				17
18			·01	·15		·30	·05	1·64			·24		18
19	·04	·13	·05	·07		·07	·02	·04	·05		·10		19
20		·10	·41					·21			·08		20
21	·14		·03		·22						·02		21
22	·18				·13								22
23	·22	·02		·12	·66		·03				·33		23
24	·07			·52	·08		·57	·57			·01		24
25	·14			·32	·04		·26				·16		25
26	·15	·01		·13			·22				·55		26
27		·12			·60		·05				·08		27
28	·07	·08	·08					·02					28
29	·05		·13		·08		·01	·18		·03	·14	·26	29
30		×			·04	·10			·03	·02			30
31	·48	×	·02	×	·09	×	·04		×		×	·42	31
TOTAL	2·24	2·25	1·45	2·96	2·89	3·29	3·70	3·48	2·41	·38	5·62	1·50	YEAR'S TOTAL 32·47
*Days with ·01 in. or more.	17	18	10	14	17	14	20	16	12	8	21	9	176
*Days with ·04 in. or more.	14	14	7	12	17	13	17	12	10	3	18	6	143

40-9999

(Signed) (Mrs) J. H. Foster

P.T.O.

*See Instruction 2 (*f*) on other side.

1800

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 1800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Tidwell House, Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

67025

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·14			·04	·71			·13	-	1
2	-			·22		·07	·04	·03	·02		-	·11	2
3	-		·02			·92	·03		·48	·02	·03	·08	3
4	·02		-			·18		·10			·25		4
5	·08		·05				·05		·04				5
6	·40		-	·09			·08		·31				6
7	·07		·02	·08	·20				·37	1·11			7
8	-		·43		·17				·29	·16			8
9	·88			·15	·03								9
10	·25			·19	·09	·01				·18			10
11	·03			·12	·13					·06		·09	11
12	·46			-	·30				·02	·14		-	12
13	·02			·12	·03	·15	·25	·62		·99		·23	13
14	·19			·10	·22		-				·03	-	14
15	-			·09	·04		·02			·04		·03	15
16	·12			·05	-		·03			-			16
17	·01			·01	·07				·03	·03			17
18	-			-	·24				·13	-	·21	·01	18
19	·17			·01	·25				·05	·30			19
20	·03			-	1·34			·02		·70	·30	·12	20
21	·02		·09	·14	-		·02	·15	·11	·27	·09	·11	21
22	-			·11	·02		·04	·07	·73	·32	·15	-	22
23	-			-			·14	·01	-	·44	-	·14	23
24	-	·03		-			·70		·15	·06	·04	·01	24
25	-		·67	·04			·09		·10	·15	·02		25
26	-		·05	·03			·03			·06	·05		26
27	-		·53	·37	·13		·08			·25	·02	·08	27
28	-		·06	·03	·19	·06				-	-	·08	28
29	-		·30	·09	·23	·43		·71	·46	·45	·02	·46	29
30	·01	×		·03	·03	1·54	·33		·52	·13	·71	·02	30
31	-	×	·09	×	·24	×	·02		×	·01	×	·60	31
TOTAL	2·48	·03	2·31	2·21	4·00	3·36	1·99	2·42	3·81	5·87	2·05	2·17	YEAR'S TOTAL 33·00
*Days with ·01 in. or more.	17	1	11	21	19	8	17	9	16	21	14	15	169
*Days with ·04 in. or more.	9	0	9	16	14	7	11	6	13	18	9	11	123

40-9999

*See Instruction 2 (*f*) on other side.

1/1/33

(*Signed*) (Mrs) J. H. Foster

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sidwell House, Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

640259/26

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·59			·18			·10	·10	·11	·10		1
2		·01	·03			·04			·13	·10	·09	·08		2
3			·13		·25	·15			·03	·58	·14	·03		3
4	·03	·16		·05	·07	·32			·07	·02	·18	·31		4
5		·18	·07	·07		·04			·12	·13	·08			5
6				·25		·80				·06	·11	·28		6
7				·23						·19	·03	·02		7
8				·33					·30	·03	·34	·02		8
9				·20		·14			·03	·53	·15			9
10	·07		·15			·02						·03		10
11	·12		·06			·29			·12	·05	·23			11
12	·03	·05				·57			·02		·18			12
13	·02	·07		·25		·07		·03	·04		·24			13
14		·03		·12					·20		·78	·27		14
15				·67	·19	·22			·06		·30	·07		15
16		·03	·09	·10		·18			·30		1·09			16
17				·05	·91	·26		·13	·02		·05			17
18		·03		·11	·01		·16		·08	·02	·05	·10		18
19				·03	·23	·05	·15		·04	·09	·42			19
20		·19		·13	·07		·05				·22			20
21	—	·37	·01	·14		·02			·07	·08	·01	·01		21
22		·03	·02	·13					·02					22
23		·04	·02		·14			·42	·07	·37		·38		23
24	·02	·57			·12			·68	·22	·07		·21		24
25	·18	·32		·04	·01	·13		·01				·17		25
26		·65						·22	·09	·03		·84		26
27		·14			·02			·01	·04			·48		27
28		·10						·10	·12			·06		28
29	·03								·08		·01	·38		29
30		✕				·12		·75	·08		·50	·43		30
31		✕		✕		✕		·03	✕	·72	✕	·22		31
													Year's Total	
TOTAL	·50	2·97	1·17	2·90	2·02	3·60	·36	2·38	2·45	3·17	5·31	4·49	31·32	
* Days with .01 in. or more.	8	17	10	17	11	18	3	10	25	17	22	21	179 ✓	
* Days with .04 in. or more.	3	12	6	16	8	16	3	6	20	13	19	16	138. ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....J. H. A. Baker........ [P.T.O.

1/1/36

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Tidwell House, Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Dgp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·17		·10		·23	·39				·01	·03		1
2				·06		·24	·23		·20		·11			2
3				·82		·22	·16	·02	·53		·23	·04		3
4	·01		·14			·04			·35		·04	·11		4
5	·43	·03	·02				·10	·03	·04		·01	·17		5
6	·09		·03			·04	·16		·17		·20			6
7	·09		·37				·03		·01		·20	·07		7
8	·23		·71				·47				·37	·03		8
9	·45	·34	·09				·21		·14					9
10	·14	·27					·05				·19			10
11	·45					·09	·08	·04	·06		·71	·12		11
12		·03		·08		·02	·15		·39		·08			12
13	·06		·02					·02	~~·04~~	·03	·05	·56		13
14		·03					·48	·02	·10	·02		·37		14
15	·02						·25		·02		·09	·23		15
16		·18		·03	·25		·24				·07	·13		16
17	·03	·70					·16			·01	·01	·50		17
18	·20	·22	·18			·56	·23	·01		·08		·07		18
19	·54	·03	·18	·05		·32	·02							19
20	·03	·26		·04		·02	·02		·34					20
21		·20	·02	·42		·05	·04							21
22	·13	·22	·20	·14			·12							22
23	·03	·05	·01		·09		·08			·06				23
24	·33	·02	·10		·16		·02		·30	·22		·02		24
25	·13		·39	·11			·15			·21				25
26	·12	·02	·15				·24		·05	·03				26
27	·63	·03	·03				·09		·02	·16				27
28	·82		·60			·01	·03			·02		·17		28
29	·01	·05				·05				·05	·09	·09		29
30	·26	✖				·08				·07				30
31	·06	✖	·67	✖	·12	✖	·02		✖		✖	·32		31
TOTAL	5·34	2·85	3·91	2·15	·62	1·97	4·22	·14	2·72	·96	2·46	3·03	Year's Total 30·37	✓
* Days with .01 in. or more.	25	18	18	10	4	14	27	6	15	12	16	17	182	✓
* Days with .04 in. or more.	19	11	12	9	4	11	21	1	12	7	13	14	134	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Dorothy A. Foster [P.T.O.

1800

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. SM

Station No. ~~1800~~.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

640259/26

Kept at Tidwell House, Budleigh Salterton
in the County of Devon
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level..........ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	·24	·08			·21					·03	1·57		1
2	·40		·70		·58	·25						·08		2
3	·05	·12	·18		·01									3
4	·17		·13		·08									4
5			·25		·02					·04	·02			5
6		·40	·01		·08		·11			·09				6
7		·07			·08		·02			·20				7
8			·02		·02		·10			·01				8
9		·04			·38		·17			·12	·03			9
10		·15					·21			·39	·01			10
11	·12					·28	·02	·15	·63	·03				11
12				·30	·05	·11	·14					·02		12
13					·02	·05	·11	·30		·12	·02			13
14	·03						·72	·15		·10	·26			14
15	·35		·19				·30	·01		·03	·31			15
16			·76							·11				16
17	·03	·07	·20			·07			·07					17
18	·05		·09			·07	·01				·02			18
19	·19		·23			·08			·04		·42	·02		19
20		·03				·28			·03					20
21						·02		·04		·04				21
22				·07		·14		·38	·54	·06	·01			22
23		·67		·17		·17			·61	·26				23
24		·66		·20					·18	·06				24
25		1·04		·26		·28			·21			·20		25
26		·34		·25	·15	·01				·01				26
27		·03								·39	·06	·48		27
28		·04		·38	·25		·78			·25		·23		28
29	·05			·11			·03		·03			·08		29
30	·03	X	·07				·05		·13			·07		30
31	·04	X	·05	X	·01	X			X	·06	X			31
TOTAL	1·89	3·90	2·96	1·74	1·73	2·02	2·77	1·03	2·47	2·37	1·19	2·75	Year's Total 26·82	
*Days with ·01 in. or more.	13	14	14	8	13	14	14	6	10	19	11	9	145	
*Days with ·04 in. or more.	11	12	12	8	8	12	10	5	8	15	4	7	112	

40-9999

*See Instruction 2 (*f*) on other side.

1/1/34

† Spare column, no entries required.

(*Signed*) Dorothy N Foster.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090-1

REGISTER OF RAINFALL IN 1934.

640259/26

Kept at Tidwell House, Budleigh Salterton

in the County of Devon

Day

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05					·03		·70	·14		·12	·59		1
2	·13	·01	·04						·74	·01	·20	·21		2
3	·03				·02			·11		·47		·26		3
4	·05		·08	·03	·15			·03	·17	·08		·26		4
5			·08		·14	·13		·67		·06		·35		5
6	·03		·28	·07	·23					·40		·48		6
7								·12	·05	·08	·01	·44		7
8					·13			·02	·08		·24	·22		8
9	·02		·22	·03						·05	·71	·09		9
10	·13		·20	·31			·02	·01			·03	·14		10
11	·35		·04	·40				·05				·55		11
12	·03	·01	·01					·12				·13		12
13	·31			·38			·01				·04	·50		13
14	·23		·33	·02						·02	·65	·19		14
15	·03		·09		·07					·14	·09	·34		15
16	·02		·28		·03				·05			·41		16
17	·05			·14	·02				·04	·07		·30		17
18	·05		·19	·49					·08			·14		18
19	·01		·18	·25	·01	·03		05	·10			·04		19
20			·11	16	·01		·04			·01				20
21			·10	·01		·11			·06	·23		·44		21
22	·02		·06				·17	·11	·18			·73		22
23	·14	·01	·02	·10		·97			·32	·06		·05		23
24		·07	·02	·11		·23	·06	·02		·11		·04		24
25	·24	·02		·19		·06				·21		·80		25
26	·01		·05			·19			·05		·02	·06		26
27				·02					·03			·33		27
28				·10				·43	·23			·64		28
29								·03	·06	·03				29
30		×					·03	·11	·06	·04		·19		30
31		×		×		×	·06	·03	×	·05	×	·04		31
TOTAL	1·93	·12	2·38	2·81	·81	1·45	·39	2·61	2·44	2·12	2·11	8·96	Year's Total. 28·43 ✓	
* Days with .01 in. or more.	20	5	19	17	10	8	7	16	17	18	10	29	176 ✓	
* Days with .04 in. or more.	11	1	16	12	5	6	4	10	16	14	7	29	131	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

13/1/35 (Signed)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

640259/26

Kept at Tidwell House, Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge..................in. as before

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·42					·10	·05		·36		1
2		·35	·10	·17					·05			·04		2
3		·16	·16	·08	·04						·01			3
4	·16	·74			·08							·46		4
5	·07	·01		·05			·65	02				·09		5
6	·04	·57	·40	·15	·01		·03							6
7		·74	·01	·01		·01					·05	·36		7
8		·03			·90		·04				·11	·07		8
9	·02		·14	·11	·02				·50	·03		·04		9
10	·25	·02	·41	·44		·17	·02					·20		10
11	·01		·16	·19	·54	·07	·33					·02		11
12	·33	·33	·06	·32	·23	·31	·03	1·02	·09			·25		12
13		·03	·80	·18				·26	·02			·02		13
14			·09	·04			1·30	·05	·04			·03		14
15	·28	·08	·19	·21			·10		·12			·16		15
16	·03	·08	·32					·26	·68		·18			16
17	·53	·06	·56					·02	·08		·26			17
18	·13	·05	·21			·15			·16		·26	·21		18
19	·14		·08	·05	·06				·03		·05	·04		19
20	·28	·09	·01	·09								·46		20
21	·38	·38	·10	·02	·28		·08		·22	·02	·10	·01 ~~·46~~		21
22	·18	·01	·10		·17		·03		·06	·42	·23	~~·07~~		22
23	·20	·24								·18	·28			23
24	·43	·62	·02							·94				24
25	·37	·38	·50		·12					·24		·02		25
26		·28	·03		·15					·02				26
27		·21								·40		·03		27
28	·16	·15								·15	·03			28
29	·03									·31	·20			29
30	·52	X				·02				·09	·20			30
31	·42	X		X		X			X	·61	X			31
TOTAL	4·96	5·55	4·45	2·53	2·60	·73	2·61	1·63	2·15	3·46	1·96	2·84	Year's Total 35·80	✓ ✓
* Days with .01 in. or more.	22	23	21	16	12	6	10	6	13	13	13	19	174	✓ ✓
* Days with .04 in. or more.	18	18	17	14	10	4	6	4	11	10	11	13	136	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Mrs J. H. Foster

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 1800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

~~Days~~ Snow w/J.H. ✓

Kept at Tidwell House

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

" Ground " Sea Level..................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	**Jan.**	Feb.	Mar.	April	May	June	July	Aug.	**Sept.**	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02			·04	·19		·09		·32		·08		1
2		·04								·16		·17		2
3					·12	·01	·13	×		·24	·07			3
4						·10	·10	× 2·24		·31		·05		4
5									·09	·23				5
6	·05					·13	1·04		·02	·03		·05		6
7	·07					·03	·10		·03	·04	·04	·06		7
8	·40							·04		·08				8
9	·13	·03				·09						·37		9
10	·13	·05					·03					·82		10
11	·09						·10	·14			·20	·60		11
12	·24				·19					·16	·37	·10		12
13	·22				·11						·19	·55		13
14	·62				·13		·78					·27		14
15	·08				·11		·19			·20	·16			15
16										·01	·52			16
17	·09	·10	·02		·03									17
18	·10					·06		·01	·05	·02	·28			18
19									·34		1·02			19
20									·02		·05			20
21								·03	·05		·34	×× ·15		21 *Snow
22	·02			·12		·13		·45			·31	4		22
23				·05				·03	·01		·04	✓		23
24			·11		·09			·05	·08		·28			24
25	·09	·26			·11		·52			·03	1·21	4		25
26	·26	·15			·24		·08			·11		4 ·26	✓	26
27	·10				·07	·07	·28	·62		·05	·22			27
28	·10				·11	·06		·87	·08			·03		28
29	·08	·09			·43				·17	·27	·17	·02		29
30	·02					·46	·02		·30		·13			30
31	·22				·10					·07		·20		31
TOTAL	3·11	·74	·13	·17	1·88	1·33	3·37	4·57	1·24	2·33	5·60	3·48	Year's Total 28.25	✓
* Days with .01 in. or more.	20	8	2	2	14	11	12	12	12	17	18	~~16~~ 19	~~143~~ 14[illegible]	✓
* Days with .04 in. or more.	18	6	1	2	13	9	10	9	9	13	18	~~14~~ 16	~~121~~ 124	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) (Mrs) J.H. Foster

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Tidwell House, Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04		·03	·03	·02		·03	·41	·08		·29			1
2	·13			·24			·01	·41	1.12		·08	·04		2
3	·39		·05	·69			·06	·04			·12	·44		3
4	·03		·43	·04	·25		·54	·03		·38	·11	·18		4
5			·05	·13			·12	·22		·10	·45	·01		5
6	·56		·14	·10			·36	·06		·22	·15			6
7		·34						·05			·25	·30		7
8		·12			·05		·04	·04		1·30	·14	·08		8
9	·03		·05					·14		·11		·05		9
10	·33					·03		·06	·03	·08		·14		10
11		·02	·08							·24				11
12		·04				·01			·10	·04				12
13	·03			·10		·05	·30		·01	·96	·03			13
14	·41				·01		·35		·03	·04	·25			14
15	·33				·05	·54	·10				·20			15
16	·26			·15			·16				·10			16
17	·44					·18	·45			·01				17
18			·03			·14	·65				·50	·12		18
19	·23					·09	·16					·05		19
20	·33					·09	·05					·09		20
21	·04	·14	·02			·33	·43	2·54						21
22	·30	·28	·18			·43	·22	·18			·26			22
23				·15			·14				·40			23
24	·41		·25	·12		·34	·09			·04				24
25	·59	·12		·09			·08			·04	·11			25
26	·03	·02		·14		·04		·18		·14	·13			26
27		·18		·01		·03		·12		·03	·11			27
28				·03		·10	·20	·01			·21			28
29						·08	·11			·21		·04		29
30		✕	·03	·28		·22		·15		·55	·01			30
31		✕		✕		✕	·03	·04	✕	·18	✕			31
TOTAL	5.54	1·32	1·34	2·33	·38	2·46	4·41	5·01	1·34	4·46	4·53	1·60	Year's Total 35·68	✓
* Days with .01 in. or more.	19	9	12	15	5	16	23	17	6	18	20	12	172	✓
* Days with .04 in. or more.	15	7	8	12	3	13	20	15	3	16	18	11	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. H. Foster

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Tidwell House, Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge..................in. as before

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02			·25						·13			1
2		·09		·19							·55	·16		2
3	·09	·52								·19	·56	·22		3
4	·02	·34					·05			·10	·04			4
5										·02	·58	·10		5
6	·19	·58								·09	·02	·10		6
7	·08						·07					·08		7
8		·03								·46	·28	·25		8
9							·64	·04	·01	·10	·41	·15		9
10							·07		·06	·04	·14	·47		10
11				·03			·22				·43	·03		11
12			·14			·10	·19		·50		·11			12
13			·37						·02	·80	1·41	·33		13
14		snow ·06	·01	·04	·48		·04		·19	·27	·15	·15		14
15				·11	·04		·26		·15	·16	·38			15
16	snow ·02	1·00	·66	·07			·07		·04	·38	·18			16
17		·14	·31	·05			·05				·12			17
18	snow ·11	·30	·23	·96						·05		·04		18
19		·04	·17	·13			·06		·27		·12			19
20							·02				·02			20
21		·01	·01		·16				·01		·31			21
22		·01	·10	·21		·45								22
23		·05	·16		·03		·04			·15				23
24				·02	·01		·26							24
25	·18		·21		·16	·07								25
26	·48	·36		·18	·26		·07							26
27	·27	·93	·02	·01	·35									27
28	·28	·14		·07										28
29	·13	·08	·11	1·00		·03				·03		·24		29
30	·05	✕		·02	·03					·30		·17		30
31		✕	·02	✕		✕			✕	·48	✕	·57		31
TOTAL	1·90	3·80	2·52	3·09	1·44	·65	2·11	·04	1·25	3·62	5·94	3·06	Year's Total 29·75	
* Days with .01 in. or more.	12	18	14	15	10	4	15	1	9	16	19	15	148	
* Days with .04 in. or more.	10	13	10	11	7	3	14	1	6	14	17	14	120	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mrs J. H. Foster

[P.T.O.

BUDLEIGH SALTERTON (KN

1800/5

FORM 1090.

B Mo Su

n.

1800/5
BUDLEIGH SALTERTON
KNOWLE HILL
1936—40
7803

, The following register of mont &c., is NOT required if daily values are given on the other

ction and also the space for

this register should be sent:—

"Invermay"
lterton, Devon.

RAINFALL IN 193

At Budleigh Salterton (Kn

lar + not taken every in Summer day.

In the County of S. Devon

Distance .... Direction from gauge ....

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 0 *ft.* 7½ *in.*
- *Height of Ground above Sea Level* 245 *ft.*

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge	House	Otherwise only plants less than 2'		
Height of objects	17' eaves 27' ridge	high more than 4' from gauge		
Nearest Distance	22'	No other interference within		
Directions from gauge	NW ~~as sketch~~ (see sketch in file)	many yds.		

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·81	✓			
FEB.	3·20	✓			
MAR.	4·10	✓			
APRIL	2·37	✓			
MAY	·62	✓			
JUNE	2·05	✓			
JULY	4·96	✓			
AUG.	·14	✓			
SEPT.	3·19	✓			
OCT.	·97	✓			
NOV.	2·46	✓			
DEC.	3·84	✓			
TOTAL	33·71 ✓				

Signature ....

Lt. Col. J. B. Mac FARLAN

* See Instruction 3 (*f*) below.

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

f 610966/37

Particulars of exposure copied from Sec. C. in file.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

BUDLEIGH SALTERTON (KN

1800/5

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Budleigh Salterton (Knowle Hill),

In the County of S. Devon 17

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 0 *ft.* 7½ *in.*
- *Height of Ground above Sea Level* 245 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with 01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·81	✓			
FEB.	3·20	✓			
MAR.	4·10	✓			
APRIL	2·37	✓			
MAY	·62	✓			
JUNE	2·05	✓			
JULY	4·96	✓			
AUG.	·14	✓			
SEPT.	3·19	✓			
OCT.	·97	✓			
NOV.	2·46	✓			
DEC.	3·84	✓			
TOTAL	33·71 ✓	✓			

Signature ....

Lt. Col. J. B. MAC FARLAN

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Lt. Col. J. B. MacFarlan, "Inverway",
Knowle Hill, Budleigh Salterton, Devon.

Hour of observation by the clock—in Winter Irregular & not taken every ......in Summer day.

Nearest Railway Station B. Salterton Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge	House	Otherwise only plants less than 2'
Height of objects	17' eaves 27' ridge	high more than 4' from gauge
Nearest Distance	22'	No other interference within
Directions from gauge	NW ~~[illegible]~~ (see sketch in file)	many yds.

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

f 610966/37

Particulars of exposure copied from Sec. C. in file.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

1800/5

Section **A** for the entry of Daily Observations C Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 7½ in.

,, Ground ,, Sea Level 245 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2				·60					·23			·39		2
3		1·12	·34	·08										3
4														4
5												·46		5
6			·40				·78					·09		6
7		2·12		·25		·02								7
8		·05									·19			8
9				·16			·08		·68	·04				9
10			·80	·42		·17		·05				·22		10
11				·21										11
12	1·21		·31	·30		·36	·43	1·02	·12			·44		12
13		·35		·19				·27						13
14			·82	·05	2·02		1·27	·02	·08					14
15	·29	·09		·26			·21		·15			·16		15
16			·57					·24						16
17	·67		·67						·82		·49			17
18			·24			·20			·17		·27	·19		18
19	·22								·07		·03			19
20			·11	·14	·11							·49		20
21			·12				·05				·11	·07		21
22	1·14								·29					22
23		1·27	·11		·56					·50	·49			23
24	·65													24
25		·32	·61						·04	1·19				25
26		·67	·06		·19									26
27										·38				27
28		·44										·06		28
29										·41	·15			29
30		×									·18			30
31	·86	×		×		×			×	·89	×		L	31
TOTAL	5·04	6·43	5·16	2·66	2·88	·75	2·82	1·60	2·65	3·41	1·91	2·94	Year's Total 38·25	✓ ✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Joshua Starter

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1800/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Assn./Days.

✓

~~Snow~~

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 7½ ft. in.

,, Ground ,, Sea Level 245 ft. approx.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		✓			·04	·27		·15		·56		·05		1
2		·06			~~·04~~		1·08				·08	·11		2
3					·13					·47	·12			3
4						·09	·15	2·17	—	·38				4
5							·02	—	·14	·24		·09		5
6	·06					·16						·06		6
7												·08		7
8	·44	—				·04		·08		·16		—		8
9		·07										·42		9
10	·20						·10					1·00		10
11								·10				·60		11
12	·38				·20					·13	·92			12
13	·18				·13						·11	·65		13
14	·93						·73							14
15	·16				·31		·45			·23	·18	·21		15
16		—			·10						·38			16
17		·12			·07				—	·13	—	·01		17
18	·20				·03				·11		·32			18
19									·38		·92			19
20						·11			✓					20
21									·08		·38	·36	result of	21 about 5" snow
22	·03			·13		·16			·03		·35			22
23				·06				·63	—					23
24								·04	·08		·31			24
25			·16		·23		·55				1·27			25
26	·33	·50			·30					·15	—			26
27		—			·09	·10	·36	·65		·03	·35			27
28		·08			·14	·13		·91				·19		28
29	·27				·41					·31	·24			29
30	✓				·04	·43			·32		·13	·07	~~·07~~	30
31	·24				·14					·09		·25	~~·25~~	31
TOTAL	3·42	·83	·16	·19	2·19	1·49	3·44	4·73	1·14	2·98	6·06	4·15	Year's Total 30·78	✓ ✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

1800/5

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations**

Station No. ~~610066~~ /37

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ...ft. 7½ in.

,, Ground ,, Sea Level 245 ft. approx.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05		·10	·07	·03		·08	·47	·06		·33	·02		1
2	·17			·24	·01		·03	·39	1·49		·05	·06		2
3	·37		·04	·70			·64	·09			·11	·43		3
4			·47	·09	·25			·03		·59	·11	·15		4
5	·57		·04	·13			·14	·09		·15	·85			5
6	·01		·08	·11			·50	·06		·25				6
7		·37		·03			·02	·03			·46	·48		7
8	·02	·20					·06	·17		1·29	·23	·09		8
9					·08			·05		·11	·09	·08		9
10	·36							·18	·06	·09		·15		10
11			·11							·25				11
12										·07				12
13	·05			·18		·05	·42			·96	·05			13
14	·82	·08				·06	·36			·08	·38			14
15	·46		·04		·08		·13				·12	·04		15
16	·20			·13		·69	·03				·07			16
17	·49					·19	·41				·05			17
18			·02		·06	·06	·57				·50			18
19	·28						·29					·11		19
20	·49					·15	·14	2·16				·06		20
21	·06	·19			·05	·34	·71	·14						21
22	·38	·31	·18			·39	·22				·26			22
23	·02		·35	·15		·02	·08				·78			23
24	·74			·12		·39	·13			·05				24
25	·60	·13		·07		·11	·03	·14		·02	·15			25
26	·03			·11				·13		·11	·16			26
27		·24				·06								27
28		·02		·05		·11	·23				·20	·03		28
29				·03		·07	·15			·20				29
30		✗		·26		·10				·43	·01			30
31		✗		✗		✗	·04	·23	✗	·20	✗			31
TOTAL	6·17	1·54	1·43	2·47	·56	2·79	5·41	4·36	1·61	4·85	4·96	1·70	Year's Total 37·85	
* Days with .01 in. or more.													,,	
* Days with .04 in. or more.													,,	

"α"

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Joshua Stark

[P.T.O.

1800/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 610966/37

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Outlawn Height of top of Gauge above Ground ... ft. 7½ in.

" Ground " Sea Level 245 ft. approx.

~~Days Accs.~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·03			·14						·21			1
2		·11		·18			·02				·64	·15		2
3	·10	·53								·22	·59	·22		3
4		·27					·07			·10	·05			4
5	·06									·03	·75	·10		5
6	·20	·55								·14	·02	·10		6
7	·08						·09		·01	·03		·05		7
8		·04					·05			·45	·16	·26		8
9							·66	·02		·10	·53	·06		9
10							·09		·06	·05		·56		10
11				·05			·26					·02		11
12			·20			·09	·14		·48		·68			12
13			·36				·01		·02	·57	1·21	·28		13
14		·07	·03	·04	·48		·03		·26	·22		·32		14
15				·10	·03		·35		·16	·27	·37	·01		15
16		1·04	·61	·06			·08		·09	·36	·25	·02		16
17		·16	·32	·05			·03		·02		·12			17
18		·27	·28	·90				·03	·01	·05		·05		18
19	·10	·06	·18	·13			·98		·33	·03	·18			19
20				·01					·02		·03			20
21			·03		·15		·02				·42			21
22		·02	·10	·24		·45				·06				22
23		·05	·16	·07	·07		·03			·21				23
24			–		·04		·27							24
25	·19		·21	·01		·07								25
26	·44	·38		·18	·43		·12							26
27	·26	·08	·05	·02	·30									27
28	·25	·11		·08										28
29		·08	·19	1·09		·05						·22		29
30	·20	x	·01	·05	·04					·49		·16		30
31	·02	x	·05	x		x			x	·60	x	·59		31
TOTAL	1·90	3·84	2·78	3·26	1·68	·66	2·40	·05	1·46	3·98	6·21	3·17	Year's Total 31·39	
* Days with .01 in. or more.	12	17	15	17	9	4	18	2	11	19	17	17	158	
* Days with .04 in. or more.	10	15	12	14	8	4	12	–	6	16	15	14	126	

"9"

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Mac Start

[P.T.O.

1801

Section **A** for the entry of
AIR MINISTRY

1801
BUDLEIGH SALTERTON
KNOWLE HOUSE
1931 – 40
780309

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIST

31.

Kept at Knowle Ho

in the County of Devo

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·67	·10		·12		·31	·3			1
2	·32	·3		·69					·37		·14	·14	2
3	·14		·68				·6		·10		1·57	·5	3
4			·20		·21	·23	·19	·14	·12				4
5		·50	·11	·9		·69		·12			·11	·29	5
6		·5		·02	·10	·17	·8			·18	·10	·45	6
7		·02			·24	·30	·27	·12		·3	·50	·12	7
8		·21		·25		·43		·3			·15	·5	8
9	·5	·12				·9	·7				·52	·02	9
10		·4			·8	·19		·9	·41		·58		10
11	·11	·42				·24	·9	·02	·5		·58		11
12	·02	·5					·23		·14	·8			12
13		·7			·8		·37	·17					13
14		·5				·10	1·09		·5		·32		14
15		·12		·4	·11			·15					15
16		·17			·22	·52		·3	·9				16
17		·8		·11		·3	·31						17
18				·18		·20	·5	1·65			·28		18
19			·9	·10		·27	·3	·4	·9		·14		19
20		·20	·40	·11				·25	–		·7		20
21	·23				·26						·39		21
22	·27				·15						·3		22
23	·23				·66						·21		23
24	·7			·43	·11		·68	·54			·48		24
25	·14			·36	·4		·23				·9		25
26				·13			·26						26
27	·14	·15			·45		·3						27
28	·6	·10	·9		·11							·9	28
29	·5		·17		·10			·23			·18	·20	29
30		×			·11				·5				30
31	·50	×	·3	×	·9	×	·5		×		×	·38	31 d 34·46
TOTAL	2·33	2·38	1·77	3·18	3·22	3·46	4·21	3·58	1·78	·32	6·44	1·79	YEAR'S TOTAL ~~36·46~~
*Days with ·01 in. or more.	~~14~~	~~17~~	~~8~~	~~13~~	~~18~~	~~13~~	~~18~~	~~14~~	~~11~~	~~4~~	~~19~~	~~10~~	~~159~~
*Days with ·04 in. or more.	13	15	7	12	18	12	16	11 ~~13~~	11	2	18	9	144

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. Christophers

P.T.O.

1801

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Knowle House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 280 (230 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·67	·10		·12		·31	·3			1
2	·32	·3		·69					·37		·14	·14	2
3	·14		·68				·6		·10		1·57	·5	3
4			·20		·21	·23	·19	·14	·12				4
5		·50	·11	·9		·69		·12			·11	·29	5
6		·5		·02	·10	·17	·8			·18	·10	·45	6
7		·02			·24	·30	·27	·12		·3	·50	·12	7
8		·21		·25		·43		·3			·15	·5	8
9	·5	·12				·9	·7				·52	·02	9
10		·4			·8	·19		·9	·41		·58		10
11	·11	·42				·24	·9	·02	·5		·58		11
12	·02	·5					·23		·14	·8			12
13		·7			·8		·37	·17					13
14		·5				·10	1·09		·5		·32		14
15		·12		·4	·11			·15					15
16		·17			·22	·52		·3	·9				16
17		·8		·11		·3	·31						17
18				·18		·20	·5	1·65			·28		18
19			·9	·10		·27	·3	·4	·9		·14		19
20		·20	·40	·11				·25			·7		20
21	·23				·26						·39		21
22	·27				·15						·3		22
23	·23				·66						·21		23
24	·7			·43	·11		·68	·54			·48		24
25	·14			·36	·4		·23				·9		25
26				·13			·26						26
27	·14	·15			·45		·3						27
28	·6	·10	·9		·11							·9	28
29	·5		·17		·10			·23			·18	·20	29
30		×			·11				·5				30
31	·30	×	·3	×	·9	×	·5		×		×	·38	31 d 34·46
TOTAL	2·33	2·38	1·77	3·18	3·22	3·46	4·21	3·58	1·78	·32	6·44	1·79	YEAR'S TOTAL ~~36·46~~
*Days with ·01 in. or more.	~~14~~	~~17~~	~~8~~	~~13~~	~~18~~	~~13~~	~~18~~	~~14~~	~~11~~	~~4~~	~~19~~	~~10~~	~~159~~
*Days with ·04 in. or more.	13	15	7	12	18	12	16	11 ~~13~~	11	2	18	9	144

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R. Christophers

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

780309

Kept at Knowle House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 14 in.

,, Ground ,, Sea Level 230 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·17			·5	·72			·12		1
2	·2			·24		·6		·4				·14	2
3			·7			·89	·7		·49	·3	·4	·10	3
4	·4					·20		·8			·26		4
5	·16		·8				·3		·6				5
6	·47			·10			·7		·33				6
7	·6			·8	·23				·40	1·24			7
8			·41		·18				·30	·19			8
9	·88			·12	·4								9
10	·32			·23	·10	·3				·19			10
11	·3			·14	·14			·2		·6		·10	11
12	·54				·35					·15			12
13	·4			·16	·6	·12	·31	·63		·95		·25	13
14	·26			·7	·29						·3		14
15				·9	·14		·2			·5		·4	15
16	·18			·5			·7						16
17	·3			·2					·5				17
18					·26				·13		·25		18
19	·11				·19				·6	·30			19
20	·3				1·30			·2		·70	·29	·12	20
21			·12	·17				·16	·11	·30	·6	·11	21
22					·3		·6	·8	·77	·32	·18		22
23						·3	·13			·47		·17	23
24							·72		·17	·6	·5		24
25			·69	·7			·3		·8	·15	·3		25
26			·5	·4			·6			·10	·5		26
27			·61	·34	·15		·8			·28		·9	27
28			·8	·4	·22	·3	·2					·11	28
29			·38	·11	·26	·51		·70	·54	·55	·7	·49	29
30		×		·5	·4	1·72	·39		·54	·14	1·00		30
31		×	·8	×	·22	×	·4		×	·3	×	·62	31
TOTAL	3·17	Nil	2·57	2·29	4·20	3·59	2·15	2·45	4·03	6·26	2·43	2·34	YEAR'S TOTAL 35·48
*Days with ·01 in. or more.	15	0	10	19	18	9	16	9	14	20	13	12	155
*Days with .04 in. or more.	11	0	10	18	17	6	12	7	14	18	11	12	136

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R. Christophers

P.T.O.

1801

Section A for the entry of Daily Observations. √7 FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Knowle House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 14 in.

,, Ground ,, Sea Level 230 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	43	28	9		4	24					2	1·64	1
2	54		76		54	31						7	2
3	4	13	29		3								3
4	25		15		8								4
5	3		32		4					8			5
6		43			8		10			8			6
7		8			4					22			7
8			3		2		8						8
9		3			35		18			17	6		9
10		14					23			52			10
11	12					33	6	18		2			11
12				25	4	11	15		63				12
13					7	7	16	59		14	4		13
14	6						44	16		11	28		14
15	49		22				56			5	38		15
16			86							12			16
17		7	21			10			9				17
18	8		12			6							18
19	20		29			9		4	7		44	5	19
20		3				35		5	4		2		20
21								6		4	6		21
22				8		15		35	52				22
23		72		19		21			72	25			23
24		60		20					27	8			24
25		1·06		30		26			20			20	25
26		35		28	16					4			26
27		3							2	34		48	27
28		3		50	19		71		4	25		25	28
29	9			11			5					9	29
30	4	×	6				7		14				30
31	9	×	6	×	3	×			×	7	×		31
TOTAL	2·46	3·93	3·46	1·91	1·71	2·28	2·79	1·43	2·74	2·68	1·30	2·78	YEAR'S TOTAL 29·47
*Days with ·01 in. or more.	13	14	13	8	14	12	12	7	11	17	8	7	136
*Days with ·04 in. or more.	12	10	12	8	11	12	12	7	10	16	6	7	123

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) R. Christophers

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Knowle House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 14 in.

,, Ground ,, Sea Level 230 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16					·4		·73	·17		·11	·67		1
2	·13		·7			·16			·74		·22	·27		2
3	·4				·6			·14		·31		·29		3
4	·5		·9		·18			·4	·21	·35		·34		4
5					·15			·73		·5		·39		5
6	·10		·38	·11	·27					·42		·49		6
7	·4									·11		·55		7
8					·14			·12	·9		·28	·24		8
9	·3		·24								·54	·26		9
10	·15		·24	·33							·4	·11		10
11	·48		·5	·40								·56		11
12	·3						·4	·17				·10		12
13	·36			·42							·4	·45		13
14	·23		·36	·4							·48	·22		14
15	·2		·9		·8					·16	·11	·35		15
16	·5		·36		·5							·42		16
17	·8			·16	·2				·13	·7		·33		17
18	·7		·22	·54					·15			·20		18
19			·17	·23		·8		·7	·9			·5		19
20			·12	·14			·5							20
21			·11			·13				·86		·49		21
22			·7				·20	·10	·27			·81		22
23	·18			·12		·86			·22	·10		·7		23
24		·13	·6	·6		·27	·7		·12	·5		·4		24
25	·25	·3		·23		·5				·26		·89		25
26			·5	·5		·18			·9			·6		26
27						·6			·5			·32		27
28				·14				·46	·26			·78		28
29								·3	·6	·6				29
30		×					·5	·17	·9	·5		·25		30
31		×		×	·6	×	·7		×	·5	×	·5		31
TOTAL	2·45	·16	2·68	2·97	1·01	1·83	·48	2·76	2·74	2·40	1·82	10·05	Year's Total 31·35	
*Days with ·01 in. or more.	18	2	16	14	9	9	6	11	15	14	8	29	151	
*Days with .04 in. or more.	15	1	16	14	8	9	6	10	15	14	8	29	145	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R. Christophers

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Knowle House
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 14 in.
,, Ground ,, Sea Level 280 ft.

Days
Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·60			·23			·12	·6	·14	·13		1
2			·3						·14	·23	·9	·8		2
3			·14		·22	·21			·3	·88	·19	·4		3
4	·6	·21		·8	·14	·33			·9		·15	·35		4
5		·17	·8	·7		·5			·12	·15	·10			5
6				·25		·92				·5	·13	·31		6
7				·26		·5			·32	·22	·4	·2		7
8				·36					·4		·37	·3		8
9				·38		·17				·72	·31			9
10	·8					·3						·4		10
11	·16		·14			·34			·14	·3	·32			11
12	·4	·7				·52		·4	·4		·19			12
13	·3	·7		·28		·8			·5		·26			13
14		·5		·12		·2			·10		·89	·23		14
15				·73	·13	·20			·16		·24	·9		15
16			·13	·14		·18			·42		1·07			16
17				·4	·92	·27		·14			·7			17
18		·11		·13			·14		·15	·3	·4	·12		18
19				·2	·25	·4	·19		·6	·10	·47			19
20		·30		·14	·12		·5				·23			20
21		·39		·18					·10	·8				21
22		·3		·12					·2					22
23			·4		·14			·45	·9	·42		·38		23
24	·3	·65			·13			·61	·26	·7		·23		24
25	·18	·36		·6	·3	·14						·18		25
26		·62						·24	·12		·2	·84		26
27		·18						·3	·4	·3	·4	·46		27
28		·8						·10	·13	·18		·7		28
29									·11		·3	·53		29
30		×				·14		·73	·9	·18	·54	·52		30
31		×		×		×		·5	×	·81	×	·23		31
TOTAL	·58	3·29	1·16	3·36	2·08	3·92	·38	2·39	2·94	4·09	5·80	4·88	Year's Total 34·37 ✓	
*Days with ·01 in. or more.	7	14	7	17	9	18	3	9	24	17	23	20	168 ✓	
*Days with .04 in. or more.	5	13	6	16	8	16	3	8	22	14	21	18	150 ✓	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.
(*Signed*) R. Christophers

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Days.

Kept at Knowle House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 14 in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	'5	'16		'16		'28	'45					'5		1
2				'8		'38	'30				'12			2
3				'78		'7	'17		'97		'24			3
4			'16			'5			'35		'6	'16		4
5	'49	'4					'8	'3	'6			'15		5
6	'11		'6			'5	'24		'19		'22			6
7	'11		'37				'4				'20	'5		7
8	'35		'66				'77				'37			8
9	'57	'39	'9				'28		'16					9
10	'15	'34					'7				'23			10
11	'42	'3				'8	'10	'8	'4		'67	'17		11
12				'9		'6	'19		'45		'7			12
13	'8		'3				'3	'3		'4	'5	'82		13
14		'3					'44		'13	'3		'45		14
15	'3						'24				'9	'29		15
16		'18			'26		'24				'7	'13		16
17	'3	'76					'28					'58		17
18	'22	'23	'19				'34					'9		18
19	'58	'4	'17	'9		'88	'4	'4						19
20	'4	'28	'15	'6					'33					20
21		'15	'3	'74		'7	'7							21
22	'11	'29	'18				'16					'2		22
23	'3	'7		'17	'6		'16			'12				23
24	'37		'14		'20		'3		'29	'26				24
25	'16		'38	'11			'12			'21				25
26	'16	'4	'19				'23		'7	'3				26
27	'54	'4	'4				'12		'7	'16				27
28	'91	'3	'62				'5					'20		28
29		'3				'11				'9	'12	'9		29
30	'27	×				'10				'7				30
31	'9	×	'69	×	'12	×	'4		×		×	'38		31
TOTAL	5'87	3'13	4'15	2'28	'64	2'13	5'28	'18	3'21	1'01	2'50	3'63	Year's Total. 34'01	
* Days with .01 in. or more.	23	18	17	9	4	11	27	4	12	9	13	15	162	
* Days with .04 in. or more.	20	14	15	9	4	11	25	2	12	7	13	14	146	

40-9999

† Spare column, no entries required.

(Signed) R. Christopher mrs Pepys

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Knowle House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

,, Ground ,, Sea Level 230 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'6			'42								'38		1
2		'48		'14					'17			'6		2
3		'22	'25	'8										3
4	'15	'89			'12			'3				'42		4
5	'8			'6								'11		5
6		'48	'40	'18	'3		'57							6
7		'72		'2		'4	'22				'9			7
8		'4			'96		'7				'11	'30	Snow	8
9			'16	'17	'5		'2		'65	'5				9
10	'36		'69	'41		'17						'25		10
11			'26	'21	'53	'8	'36							11
12	'59	'34	'6	'30	'26	'29	'6	'96	'12			'44		12
13		'3	'70	'19				'27	'5					13
14			'11	'5			1'23	'4	'6					14
15	'28	'9	'19	'23			'21		'10			'19		15
16	'3	'7	'34					'26	'92		'18			16
17	'64	'8	'63					'4	'6		'27			17
18	'15	'5	'24			'19			'10		'28	'20		18
19	'13		'8	'8	'6				'7		'5	'4		19
20	'41	'9	'2	'10	'6							'47		20
21	'55	'40	'12		'30		'8		'13		'14			21
22	'24		'8		'23		'4		'19	'46	'28	'8		22
23	'20	'26			'3					'17	'23			23
24	'35	'56	'5						'2	'79				24
25	'11	'52	'53						'3	'35				25
26		'30	'4		'19							'6		26
27		'13								'38				27
28	'15	'14								'16				28
29										'28	'17			29
30	'61	✖								'6	'20			30
31	'41	✖		✖		✖			✖	'82	✖		d	31
TOTAL	5·50	5·89	4·95	2·64	2·82	·77	2·86	1·60	2·67	3·52	2·00	3·00	Year's Total 38·22	✓
* Days with .01 in. or more.	~~19~~	~~20~~	~~19~~	~~15~~	~~12~~	~~5~~	~~10~~	~~6~~	~~14~~	~~10~~	~~11~~	~~13~~	~~154~~	✓
* Days with .04 in. or more.	18	19	18	14	10	5	9	5	12	10	11	13	144	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Christophers

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Knowle House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

,, Ground ,, Sea Level 230 ft.

Daily

Snow w.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·5	·29		·9		·45		·8		1
2										·16	·5	·15		2
3					·13					·34	·12			3
4						·10	·24	2·14		·37		·9		4
5										·24				5
6	·7					·17	1·05		·11	·7		·7		6
7	·8					·4	·19		·3	·5	·4	·9		7
8	·39					·3		·6		·15				8
9	·14	·9				·6						·43		9
10	·11	·5					·3					·93		10
11	·10					·4	·8	·9			·29	·61		11
12	·30				·22					·15	·41	·12		12
13	·18				·14						·30	·64		13
14	·76				·14		·73							14
15	·12				·18		·39			·22	·17	·23		15
16	·14										·39			16
17		·12	·4		·8					·14				17
18	·10				·4	·6			·8	·3	·32			18
19								·5	·37		·85			19
20											·12			20
21									·7		·28			21
22	·3			·13		·18		·50	·5		·36	·26		22
23				·7				·4			·4			23
24			·12					·4	·8		·29			24
25	·9	·29			·23		·56				1·22			25
26	·27	·23			·31					·13		·20	✓	26
27	·10				·9	·10	·37	·64		·4	·25			27
28	·9	·9			·12	·15	[illegible]	·86	·6			·4		28
29	·9				·44				·12	·31	·25			29
30		✕			·3	·47			·24		·15	·5		30
31	·25	✕		✕	·31	✕	·6		✕	·9	✕	·22		31
TOTAL	3·41	·87	·16	·20	2·33	1·69	3·70	4·51	1·21	2·94	5·90	4·21	Year's Total 31·13	
* Days with .01 in. or more.	~~19~~	~~6~~	~~2~~	~~2~~	~~15~~	~~12~~	~~10~~	~~10~~	~~10~~	~~16~~	~~19~~	~~16~~	~~137~~	
* Days with .04 in. or more.	18	6	2	2	14	11	9	10	9	15	19	~~16~~ 18	133 ~~137~~	

"d"

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Christophers

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Knowle House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

,, Ground ,, Sea Level 230 ft.

Days.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	07		'11	05			09	'72	.05		'28	03		1
2	45			'24	.04		03	'39	1'35		07	05		2
3	36 ✓		04	'72			.05	09			'12	'43		3
4			'49	'10	'27		'59	03		'47	'11	'17		4
5			05	'18			'16	'13		'15	'84			5
6	'61		'15	'11			'55	07		'24	'20			6
7		'38						03			'32	'45		7
8	02	'21			.07		07	'14		1'25	'22	'13		8
9			06					05		'12	07	08		9
10	'38					05		'21	05	09		'16		10
11		✓	08							'20				11
12		.09								05				12
13	04			'19		08	'43		'13	'96	05			13
14	'85					09	'29			07	'30			14
15	'41		03		'07	'65	'12				'21	07		15
16	'19			'14			.05				07			16
17	'48				03	'19	'33				02			17
18					03	'16	'62				'49	04		18
19	'28					4	'27	2'15				06		19
20	'37					'18	.09	'10				08		20
21	04	'19	05			'30	'59							21
22	'38	'31	'16			'42	'21				'23			22
23				'15		'39	.09				'75			23
24	'72		'31	'13			'15			09	08			24
25	'49	'13		07			04	'14		03	'14			25
26				'12		'10		'14		08	'10			26
27		'25		03		07					'21			27
28		03		06		'13	'24							28
29						08	'15			'23				29
30		×	04	'28		09		'17		'40				30
31		×		×		×	05	07	×	'29	×			31
TOTAL	5'94	1'59	1'57	2'57	'51	2'98	5'26	4'63	1'58	4'72	4'88	1'75	Year's Total 37'98	
* Days with .01 in. or more.	178	89	12	15	6	156	23	16	4	16	21	12	165 8	
* Days with .04 in. or more.	16	7	11	14	4	156	22	14	4	15	20	11	153	

* See Instruction 3 (f) on other side.

† Spare column, no-entries required.

(*Signed*) R. Christophers

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 1801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Knowle House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 14 in.

" Ground " Sea Level 230 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·3			·18						·18			1
2		·12		·20							·57	·19		2
3	·14	·65								·24	·63	·23		3
4	✓	·28					·7			·11	·5			4
5	·7									·3	·72	·9		5
6	·21	·66								·15	·3	·13		6
7	·9						·9					·7		7
8							·4			·48	·21	·25		8
9		·3					·62	·4	✓	·10	·60	·8		9
10							·11		·8	·6	·13	·59		10
11				·6			·25				·55	✓		11
12			·21			·11	·17		·48		·14			12
13			·33						✓	·61	1·20	·27		13
14			·4	·6	·47		·4		·24	·26	·37	·38		14
15		·17		·11	·4		·38		·23	·23	·24			15
16		·95	·57	·6			·8		·10	·35	·11			16
17		·10	·37	✓			·5							17
18		·36	·30	·94						·5	✓	·4		18
19		·6	·17	·13			·8		·33	✓	·17			19
20							✓			·8	·3			20
21		✓	✓		·17						·44			21
22		·3	·12	·20		·46								22
23		·5	·11	·8	·8		✓			·20				23
24					·3		·29							24
25	·31		·24		✓	·9								25
26	·47	·40		·19	·48		·9							26
27	·29	·8	·5	✓	·31									27
28	·31	·11		·5										28
29	·3	·11	·19	1·10		·5				·6		·23		29
30	✓	✗		·8	·3					·33		·12		30
31	·10	✗	·6	✗		✗			✗	·65	✗	·34		31
													Year's Total	
TOTAL	2·02	4·19	2·76	3·26	1·74	·71	2·36	·4	1·46	3·99	6·37	5·01	31·91	
* Days with .01 in. or more.	12 ~~10~~	~~17~~ 18	~~13~~ 14	~~13~~ 15	~~9~~ 10	4	~~14~~ 16	1	~~6~~ 8	~~17~~ 18	~~18~~ 19	~~14~~ 15	~~136~~	150
* Days with .04 in. or more.	9	14	13	13	7	4	14	1	6	16	16	14	127	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Christophers

[P.T.O.

BUDLEIGH SALTE

1801/5
BUDLEIGH SALTERTON
1937 – 40

7803O9

Section **A** for the entry
AIR MINIS

Station No. 1801/5

INFALL ORGANIZATION

FORM 1090

REG 937.

Kept at Immerding Tong, B

in the County of Dev

Diameter of Funnel of Gauge....

Height of top of Gauge above C

,, Ground ,, S

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.02	.02	.49	-	-	-	-	.08	.0I	.02	.47		1
2	.0I	.45	.07	.I8	-	-	-	-	.26	-	-	.07		2
3	-	.24	.I7	.II	.03	-	.03	.0I	-	-	-	-		3
4	.I5	I.02	.0I	.0I	.II	-	-	.02	-	-	-	.4I		4
5	.08	.0I	.0I	.06	-	-	.62	-	-	-	-	.I3		5
6	.04	.55	.44	.20	.03	-	.I8	-	-	-	-	-		6
7	-	.8I	.04	.03	-	.04	-	-	-	- ~~.XX~~	.05	.02		7
8	-	.04	-	-	I.I6	-	.09	-	-	-	.I8	.26		8
9	.03	-	.I5	.I8	.06	-	.02	-	.73	.I5	-	.07		9
10	.36	.0I	.69	.42	.08	.20	.03	-	-	-	-	.2I		10
11	.03	-	.29	.26	.52	.08	.35	-	-	-	-	.02		11
12	.70	.34	.05	.33	.44	.3I	.05	I.06	.I2	-	-	.38		12
13	-	.04	.80	.20	-	.03	-	.27	.06	-	-	.06		13
14	-	.0I	.I0	.06	-	-	I.II	.06	.07	-	-	.03		14
15	.28	.09	.28	.26	-	-	.I5	-	.I3	-	-	.I4		15
16	.04	.04	.28 ~~.X2~~	.03 ~~.X2~~	-	-	.02	.28	.87	-	.25	-		16
17	.64	.08	.59	-	-	-	-	.03	.06	-	.38	-		17
18	.23	.05	.20	-	-	.20	-	-	.I5	-	.32	.2I		18
19	.I3	.02	.07	.06	.06	-	-	-	.06	-	.02	.05		19
20	.58	.07	.04	.I0	.08	-	-	-	-	-	-	.54		20
21	.43	.42	.I2	.02	.36	-	.09	-	.I3	.03	.I4	.04		21
22	.30	.02	.I0	-	.26	.0I	.04	-	.27	.49	.30	.07		22
23	.27	.29	.0I	-	.04	-	-	-	-	.I5	.28	-		23
24	.4I	.60	.05	-	-	-	.0I	-	.03	.9I	-	.0I		24
25	.I2	.49	.59	-	.09	-	-	-	.04	.35	- ~~XX5~~	.02		25
26	-	.33	.03	-	.I0	-	-	-	-	.0I	-	.03		26
27	.03	.08	-	-	-	-	-	-	-	.43	-	-		27
28	.I0	.I5	-	-	-	-	-	-	-	.I6	-	-		28
29	.03		-	-	-	-	-	-	-	.28	.I6	-		29
30	.73	X		-	-	.03	- ~~X02~~	-	-	.04	.24	-		30
31	.49	X	-	X	-	X	-	-	X	.93	X	-		31
TOTAL	6.28	6.27	5.20	3.00	3.42	.90	2.79	I.73	3.06	3.94	2.34	3.24	Year's Total 42.I7	
* Days with .01 in. or more.	25	26	25	I8	I5	8	I4	7	I5	I3	I2	2I	I99	
* Days with .04 in. or more.	20	20	20	I4	I3	5	9	4	I4	I0	I0	I5	I54	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

R. Jones - Bateman Esq.

BUDLEIGH SALT

Section **A** for the entry of Daily Observations — Station No. 1801/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Inner Ting Tong, Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.07	.02	.02	.49	-	-	-	-	.08	.0I	.02	.47		1
2	.0I	.45	.07	.I8	-	-	-	-	.26	-	-	.07		2
3	-	.24	.I7	.II	.03	-	.03	.0I	-	-	-	-		3
4	.I5	I.02	.0I	.0I	.II	-	-	.02	-	-	-	.4I		4
5	.08	.0I	.0I	.06	-	-	.62	-	-	-	-	.I3		5
6	.04	.55	.44	.20	.03	-	.I8	-	-	-	-	-		6
7	-	.8I	.04	.03	-	.04	-	-	-	- ~~.XX~~	.05	.02		7
8	-	.04	-	-	I.I6	-	.09	-	-	-	.I8	.26		8
9	.03	-	.I5	.I8	.06	-	.02	-	.73	.I5	-	.07		9
10	.36	.0I	.69	.42	.08	.20	.03	-	-	-	-	.2I		10
11	.03	-	.29	.26	.52	.08	.35	-	-	-	-	.02		11
12	.70	.34	.05	.23	.44	.3I	.05	I.06	.I2	-	-	.38		12
13	-	.04	.80	.20	-	.03	-	.27	.06	-	-	.06		13
14	-	.0I	.I0	.06	-	-	I.II	.06	.07	-	-	.03		14
15	.28	.09	.28	.26	-	-	.I5	-	.I3	-	-	.I4		15
16	.04	.04	.28 ~~.XX~~	.03 ~~.XX~~	-	-	.02	.28	.87	-	.25	-		16
17	.64	.08	.59	-	-	-	-	.03	.06	-	.38	-		17
18	.23	.05	.20	-	-	.20	-	-	.I5	-	.32	.2I		18
19	.I3	.02	.07	.06	.06	-	-	-	.06	-	.02	.05		19
20	.58	.07	.04	.I0	.08	-	-	-	-	-	-	.54		20
21	.43	.42	.I2	.02	.36	-	.09	-	.I3	.03	.I4	.04		21
22	.30	.02	.I0	-	.26	.0I	.04	-	.27	.49	.30	.07		22
23	.27	.29	.0I	-	.04	-	-	-	-	.I5	.28	-		23
24	.4I	.60	.05	-	-	-	.0I	-	.03	.9I	-	.0I		24
25	.I2	.49	.59	-	.09	-	-	-	.04	.35	- ~~XXX~~	.02		25
26	-	.33	.03	-	.I0	-	-	-	-	.0I	-	.03		26
27	.03	.08	-	-	-	-	-	-	-	.43	-	-		27
28	.I0	.I5	-	-	-	-	-	-	-	.I6	-	-		28
29	.03		-	-	-	-	-	-	-	.28	.I6	-		29
30	.73	X		-	-	.03	- ~~XXX~~	-	-	.04	.24	-		30
31	.49	X	-	X	-	X	-	-	X	.93	X	-		31
TOTAL	6.28	6.27	5.20	3.00	3.42	.90	2.79	I.73	3.06	3.94	2.34	3.24	Year's Total 42.I7	
* Days with .01 in. or more.	25	26	25	I8	I5	8	I4	7	I5	I3	I2	2I	I99	
* Days with .04 in. or more.	20	20	20	I4	I3	5	9	4	I4	I0	I0	I5	I54	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Jones-Bateman Esq. [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 1801/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground I ft. - in.

" Ground " Sea Level 370 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.0I	-	tr.	.07	.33	.0I	.I0	-	.52	tr.	.07		1
2	-	.05	-	-	-	-	-	tr.	-	.I6	.03	.I7		2
3	-	.0I	-	-	.I5	tr.	.06	.02	-	.36	.II	.0I		3
4	-	-	-	-	-	.08	.23	2.35	tr.	.32	tr.	.I0		4
5	-	-	-	tr.	-	.03	.0I	.0I	.03	.25	-	.02		5
6	.06	-	-	-	-	.20	I.20	-	.09	.07	-	.05		6
7	.08	-	-	-	-	.04	.26?	tr.	.05	.05	.04	.I0		7
8	.40	-	-	-	-	.03	tr.	.06	tr.	.I5	tr.	tr.		8
9	.I4	.03	tr.	-	-	.07	-	tr.	-	tr.	-	.50		9
10	.I0	.05	-	-	-	-	.03	-	-	-	tr.	I.08		10
11	.09	.0I	-	-	-	.05	.09	.I0	-	-	.3I	.6I		11
12	.3I	-	-	-	.25	tr.	.0I	-	tr.	.I5	.42	.I3		12
13	.I7	-	-	-	.I5	.06	tr.	-	tr.	tr.	.32	.66		13
14	.86	-	-	tr.	.I4	-	.7I	-	-	-	tr.	.0I		14
15	.I3	-	-	-	.22	-	.6I	tr.	-	.20	.2I	.23		15
16	.I6	-	-	tr.	.0I	-	tr.	.0I	-	.0I	.36	.0I		16
17	-	.I2	.03?	-	.07	-	-	-	.02	.I4	.02	.0I		17
18	.I8	-	tr.	-	.04	-	-	.02	.07	.03	.35	tr.		18
19	-	tr.	-	-	-	tr.	-	.04	.39	tr.	.76	-		19
20	-	-	-	-	-	-	-	.02	.02	-	.I4	tr.		20
21	-	-	-	-	-	-	-	-	.05	-	.26	.36?	✓	21
22	.03	-	-	.II	-	.I7	-	.45	.09	-	.39	.II		22
23	.0I	tr.	-	.06	-	tr.	-	.I2	.0I	-	.05	.03		23
24	-	tr.	.I3	tr.	.03	-	tr.	.06	.08	-	.3I	-		24
25	.09	.3I	.08?	tr.	.27	tr.	.57	.0I	tr.	.03	I.2I	.03		25
26	.24	.26	tr,	-	.35	.0I	.02	-	-	.I0	.0I	.03		26
27	.I0	.0I	-	-	.I0	.I0	.36	.66	-	.03	.27	.I6		27
28	.08	.08	-	-	.II	.20	tr.	.99	.06	tr.	tr.	.03		28
29	.II		tr.	-	.47	tr.	.02	-	.I7	.32	.25	.02		29
30	.03	X	-	-	.03	.5I	.04	-	.22	tr.	.I3	.03		30
31	.23	X	-	X	.I3	X	.0I	tr.	X	.08	X	.23		31
TOTAL	3.60	.94	.24	.I7	2.59	I.88	4.24	5.02	I.35	2.97	5.95	4.79	Year's Total 33.74	✓ ✓
* Days with .01 in. or more.	2I	II	3	2	I7	I4	I7	I6	I4	I8	2I	26	I80	✓ ✓
* Days with .04 in. or more.	I8	6	2	2	I4	II	I0	I0	I0	I4	I8	I5	I30	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. Jones Bateman [P.T.O.

P.7.0

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1801/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ½ in.

,, Ground ,, Sea Level 370 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	-	.11	.04	.02	-	.08	.63	.04	-	.35	.02		1
2	.12	-	tr.	.21	tr.	-	.03	.41	1.48	-	.05	.02		2
3	.37	-	.03	.69	tr.	-	.03	.09	-	-	.12	.47		3
4	.03	-	.52	.11	.28	-	.63	.02	-	.48	.12	.18		4
5	tr.	-	.03	.13	-	-	.16	.08	-	.18	.84	.01		5
6	.62	-	.14	.13	-	-	.55	.06	-	.26	.18	tr.		6
7	.01	.37	tr.	-	-	tr.	tr.	.03	-	tr.	.34	.46		7
8	.02	.21	.01	tr.	.06	-	.06	.11	.01	1.38	.24	.12		8
9	.02	tr.	.04	-	tr.	-	-	.05	tr.	.12	.05	.08		9
10	.36	tr.	-	-	-	.04	-	.23	.04	.10	tr.	.16		10
11	-	.01	.08	-	-	.01	-	tr.	-	.19	.01	tr.		11
12	tr.	.04	-	.02	-	.03	-	tr.	.01	.04	tr.	.01		12
13	.04	.02	-	.14	tr.	.04	.42	-	.12	.98	.06	-		13
14	.96	-	-	.02	.01	.09	.20	-	.02	.07	.29	.01		14
15	.41	-	.02	-	.08	.66	.16	-	-	tr.	.19	.06		15
16	.19	-	-	.12	-	-	.03	-	-	tr.	.08	-		16
17	.53	-	-	-	.02	.18	.37	-	-	tr.	.03	-		17
18	.01	tr.	.01	-	.02	.19	.73	-	tr.	-	.51	.04		18
19	.29	-	-	-	-	.02	.31	tr.	-	-	tr.	.08		19
20	.39	-	-	-	tr.	.16	.10	2.28	-	-	-	.07		20
21	.03	.20	.03	-	.01	.35	.64	.09	-	-	-	-		21
22	.42	.33	.18	tr.	-	.48	.26	-	tr.	-	.26	-		22
23	.02	tr.	.01	.13	-	.02	.08	-	-	.01	.82	-		23
24	.74	tr.	.34	.11	-	.43	.17	-	-	.05	tr.	tr.		24
25	.70	.12	tr.	.08	-	tr.	.03	.14	-	.02	.13	-		25
26	.02	.01	tr.	.12	-	.11	tr.	.15	-	.10	.14	tr.		26
27	tr.	.27	-	.02	-	.05	.01	.03	-	.02	.11	tr.		27
28	-	.02	-	.05	-	.13	.20	tr.	-	-	.21	.03		28
29	-	XXX	-	.02	-	.06	.14	-	-	.23	tr.	tr.		29
30	-	XXX	.04	.29	-	.10	tr.	.16	-	.43	.01	-		30
31	-	XXX	-	XXX	-	XXX	.03	.05	XXX	.31	XXX	tr.		31
TOTAL	6.37	1.60	1.59	2.43	.50	3.15	5.42	4.61	1.72	4.97	5.14	1.82	Year's Total 39.32	
* Days with .01 in. or more.	23	11	15	18	8	19	24	17	7	18	23	16	199	
* Days with .04 in. or more.	15	7	8	14	3	15	18	14	4	15	20	10	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1801/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Budleigh Salterton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground I ft. ~~[illegible]~~ in.

,, Ground ,, Sea Level 370 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.02	-	tr.	.20	-	-	-	tr.	-	.I4	-		1
2	-	.I3	-	.2I	-	-	.0I	-	-	-	.66	.II		2
3	.II	.6I	-	-	-	-	tr.	tr.	-	.25	.60	.I8		3
4	.0I	.23	-	.02	-	-	.05	-	-	.I7	.04	tr.		4
5	.05	tr.	-	-	-	-	tr.	-	-	.03	.83	.I0		5
6	.23	.6I	-	-	-	-	.0I	-	-	.I3	.03	.I4		6
7	.I0	.0I	-	-	-	-	.08	-	.0I	.0I	-	.05		7
8	tr.	.02	-	-	-	-	.02	-	tr.	.52	.22	.24		8
9	-	-	-	.0I	-	-	.65	.03	.03	.08	.6I	.09		9
10	-	-	tr.	-	-	-	.I0	.0I	.06	.07	.I3	.6I		10
11	-	-	tr.	.03	-	-	.27	-	-	-	.54	.0I		11
12	-	-	.24	-	-	.I3	.I7	-	.50	-	.I5	tr.		12
13	-	tr.	.3I	-	-	-	.0I	-	.02	.64	I.25	.2I		13
14	-	.05	.07	.05	.49	-	.03	-	.24	.24	tr.	.40		14
15	tr.	.02	tr.	.II	.02	-	.33	-	.I6	.28	.38	tr.		15
16	.0I	.95	.57	.06	tr.	tr.	.08	-	.I0	.34	.20	.0.0I		16
17	-	.I4	.38	.02	tr.	-	.05	-	.0I	tr.	.I0	tr.		17
18	.I3	.3I	.3I	.93	-	-	.0I	tr.	.0I	.05	.0I	.03		18
19	tr.	.05	.I9	.I3	-	-	.05	-	.32	.03	.I7	-		19
20	-	tr.	.0I	tr.	-	-	tr.	.0I	tr.	.07	.03	tr.		20
21	-	.0I	.0I	-	.I7	tr.	.02	tr.	.0I	tr.	.44	-		21
22	-	.0I	.I0	.23	tr.	.48	.0I	-	.0I	-	tr.	-		22
23	-	.04	.I7	.08	.06	tr.	.0I	-	-	.25	tr.	tr.		23
24	.0I	-	tr.	tr.	.04	-	.28	-	tr.	tr.	-	-		24
25	.I8	-	.24	.0I	.03	.09	tr.	-	-	-	tr.	-		25
26	.47	.43	-	.20	.4I	-	.07	-	-	-	tr.	-		26
27	.33	.09	.04	.02	.33	tr.	-	tr.	-	-	-	-		27
28	.34	.I0	-	.04	.0I	-	-	-	-	-	-	tr.		28
29	.I8	.I3	.I8	I.I9	-	.06	-	-	-	.06	-	.2I		29
30	.02	X	tr.	.08	.02	-	-	-	-	.37	-	.I4		30
31	.I3	X	.05	X	-	X	-	-	X	.68	X	.74		31
TOTAL	2.30	3.96	2.87	3.42	I.78	.76	2.3I	.05	I.48	4.27	6.53	3.27	Year's Total 33.00	
* Days with .01 in. or more.	I5	20	I5	I8	II	4	2I	3	I3	I9	I9	I6	174	
* Days with .04 in. or more.	II	I4	I3	I2	7	4	I2	0	6	I6	I6	I3	I24	

† Spare column, no entries required.

(*Signed*) R. Jones-Bateman

* See Instruction 3 (f) on other side.

[P.T.O.

1802

1802
SQUABMOOR RESERVOIR
1931 — 40

780309

FORM 1090. **B** Montl
Sumn

⁎ The following register of monthly
&c., is NOT required if daily or v
values are given on the other side, n and also the space for

register should be sent:—

RAINFALL IN 1931

NCIL OFFICES EXMOUTH.

in Summer

At SQUABMOOR RESERVOIR

In the County of BUDLEIGH SALT DEVON

ce 2 miles Direction from gauge SE

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 267 *ft.*

Nearest Parish Church at ST JOHN'S IN THE WILDERNESS, WITHYCOMBE Distance 1 mile Direction from gauge WSW

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2.84				
FEB.	2.31				
MAR.	1.92				
APRIL	3.35				
MAY	3.05				
JUNE	3.58				
JULY	4.41				
AUG.	3.47				
SEPT.	1.77				
OCT.	0.36				
NOV.	6.82				
DEC.	1.72				
Total	35.60				

Nature of objects nearest to gauge				
Heights of objects		As before		
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature S. Hutton

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 7
7 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Montl Summary.

1802

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At SQUABMOOR RESERVOIR
In the County of BUDLEIGH SALTERTON DEVON

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 267 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·84				
FEB.	2·31				
MAR.	1·92				
APRIL	3·35				
MAY	3·05				
JUNE	3·58				
JULY	4·41				
AUG.	3·47				
SEPT.	1·77				
OCT.	0·36				
NOV.	6·82				
DEC.	1·72				
Total	35·60				

Signature S. Hutton

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
MR. S. HUTTON.
ENGINEER & SURVEYOR, COUNCIL OFFICES EXMOUTH.

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station BUDLEIGH SALTERTON Distance 2 miles Direction from gauge SE

Nearest Parish Church at ST. JOHN'S IN THE WILDERNESS, WITHYCOMBE Distance 1 mile Direction from gauge WSW

Nature of objects nearest to gauge
Heights of objects
Distances ..
Directions from gauge ..

As before

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes* **all** *the days with any rain except those for which the entries are trace*, ·01, ·02, *or* 0·3

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O.
7 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Monthly Summary. **C** Particulars of Station. 1802

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932.

At SQUARMOOR, BUDLEIGH SALTERTON.

In the County of DEVON

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 267 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3·28				
FEB.	0·01				
MAR.	2·51				
APRIL	2·29				
MAY	4·36				
JUNE	3·93				
JULY	2·31				
AUG.	2·73				
SEPT.	5·29				
OCT.	6·29				
NOV.	2·45				
DEC.	2·61				
Total	38·06				

Signature S. Hutton

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
MR S. HUTTON
ENGINEER Y SURVEYOR EXMOUTH

Hour of observation by the clock—in Winter ...... in Summer ......

Nearest Railway Station Budleigh Salterton Distance 2 miles Direction from gauge SE

Nearest Parish Church at Do. Distance 2 miles Direction from gauge SE

Nature of objects nearest to gauge				
Heights of objects		As before		
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
12 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

1802

FORM 1090.

B Monthly Summary.

, **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At SQUABMOOR, BUDLEIGH SALTERTON

In the County of DEVON

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 267 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·76				
FEB.	4·33				
MAR.	3·42				
APRIL	1·95				
MAY	1·94				
JUNE	2·41				
JULY	2·62				
AUG.	1·28				
SEPT.	2·40				
OCT.	2·86				
NOV.	1·36				
DEC.	3·07				
Total	30·40 ✓				

Signature S. Hutton

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Mr S. Hutton
Engineer & Surveyor Council Offices Exmouth

Hour of observation by the clock—in Winter 9 AM in Summer 10 AM.

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..	As before			
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{array}{r|l|}17 & \multirow{2}{*}{\}\cdot 14} \\ 18 & \end{array}$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

M.O. 7
JAN

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1802

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Squabmoor Reservoir Budleigh Salterton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 267 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·72				
FEB.	·17				
MAR.	2·80				
APRIL	2·94				
MAY	1·11				
JUNE	1·77				
JULY	0·41				
AUG.	2·70				
SEPT.	1·92				
OCT.	2·07				
NOV.	1·84				
DEC.	9·25				
Total	29·70				

Signature S. Hutton

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— Mr. S. Hutton
Engineer & Surveyor, Council Offices
Exmouth

Hour of observation by the clock—in Winter 9 A.M. in Summer 10 A.M.

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances				
Directions from gauge				

As before

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1802

FORM 1090.

B Monthly Summary.

***.* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1935

At SQUABMOOR, BUDLEIGH SALTERTON

In the County of DEVON

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 217 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	0·50				
FEB.	3·45				
MAR.	1·28				
APRIL	3·33				
MAY	2·07				
JUNE	3·36				
JULY	0·38				
AUG.	2·50				
SEPT.	2·56				
OCT.	3·96				
NOV.	5·89				
DEC.	4·76				
TOTAL	34·04				

Signature J. Hutton

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Mr J. Hutton

Council Offices Exmouth

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station................. Distance................. Direction from gauge.................

Nearest Parish Church at................. Distance................. Direction from gauge.................

Nature of objects nearest to gauge				
Height of objects		As before		
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move................. Distance................. Direction.................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
4 FEB 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

- (*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January ~~1st~~ is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
  9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- (*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  - (A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  - (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- (*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.
- (*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.
- (*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.
- (*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*
- (*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

1802

B Monthly Summary.

⁂ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At SQUABMOOR RESERVOIR BUDLEIGH SALTERTON

In the County of DEVON

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 267 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·57				
FEB.	2·97				
MAR.	4·18				
APRIL	2·25				
MAY	·71				
JUNE	1·87				
JULY	4·57				
AUG.	0·15				
SEPT.	2·98				
OCT.	0·90				
NOV.	2·42				
DEC.	3·43				
TOTAL	32·00 ✓				

Signature J. Hutton

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Mr J. Hutton
Engineer & Surveyor Exmouth U.D. Council

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station................ Distance................ Direction from gauge................

Nearest Parish Church at................ Distance................ Direction from gauge................

Nature of objects nearest to gauge	As before			
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move................ Distance................ Direction................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M O 2
23 JAN. 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

1802

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Squabmoor

In the County of Devonshire

Rain Gauge
- Diameter of Funnel........................in.
- *Height of Top above Ground.........ft............in.*
- *Height of Ground above Sea Level..................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·70				
FEB.	6·15				
MAR.	4·90				
APRIL	2·85				
MAY	3·14				
JUNE	·73				
JULY	2·56				
AUG.	1·55				
SEPT.	2·63				
OCT.	3·07				
NOV.	1·86				
DEC.	2·70				
TOTAL	37·84	✓			

EXMOUTH URBAN DISTRICT COUNCIL
Engineer's & Surveyor's Dept

Signature .... H. S. Knight

* See Instruction 3 (f) below.

X ENGINEER AND SURVEYOR X

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
H. S. Knight Engineer & Surveyor
Exmouth U.D. Council

Hour of observation by the clock—in Winter.........................in Summer....................

Nearest Railway Station.............................. Distance.................Direction from gauge............

Nearest Parish Church at.............................. Distance.................Direction from gauge............

As before

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................................. No. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1902

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193...8

At Budleigh Salterton (Squabmoor)

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 267 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·81	-	-	-	-
FEB.	·74	-	-	-	-
MAR.	·12	-	-	-	-
APRIL	·19	-	-	-	-
MAY	2·00	-	-	-	-
JUNE	1·16	-	-	-	-
JULY	3·54	-	-	-	-
AUG.	4·63	-	-	-	-
SEPT.	·91	-	-	-	-
OCT.	2·84	-	-	-	-
NOV.	5·57	-	-	-	-
DEC.	4·31	-	-	-	-
TOTAL	28·76 ✓			-	-

Signature G. L. L. Knight

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

As before

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station.................... Distance.................. Direction from gauge..................

Nearest Parish Church at.................... Distance.................. Direction from gauge..................

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................... Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 683/91 S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1802

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Squabmoor Reservoir, near Budleigh Salterton.
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 267 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.32	-	0.18		0.29	-	0.21		1.40		0.97			1
2				0.78				0.70		0.64		0.48		2
3					0.26	-								3
4	0.37	-									0.20			4
5			0.67	0.30			1.41	0.16						5
6					0.09							0.32		6
7	0.52					-				1.43				7
8		0.38	0.05				0.08		0.04		0.49			8
9								0.25				0.50		9
10						0.03								10
11	0.25	0.06	0.07	0.21						0.25	0.07			11
12					0.10		0.33	-						12
13									0.14			0.04		13
14	1.38					0.76				0.89				14
15		-	-				0.50				0.57			15
16				0.12				-	-			0.04		16
17					0.04	0.31								17
18	0.81		-							-				18
19		-		-			1.73	2.34			0.47			19
20					0.01				-			0.14		20
21	0.66					0.87				0.02				21
22		0.53	0.13	0.20							1.31			22
23									-					23
24						0.53	0.85					-		24
25	1.41	0.27	0.42					0.32		0.21	0.51			25
26				0.16	-									26
27									-					27
28	-					0.18				0.34		0.01		28
29			0.05				0.30				0.23			29
30		X										0.01		30
31		X		X		X			X		X			31
TOTAL	5.72	1.24	1.57	1.77	0.79	2.68	5.39	n3.77	1.58	3.78	5.62	1.34	Year's Total 35.25	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

(*Signed*) R. James Humphreys
Acting Engineer & Surveyor

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1802

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Squabmoor Reservoir, near
in the County of Budleigh Salterton, Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 267 ft.

Amend monthly totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		(·16)	(·32)	~~(·18)~~	~~(·61)~~			–		–	~~(1·16)~~	~~(1·2)~~		1
2	·08				(·21)		·10		–		(·20)			2
3		·74	–	–										3
4						–								4
5								–			2·23			5
6					–									6
7	·42	·47	–				–							7
8														8
9				·04					·35	–		·90		9
10	–		–			·12								10
11		–												11
12								–						12
13														13
14	–	·07	·57		·52									14
15							–							15
16				1·20					·80	1·28				16
17			1·19			–						·71		17
18		1·32												18
19	–							–						19
20														20
21		·05	·41		–									21
22							–							22
23				·19						–				23
24	·21	·38				–						–		24
25									–					25
26			·04					–						26
27														27
28	–				1·24									28
29		(·32)					–							29
30		✕	(·18)	(·49)						–	(1·20)	–		30
31	(·16)	✕		✕		✕			✕	(·96)	✕			31
TOTAL	·87	3·35	2·39	1·83	1·97	·12	·10	–	1·15	2·24	3·63	1·61	Year's Total 19·26	[illegible]
* Days with .01 in. or more.													..	
* Days with .04 in. or more.													..	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Bertram G. Holden

[P.T.O.

FORM 1090. **B** Month
Summ

1803

1803
EAST BUDLEIGH, BICTON COMMON
1931 —— 40

780309

⁎ The following register of monthly to
&c., is NOT required if daily or w
values are given on the other side.

RAINFALL IN 1931

At BICTON COMMON. EAST B

In the County of DEVON

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 300 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·41				
FEB.	2·26				
MAR.	1·93				
APRIL	3·32				
MAY	2·85				
JUNE	3·54				
JULY	4·81				
AUG.	3·69				
SEPT.	1·86				
OCT.	0·43				
NOV.	6·68				
DEC.	1·83				
Total	35·61				

Signature S. Hutton

and also the space for

register should be sent:—

OUNCIL OFFICES EXMOUTH

M in Summer 10 A.M.

2¾ miles Direction from gauge E

Nearest Parish Church at ST. JOHN'S IN THE WILDERNESS Distance 1⅔ mile Direction from gauge SS.W.

Nature of objects nearest to gauge				
Heights of objects	As before.			
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 7
7 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Month Summary.

C Particulars of Station.

1803

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At BICTON COMMON EAST BUDLEIGH

In the County of DEVON

Rain Gauge:

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 0 *in.*

Height of Ground above Sea Level 300 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·41				
FEB.	2·26				
MAR.	1·93				
APRIL	3·32				
MAY	2·85				
JUNE	3·54				
JULY	4·81				
AUG.	3·69				
SEPT.	1·86				
OCT.	0·43				
NOV.	6·68				
DEC.	1·83				
Total	35·61				

Signature S. Hutton

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

MR. S. HUTTON

ENGINEER Y SURVEYOR COUNCIL OFFICES EXMOUTH.

Hour of observation by the clock—in Winter 9 A.M. in Summer 10 A.M.

Nearest Railway Station EAST BUDLEIGH. Distance 2¾ miles Direction from gauge E

Nearest Parish Church at ST. JOHN'S IN THE WILDERNESS. Distance 1⅔ miles Direction from gauge SS. W.

Nature of objects nearest to gauge				
Heights of objects	As before.			
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 7
7 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1803

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932

At YETTINGTON INTAKES
In the County of EAST BUDLEIGH DEVON

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 300 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3·34	—	—	—	—
FEB.	0·01				
MAR.	2·46				
APRIL	2·37				
MAY	4·27				
JUNE	3·61				
JULY	2·58				
AUG.	2·01				
SEPT.	5·15				
OCT.	6·37				
NOV.	2·58				
DEC.	2·78				
Total	37·53				

Signature P. Hutton

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
MR S. HUTTON
ENGINEER & SURVEYOR EXMOUTH.

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station East Budleigh Distance 2¼ mls Direction from gauge ESE

Nearest Parish Church at East Budleigh Distance 1¾ miles Direction from gauge SE

Nature of objects nearest to gauge				
Heights of objects	As before			
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
12 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110

1803

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At BICTON COMMON, EAST BUDLEIGH

In the County of DEVON

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 300 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·86				
FEB.	4·38				
MAR.	3·39				
APRIL	1·82				
MAY	2·01				
JUNE	2·27				
JULY	1·58				
AUG.	1·14				
SEPT.	2·45				
OCT.	2·77				
NOV.	1·28				
DEC.	3·22				
Total	29·10 ✓				

Signature S. Hutton

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Mr S. Hutton
Engineer Surveyor, Council Offices Exmouth

Hour of observation by the clock—in Winter 9 AM in Summer 10 AM

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..	As before.			
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right|\left.\right\}\cdot14\,\Big|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

M.O.
2 JAN 1934

D

FORM 1090.

1803

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At BICTON COMMON

In the County of BUDLEIGH SALTERTON DEVON

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 300 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·59				
FEB.	·13				
MAR.	2·56				
APRIL	2·37				
MAY	1·18				
JUNE	1·82				
JULY	0·38				
AUG.	2·73				
SEPT.	1·97				
OCT.	2·17				
NOV.	1·81				
DEC.	9·66				
Total	29·37				

Signature S. Hutton

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
MR. S. HUTTON
ENGINEER & SURVEYOR
COUNCIL OFFICES EXMOUTH

Hour of observation by the clock—in Winter 9 AM in Summer 10 AM

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following* 9 *a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1803

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At BICTON COMMON EAST BUDLEIGH

In the County of DEVON

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 0 *in.*

Height of Ground above Sea Level 300 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	0·48				
FEB.	3·45				
MAR.	1·19				
APRIL	3·33				
MAY	2·14				
JUNE	3·46				
JULY	0·33				
AUG.	2·46				
SEPT.	2·66				
OCT.	3·92				
NOV.	5·94				
DEC.	5·01				
TOTAL	34·37				

Signature L. Hutton

Surveyor's Dept

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Mr L. Hutton
Council Offices, Exmouth

Hour of observation by the clock—in Winter.................in Summer..................

Nearest Railway Station.................. Distance.............. Direction from gauge............

Nearest Parish Church at.................. Distance.............. Direction from gauge...........

Nature of objects nearest to gauge				
Height of objects		as before		
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move.................................... Distance.............. Direction...........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) It is known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

M.O. 7
4 FEB 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1803

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At BICTON COMMON EAST BUDLEIGH

In the County of DEVON

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 300 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·66				
FEB.	3·24				
MAR.	4·33				
APRIL	2·40				
MAY	·74				
JUNE	1·88				
JULY	5·32				
AUG.	0·18				
SEPT.	3·40				
OCT.	1·10				
NOV.	2·57				
DEC.	3·73				
TOTAL	34·55 ✓				

Signature S. Hutton

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Mr S. Hutton
Engineer & Surveyor, Exmouth U.D. Council

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station.................. Distance.................. Direction from gauge..................

Nearest Parish Church at.................. Distance.................. Direction from gauge..................

Nature of objects nearest to gauge				
Height of objects	As before			
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
23 JAN 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

1803

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Bicton

In the County of Devonshire

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground.......ft.........in.*
- *Height of Ground above Sea Level..........ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·00				
FEB.	6·18				
MAR.	4·96				
APRIL	3·01				
MAY	3·27				
JUNE	·86				
JULY	3·52				
AUG.	1·97				
SEPT.	2·97				
OCT.	3·67				
NOV.	2·30				
DEC.	3·63				
TOTAL	42·34 ✓				

Signature A. L. Knight

EXMOUTH URBAN DISTRICT COUNCIL
Engineer & Surveyor's Dept

ENGINEER + SURVEYOR

* See Instruction 3 (f) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :— A. L. Knight Engineer Surveyor
Exmouth U.D. Council

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge	As before			
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... No .... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

1803

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At East Budleigh (Bicton Commu[illegible])

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* – *in.*
Height of Ground above Sea Level 300 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·98				
FEB.	1·06				
MAR.	·13				
APRIL	·16				
MAY	2·34				
JUNE	1·17				
JULY	4·17				
AUG.	4·37				
SEPT.	·67				
OCT.	2·88				
NOV.	2·10				
DEC.	6·93				
TOTAL	28·96 ✓	✓			

Signature Dr L. L. Knight

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

As before

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1803

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bicton Common, East Budleigh,

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 300 ft.

Aug Sept ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					0.73			0.82						1
2										0.63				2
3	0.71			1.30			2.13							3
4						-						0.87		4
5														5
6		0.47	0.79								2.28			6
7								0.50						7
8														8
9	1.03									1.69				9
10				0.26			0.41							10
11					0.17				0.22			0.38		11
12						0.81								12
13		0.07	0.09								0.73			13
14								-						14
15														15
16	1.45									1.02				16
17				0.22			2.01							17
18									-			0.27		18
19						1.59					1.46			19
20		0.56	0.21											20
21														21
22														22
23	2.59									0.28				23
24				0.47			0.79							24
25												0.01		25
26					-	0.78			-					26
27											0.70			27
28		0.53	0.43											28
29														29
30	-	✕								1.54		0.01		30
31		✕		✕		✕			✕		✕			31
TOTAL	5.78	1.63	1.52	2.25	0.90	3.18	5.34	(3.60)	(.90)	5.16	5.17	1.54	Year's Total (36.97)	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R James Humphreys

Acting Engineer & Surveyor.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1803

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Bicton Common, East Budleigh.

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 300 ft.

Amend monthly ~~total~~

f 383125/35

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		(·35)	(·91)		~~1·64~~ (·14)		(·01)	–			~~(1·21)~~			1
2							~~·11~~				(·81)			2
3	·09			–		–				–				3
4								–	–			–		4
5			–								2·21			5
6		1·64												6
7					–									7
8	·43						–							8
9														9
10				–		·13				–		–		10
11														11
12		·08	·55					–	–		–			12
13														13
14					·53									14
15	–						–							15
16														16
17				–		–				1·29				17
18												·73		18
19		1·32	1·71					–	–					19
20											–			20
21					–									21
22	·20						–							22
23				·18										23
24						–				–				24
25												–		25
26			–						–					26
27											–			27
28					1·76			–						28
29		(·91)												29
30		✗		(1·50)		(·10)								30
31	(·35)	✗		✗		✗			✗	(·40)	✗			31
TOTAL	1·07	3·95	2·26	1·68	2·43	·23	·01	–	–	1·69	3·02	·73	Year's Total 17·07	
* Days with ·01 in. or more.														
* Days with ·04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Bertram H. Holden

[P.T.O.

1804

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIST

31.

1804
BICTON GARDENS
1931—39
780309

Kept at Bicton Gard

in the County of Dev

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·24	·04	—	·07	—	·36	·02	·10	—	1
2	·30	·03	—	·19	—	—	—	—	·21	—	—	·11	2
3	·10	—	·27	—	—	—	·04	—	·18	—	1·42	·03	3
4	·02	—	·7	—	·09	·29	·15	·22	·06	—	—	·21	4
5	—	·35	·11	·03	—	·80	—	·12	—	—	·12	·49	5
6	—	·07	—	·03	·05	·17	·04	—	—	·18	·09	·12	6
7	—	·02	—	·06	·28	·22	·22	·08	—	·02	·40	·05	7
8	—	·26	—	—	—	·42	·02	·13	—	·01	·27	·02	8
9	·01	·08	—	—	—	·07	·07	—	—	—	·39	—	9
10	—	·04	—	—	·05	·16	—	·09	·76	—	·48	—	10
11	·13	·30	—	—	—	·19	·13	·01	·10	—	·44	—	11
12	·07	·08	—	—	—	—	·20	—	·05	·05	·01	—	12
13	—	·07	—	—	·04	—	·49	·16	—	·01	—	—	13
14	·03	·03	—	—	—	·12	1·11	·02	·04	—	·27	—	14
15	·01	·10	—	—	·09	—	—	·10	·01	—	—	·03	15
16	—	·01	—	—	·20	·46	—	·02	—	—	—	—	16
17	—	·10	—	·02	—	·09	·50	—	·08	—	—	—	17
18	·03	·09	—	·15	—	·18	·04	1·53	—	—	·25	—	18
19	·03	·13	·02	·11	—	·06	·11	·02	·05	—	·09	—	19
20	—	—	·44	—	—	—	—	·15	—	—	·07	—	20
21	·14	—	·02	—	·07	—	—	—	—	·01	·02	—	21
22	·26	·03	—	·03	·08	—	—	—	—	—	—	—	22
23	·13	—	—	·11	·73	—	·02	·08	—	—	·33	—	23
24	·12	—	—	·37	·08	—	·66	·43	—	—	·01	—	24
25	·25	—	—	·17	—	—	·18	—	—	—	·19	—	25
26	—	·01	—	·13	—	—	·29	—	—	—	·61	—	26
27	·14	·12	—	—	·52	—	·07	—	—	—	·17	—	27
28	·08	·10	·07	—	—	—	—	—	—	·02	—	·08	28
29	·05	—	·02	—	·04	—	·01	·18	—	—	·17	·18	29
30	·04	×	—	—	·02	—	—	—	·05	—	·01	—	30
31	·49	×	·03	×	·04	×	·01	—	×	·02	×	·44	31
TOTAL	2·43	2·03	1·05	1·64	2·42	3·23	4·43	3·34	1·95	·34	5·91	1·76	YEAR'S TOTAL 30·53
*Days with ·01 in. or more.	20 ~~6~~	21 ~~7~~	9 ~~4~~	13 ~~4~~	16 x	13	21 ~~4~~	16 ~~4~~	12 x	9 x	22 ~~4~~	11 ~~3~~	183 ~~45~~
*Days with ·04 in. or more.	14	14	5	9	15.	13	17	12	11	2	18.	8	138

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. H. High

[P.T.O.

1804

Section **A** **for the entry of**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bicton Gardens

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 90 ft.

dafo

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·24	·04	—	·07	—	·36	·02	·10	—	1
2	·30	·03	—	·19	—	—	—	—	·21	—	—	·11	2
3	·10	—	·27	—	—	—	·04	—	·18	—	1·42	·03	3
4	·02	—	·7	—	·09	·29	·15	·22	·06	—	—	·21	4
5	—	·35	·11	·03	—	·80	—	·12	—	—	·12	·49	5
6	—	·07	—	·03	·05	·17	·04	—	—	·18	·09	·12	6
7	—	·02	—	·06	·28	·22	·22	·08	—	·02	·40	·05	7
8	—	·26	—	—	—	·42	·02	·13	—	·01	·27	·02	8
9	·01	·08	—	—	—	·07	·07	—	—	—	·39	—	9
10	—	·04	—	—	·05	·16	—	·09	·76	—	·48	—	10
11	·13	·30	—	—	—	·19	·13	·01	·10	—	·44	—	11
12	·07	·08	—	—	—	—	·20	—	·05	·05	·01	—	12
13	—	·07	—	—	·04	—	·49	·16	—	·01	—	—	13
14	·03	·03	—	—	—	·12	1·11	·02	·04	—	·27	—	14
15	·01	·10	—	—	·09	—	—	·10	·01	—	—	·03	15
16	—	·01	—	—	·20	·46	—	·02	—	—	—	—	16
17	—	·10	—	·02	—	·09	·50	—	·08	—	—	—	17
18	·03	·09	—	·15	—	·18	·04	1·53	—	—	·25	—	18
19	·03	·13	·02	·11	—	·06	·11	·02	·05	—	·09	—	19
20	—	—	·44	—	—	—	—	·15	—	—	·07	—	20
21	·14	—	·02	—	·07	—	—	—	—	·01	·02	—	21
22	·26	·03	—	·03	·08	—	—	—	—	—	—	—	22
23	·13	—	—	·11	·73	—	·02	·08	—	—	·33	—	23
24	·12	—	—	·37	·08	—	·66	·43	—	—	·01	—	24
25	·25	—	—	·17	—	—	·18	—	—	—	·19	—	25
26	—	·01	—	·13	—	—	·29	—	—	—	·61	—	26
27	·14	·12	—	—	·52	—	·07	—	—	—	·17	—	27
28	·08	·10	·07	—	—	—	—	—	—	·02	—	·08	28
29	·05	—	·02	—	·04	—	·01	·18	—	—	·17	·18	29
30	·04	×	—	—	·02	—	—	—	·05	—	·01	—	30
31	·49	×	·03	×	·04	×	·01	—	×	·02	×	·44	31
TOTAL	2·43	2·03	1·05	1·64	2·42	3·23	4·43	3·34	1·95	·34	5·91	1·76	YEAR'S TOTAL 30·53
*Days with ·01 in. or more.	20 ~~6~~	21 ~~7~~	9 ~~4~~	13 ~~4~~	16 x	13	21 ~~4~~	16 ~~4~~	12 x	9 x	22 ~~4~~	11 ~~3~~	183 ~~45~~
*Days with ·04 in. or more.	14	14	5	9	15.	13	17	12	11	2	18.	8	138

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. H. High

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1804

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bicton Gardens
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 90 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	–	–	·21	–	–	·04	·18	–	–	·09	·02	1
2	–	–	–	·24	–	·02	·04	·02	·14	–	·03	·15	2
3	–	–	·02	–	–	·89	·03	–	·35	·02	·03	·07	3
4	·02	–	–	–	–	·24	–	–	–	–	·22	–	4
5	·11	–	·08	–	–	–	·01	–	·06	–	–	–	5
6	·45	–	–	·19	–	–	·09	–	·32	–	–	–	6
7	·05	–	–	·08	·08	–	·03	–	·67	1·13	–	–	7
8	–	–	·55	·01	·19	–	–	–	·11	·19	–	–	8
9	·70	Part snow ·03	–	·22	·06	–	–	–	–	·06	–	–	9
10	·24	–	–	·19	·04	·02	–	–	–	·17	–	–	10
11	·02	–	–	·07	·12	–	–	–	–	·06	–	·09	11
12	·45	–	–	–	·31	–	·02	–	·03	·18	–	·03	12
13	·14	–	–	·18	·03	–	·31	·58	–	1·15	–	·25	13
14	·22	–	–	·25	·22	·09	–	–	–	·02	·03	·01	14
15	–	–	–	·09	·15	–	·09	–	–	·05	–	·03	15
16	·15	–	–	·05	–	–	·02	–	–	–	–	–	16
17	·01	–	–	–	·02	–	–	–	·03	·02	–	–	17
18	·01	–	–	–	·26	–	–	–	·06	·42	·21	–	18
19	·19	–	–	–	·27	–	–	–	·05	·62	–	–	19
20	·03	–	–	–	1·33	–	–	·02	–	·25	·29	·12	20
21	·01	–	·11	·16	·01	–	–	·10	·12	·34	·12	·11	21
22	–	–	–	–	·01	–	·09	·03	·68	·44	·15	–	22
23	–	–	–	–	–	–	·16	–	·02	·23	·04	·15	23
24	–	·04	–	–	–	–	·85	–	·18	·17	·03	–	24
25	–	–	·68	·04	–	–	·11	–	·13	·10	·01	·02	25
26	–	–	·04	·03	–	–	·04	–	–	·26	·10	–	26
27	–	–	·58	·40	·13	–	·08	–	–	–	·03	·08	27
28	–	–	·09	–	·17	·19	·02	–	–	–	–	·10	28
29	–	–	·32	·08	·22	·54	–	–	·59	·59	·04	·44	29
30	–	×	–	·04	·03	1·64	·35	·70	·56	·09	·90	·03	30
31	–	×	·12	×	·25	×	·04	–	×	·01	×	·67	31
													YEAR'S TOTAL
TOTAL	2·82	·07	2·59	2·53	3·90	3·63	2·42	1·63	4·10	6·57	2·32	2·37	34·95
*Days with ·01 in. or more.	17 ~~1~~	2 ~~1~~	10 ~~1~~	18 ~~2~~	20 ~~5~~	8 ~~3~~	19 ~~6~~	7 ~~8~~	17 ~~3~~	23 ~~4~~	16 ~~6~~	17 ~~6~~	~~46~~ 174
*Days with .04 in. or more.	10	1	9	16	15	6	13	4	14	19	10	11	128

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) E. H. High

P.T.O.

1804

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1807~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bicton Gardens

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·43	·19	·10	—	·04	·17	—	—	—	—	·05	1·44		1
2	·37	—	·76	—	·68	·27	—	—	—	—	·01	·05		2
3	·11	·11	·27	—	·03	—	—	—	—	—	—	—		3
4	·25	—	·05	—	·07	—	—	—	—	— ~~·02~~	— ~~·02~~	—		4
5	·02	—	·26	—	·08	—	—	—	—	·02	·02	—		5
6	·02	·46	—	—	·09	—	·16	—	—	·11	—	—		6
7	·01	·13	—	—	·02	—	·02	—	—	·29	—	·01		7
8	·01	·01	·03	—	·47	—	·10	—	—	·03	—	—		8
9	—	·05	—	—	—	—	·15	—	—	·12	·05	—		9
10	—	·16	—	—	—	—	·25	—	—	·52	·02	—		10
11	·13	—	—	—	—	·42	·07	·17	—	—	—	—		11
12	—	—	—	·29	·05	·10	·17	—	·54	—	—	·04		12
13	—	—	—	—	·03	·03	·09	·59	—	·14	·03	—		13
14	·04	—	—	—	—	—	·69	·11	—	·07	·23	—		14
15	·49	—	·20	—	—	—	·26	—	—	·10	·25	—		15
16	—	·02	·77	—	—	·01	—	—	—	·10	·01	—		16
17	·02	·07	·22	—	—	·09	—	—	·08	—	—	—		17
18	·04	—	·14	—	—	·09	—	—	—	—	·03	—		18
19	·22	—	·21	—	—	·16	—	—	·03	—	·51	·01		19
20	—	·06	—	—	—	·64	—	—	·03	—	·01	—		20
21	—	·01	—	—	—	·05	—	·11	—	·04	·01	—		21
22	—	—	—	·08	—	·14	—	·28	·73	·01	·02	—		22
23	—	·83	—	·20	—	·18	—	—	·49	·21	—	—		23
24	—	·74	—	·22	—	—	—	—	·09	·05	—	—		24
25	—	1·15	—	·33	—	·31	—	—	·05	—	—	·22		25
26	—	·38	—	·33	·35	·09	—	—	—	·01	—	·01		26
27	—	·04	—	—	—	—	—	—	—	·30	·08	·53		27
28	·01	·06	—	·46	·26	—	·48	—	—	·33	—	·14		28
29	·08		—	·09	—	—	—	—	·04	—	—	·06		29
30	·02	×	·07	—	—	—	·04	—	·21	—	—	·07		30
31	·04	×	·06	×	·02	×	—	—	×	·02	×	—		31
TOTAL	2·31	4·47	3·14	2·00	2·19	2·75	2·48	1·26	2·29	2·47	1·33	2·58	Year's Total 29·27	
*Days with ·01 in. or more.	18 ~~7~~	17 ~~3~~	13 ~~1~~	8	13 ~~4~~	15 ~~2~~	12	5	10 ~~2~~	18 ~~5~~	15 ~~9~~	11 ~~3~~	155 ~~37~~	
*Days with .04 in. or more.	11	14	12	8	9	13	11	5	8	13	6	8	118	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(Signed) Mr Hy. Davey.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1804.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bicton Gardens.

in the County of Devon.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 90 ft.

Day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	–	–	–	–	·74	·11	–	·17	·71		1
2	·10	–	·05	–	–	–	–	–	·81	–	·13	·19		2
3	·04	–	–	–	–	–	–	·57	–	–	·01	·25		3
4	·08	–	·12	·02	·17	–	–	·03	·14	·57	–	·25		4
5	–	–	·08	–	·12	·10	–	·70	–	·04	·02	·45		5
6	·05	–	·26	·05	·29	–	–	–	·01	·06	–	·43		6
7	·02	–	–	–	–	–	–	–	–	·21	–	·47		7
8	–	–	–	–	·10	–	–	·14	–	·25	·50	·22		8
9	·02	–	·22	–	–	–	–	–	–	–	·24	·09		9
10	·14	–	·22	·31	–	–	–	·10	–	–	·04	·10		10
11	·39	–	·06	·39	–	–	–	–	–	–	–	·61		11
12	·06	–	·02	–	–	–	·03	·21	–	–	–	·13		12
13	·29	–	–	·41	–	–	–	–	–	–	·03	·54		13
14	·24	–	·35	·02	–	–	–	–	–	–	·71	·27		14
15	·04	–	·12	–	·09	–	–	–	–	·17	·09	·37		15
16	·02	–	·33	–	–	–	–	–	–	·08	–	·50		16
17	·05	–	–	·15	·02	–	–	–	·07	·08	–	·31		17
18	·02	–	·22	·40	–	–	–	–	·10	–	–	·18		18
19	–	–	·16	–	–	–	·02	·04	·07	–	–	·05		19
20	–	–	·10	·28	–	–	–	–	–	·01	–	·05		20
21	–	–	·10	·14	–	·18	–	–	–	·30	–	·68		21
22	·01	–	·08	–	–	·10	·08	·10	·29	–	–	·94		22
23	·24	–	·02	·14	–	1·02	–	–	·38	·11	–	·10		23
24	–	·04	·03	·10	–	·23	·04	·06	·09	·03	–	·08		24
25	·24	·02	–	·20	–	·07	–	–	–	·22	·02	·79		25
26	–	–	·02	·06	–	–	–	–	·03	·01	–	·15		26
27	–	–	–	·01	–	·09	·03	–	–	–	–	·28		27
28	–	–	–	·22.	–	–	–	–	·21	–	–	·71		28
29	–	–	–	–	–	–	–	·48	·05	–	–	·02		29
30	·01	×	–	–	–	–	·03.	·21	·06	–	–	·23.		30
31	–	×	–	×	–	×	–	·05.	×	·06	×	·09		31
TOTAL	2·09	·06	2·56	2·90	·79	1·79	·23	3·43	2·42	2·20	1·96	10·24	Year's Total. 30·67 ✓	
* Days with .01 in. or more.	20	2	19	16	6	7	6	13	14	15	11	31	160	
* Days with .04 in. or more.	13	1	15	13	5	7	2	12	12	12	7	30	129	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W L. McCaskie

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1804.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bicton Gardens

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	tr	·62	–	–	·21	·03	–	·10	·03	·30	·07		1
2	–	·01	·05	–	–	·03	–	–	·15	·22	·12	·09		2
3	–	–	·11	–	·23	·24	–	–	·06	·52	·25	·01		3
4	·02	·16	–	·06	·06	·44	–	–	·04	–	·17	·46		4
5	–	–	·05	·08	–	·02	–	–	·13	·17	·03	·05		5
6	–	·09	tr.	·26	–	·80	–	–	–	·02	·13	·24		6
7	–	–	–	·23	–	·04	–	–	–	·22	·11	·03		7
8	–	–	–	·51	–	–	–	–	·27	·01	·30	·02		8
9	tr	–	–	·15	–	·11	–	–	tr	·53	·27	–		9
10	·08	–	·18	·01	–	·03	–	–	–	tr.	–	·04		10
11	·15	·10	–	–	–	·20	–	–	·17	·03	·32	–		11
12	·03	·11	–	–	–	·56	–	–	·01	tr.	·16	–		12
13	·02	·01	–	·39	–	·07	–	·03	·03	–	·36	–		13
14	–	·03	–	·45	–	·05	–	–	·19	–	·88	·35		14
15	–	·02	–	·65	·16	·15	–	–	·08	–	·27	·10		15
16	–	·06	·10	·20	–	tr.	–	–	·30	–	1·19	–		16
17	–	–	–	·02	·88	·27	–	·15	·09	–	·05	–		17
18	–	·05	–	·15	·01	–	·33	tr	·10	·02	·07	·14		18
19	–	·03	–	·03	·25	·05	·11	–	·02	·12	·44	–		19
20	–	·21	–	·14	·08	·01	·02	–	·01	–	·22	–		20
21	–	·41	–	·09	–	–	–	–	·08	·10	–	–		21
22	–	·01	tr	tr.	–	–	–	–	·02	–	–	–		22
23	–	·18	·04	tr.	–	–	–	·53	·14	·41	–	·49		23
24	·05	·52	–	–	·10	–	–	·71	·15	·05	–	·16		24
25	·22	·32	–	·05	·05	·10	–	–	–	–	–	·20		25
26	–	·57	–	–	–	tr.	–	·32	–	–	·01	·96		26
27	–	·21	–	–	–	–	–	tr.	·14	–	·03	·41		27
28	–	·10	–	–	–	–	–	·11	·12	tr.	·01	·17		28
29	–	–	–	–	–	–	–	–	·08	·09	·20	·48		29
30	·02	✕	–	–	tr.	·09	–	·68	·07	·10	·30	·55		30
31	–	✕	–	✕	·01	✕	–	·03	✕	·55	✕	·37		31
TOTAL	·60	3·20	1·15	3·47	1·83	3·47	·49	2·56	2·55	3·19	6·19	5·39	Year's Total 34·09	
* Days with .01 in. or more.	9	20	7	17	10	19	4	8	24	17	24	21	180	✓
* Days with .04 in. or more.	4	14	7	14	7	15	2	6	19	12	20	18.	138	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. McCaskie

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1804.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bicton Gardens, East Budleigh

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	·18	·03	·14	—	·29	·48	·01	—	—	·28	—		1
2	—	tr.	—	·08	—	·25	·34	·01	—	—	·12	—		2
3	tr.	—	—	·90	—	·02	·14	—	·86	—	·21	—		3
4	·02	·02	·15	tr.	—	·06	tr	—	·52	—	·11	·21		4
5	·50	—	·03	—	—	—	·12	·01	·05	—	·17	·17		5
6	·09	—	·04	—	—	—	·28	·02	·14	—	·20	—		6
7	·14	—	·39	—	—	—	·04	—	—	—	·26	—		7
8	·35	—	·65	—	—	—	·24	—	—	—	·27	—		8
9	·39	·28	·07	—	—	—	·18	—	·10	—	·04	—		9
10	·10	·37	—	—	—	—	tr.	—	—	—	—	—		10
11	·36	—	—	—	—	—	·21	—	·03	—	·55	—		11
12	tr.	—	—	·02	—	—	·26	—	·43	—	·40	·65		12
13	·05	—	—	—	—	—	tr.	—	—	—	·11	·12		13
14	—	—	—	—	—	—	·58	—	—	·06	—	·35		14
15	·03	tr.	—	—	—	—	·59	—	·21	—	·02	·22		15
16	·05	·22	—	—	·26	—	·23	—	—	—	·10	·20		16
17	—	·81	—	—	—	—	·25	—	—	—	tr.	·42		17
18	·17	·21	·17	—	—	—	·30	—	—	—	—	·12		18
19	·45	tr.	·20	tr.	—	·90	tr.	—	—	—	—	·01		19
20	·18	·24	·14	·10	—	·05.	·02	—	·44	—	—	—		20
21	tr	·32	·10	·86	—	·06	·09	—	—	—	—	—		21
22	·15	·13	·18	—	—	—	—	—	—	—	—	—		22
23	tr.	—	·02	·18	—	—	·11	—	—	·05	—	—		23
24	·43	·10	·07	—	·28	—	·20	—	·31	·08	—	—		24
25	·18	tr.	·31	·15.	—	—	·09	—	—	·34	—	—		25
26	·15.	·03	·20	—	—	—	·17	—	·14	—	—	—		26
27	·47	·06	·05	—	—	—	·08	—	—	—	—	—		27
28	·92	—	·66	—	T	tr.	·07	—	—	·22	tr.	—		28
29	tr	tr.	tr	—	—	·15		—	—	—	·09	·20		29
30	·27	×	tr.	—	—	·08		—	—	—	—	·15.		30
31	·05.	×	·64	×	tr.	×	·02.	—	×	—	×	·42.		31
TOTAL	5·54	2·97	4·1	2·33	·54	1·86	5·09	·05	3·23	·75	2·93	3·24	Year's Total 32·63	
* Days with .01 in. or more.	23	13	19	8	2	9	24	4	11	5	15	13	146	
* Days with .04 in. or more.	21	11	16	7	2	8	22	0	10	5	14	12.	128.	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. McCaskie

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1804.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937.

Kept at Bicton Gardens

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·70	—	—	·51	—	—	—	—	—	—	—	—		1
2	·10	·40	·21	·16	—	—	—	—	·18	—	·01	·55		2
3	—	·21	—	·09	tr.	—	—	—	—	—	—	·04		3
4	·18	·89	tr.	—	·06	—	—	—	—	—	—	—		4
5	·80	—	·01	—	—	—	·60	—	—	—	—	—		5
6	·70	·70	·41	·20	—	—	·19	—	—	—	—	·47		6
7	—	·63	·02	·03	1·13	—	—	—	—	—	—	·29		7
8	—	·02	—	—	—	—	tr.	—	—	—	·18	·17		8
9	—	—	·12	·15	tr.	—	tr.	tr.	·56	—	—	—		9
10	·39	·02	·74	·38	—	·38	·12	·07	—	—	—	—		10
11	·30	—	·22	·21	·03	·06	·40	—	—	—	—	—		11
12	·56	—	·18	·24	·42	·30	·05	1·14	·09	—	—	—		12
13	—	·41	·97	·20	·04	—	—	·23	·09	—	—	—		13
14	—	—	·06	·02	—	—	1·50	·06	·02	—	—	—		14
15	—	·06	·23	·32	—	—	·25	—	·19	—	—	—		15
16	·33	·11	·24	—	—	—	·03	·24	—	—	·20	—		16
17	·65	—	·50	—	—	—	—	—	—	—	·15	—		17
18	·01	—	·34	—	—	·19	—	—	·27	—	·22	·40		18
19	·18	—	·05	·06	·07	—	—	—	·95	—	—	·07		19
20	·34	·18	·02	—	—	—	—	—	·01	—	—	·48		20
21	·57	·42	·13	·14	·21	—	·13	—	·18	—	·18	·02		21
22	·19	—	·10	—	·40	—	·05	—	·16	·65	·20	—		22
23	·16	·31	tr.	—	·02	—	—	—	—	·14	·34	—		23
24	·37	·60	·03	—	—	—	—	—	tr.	·90	—	—		24
25	·24	·59	·49	—	—	—	—	—	·05	·22	—	—		25
26	·04	·19	·03	—	—	—	—	—	—	·03	—	—		26
27	·22	·43	—	—	—	—	—	—	—	·34	—	—		27
28	[illegible]	·04	—	—	—	—	—	—	—	·20	—	·08		28
29	—	—	—	—	—	—	—	—	—	·34	·24	—		29
30	·62	✕	—	—	—	—	—	—	—	·05	·24	—		30
31	·58	✕	—	✕	—	✕	—	—	✕	·46	✕	—		31
Total	8·23	6·21	5·10	2·71	2·38	·93	3·32	1·74	2·75	3·33	1·96	2·57	Year's Total 41·23 ✓	
* Days with .01 in. or more.	22	18	21	14	9	4	10	5	12	10	10	10	145 ✓	
* Days with .04 in. or more.	21	16	16	12	7	4	9	5	10	9	9	9	127 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W J McCaskie

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1804.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Bicton Gardens.
in the County of Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 90 ft.

Examine ... leak repaired ... see letter in file

·30 ins ~~notified~~ adopted for Dec 28-31. 31/3/39 W.J.M.

In good agreement with nearby stns. W.S.R.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·03	–	–	·05	·05	–	·10	–	·67	–	·11		1
2	–	–	–	–	–	–	tr.	–	–	·16	tr.	·20		2
3	–	–	–	–	·12	–	–	–	–	–	·09	·01		3
4	–	–	–	–	·02	·02	·29	1·64	–	–	–	·06		4
5	–	–	–	–	–	tr.	–	–	–	·72	–	·02		5
6	–	–	–	–	–	·21	–	–	tr.	·26	–	·03		6
7	·12	–	–	–	–	·05	·88	–	·06	·12	–	·09		7
8	·11	–	–	–	–	–	·24	–	–	–	–	·01		8
9	·40	·08	–	–	–	·09	–	–	–	–	–	·47		9
10	·17	–	–	–	–	–	–	–	·64	–	–	·85		10
11	–	–	–	–	–	–	·13	·14	–	–	·23	·64		11
12	–	–	–	–	·18	–	–	–	–	–	·49	·08		12
13	–	–	–	–	·13	–	–	–	–	–	·41	·64		13
14	·14	–	–	–	·14	–	·75	–	–	–	tr.	·02		14
15	·34	–	–	–	·13	–	·13	tr.	–	·49	·24	·30		15
16	·72	–	–	–	·02	–	–	–	–	–	–	·01		16
17	·10	–	–	–	·04	·24	–	–	–	·18	–	–		17
18	–	–	–	–	–	–	–	–	–	·08	–	–		18
19	–	–	–	–	–	–	–	–	–	–	1·12	–		19
20	–	–	–	–	–	–	–	–	tr.	–	·25	–		20
21	tr.	–	–	–	–	–	–	–	·23	–	·21	~~·33~~		21
22	–	–	–	·06	–	·18	–	·35	–	–	·38	~~·08~~		22
23	·03	–	–	–	–	–	·21	–	–	–	·07	(·41)		23
24	–	–	·18	–	–	–	·24	–	–	–	·32	–		24
25	·37	–	–	–	·23	–	·19	–	–	–	1·13	–		25
26	tr.	–	–	–	·24	–	–	·04	·08	–	tr.	–		26
27	·38	·28	–	–	·05	·12	·28	·63	–	–	·41	–		27
28	·12	·35	–	–	·09	·11	–	·75	·18	–	–	–		28
29	·08	·11	–	–	·40	–	tr.	–	·29	–	·21	(30)		29
30	·05	×	–	–	·02	·66	·03	–	·09	·48	·10	–		30
31	·18	×	–	×	·10	×	–	–	×	·08	×	–		31
TOTAL	3·31	·85	·18	·06	1·96	1·73	3·37	3·65	1·57	3·24	5·65	(4·19) ~~3·89~~	Year's Total ~~29·46~~ 29.	
* Days with .01 in. or more.	15	5	1	1	16	10	11	7	7	10	15	18	~~116~~	
* Days with .04 in. or more.	14	4	1	1	13	9	10	7	7	10	15	13 ~~12~~	~~103~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. McCaskie

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 1804.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bicton Gardens.
in the County of DEVON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ Ground „ Sea Level 90 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·49	—	—	·06	tr	—	·04	·22	·15	—	·27	·02		1
2	·20	—	—	·25	—	—	·06	·43	—	—	·32	·20		2
3	—	—	·26	·76	—	—	—	tr.	—	—	—	·29		3
4	—	—	—	·08	—	—	·61	tr.	·49	·22	·40	·13		4
5	—	—	—	—	·31	—	·15	·14	—	·12	·43	—		5
6	—	—	—	—	tr	—	·06	·12	—	—	·08	—		6
7	—	·40	—	—	—	—	—	·06	—	—	·46	×		7
8	·36	·16	—	—	—	tr.	—	·15.	—	1·57	·22	×		8
9	·23	—	—	—	—	—	—	—	—	tr		×·63		9
10	·38	—	—	—	—	·06	—	tr	·07	·18	·23	×		10
11	—	—	·11	—	—	—	—	·23	—	·13	—	—		11
12	—	—	—	—	—	—	·38	—	tr	·10	·05	—		12
13	—	—	—	—	tr	—	—	—	—	·98	tr.	—		13
14	·81	—	—	·10	·05	·08	·04	—	—	·08	·10	—		14
15	·38	—	—	·36	·18	·65.	·10	—	—	tr	·55	—		15
16	·25.	—	—	·05	—	—	·35	—	—	—	·13	—		16
17	·41	—	—	·04	·03	—	·73	—	—	—	—	—		17
18	—	—	—	—	·08	·05	·94	—	—	—	·20	—		18
19	·34	—	—	—	—	·21	·09	tr	—	—	·43	·23.		19
20	·28	—	—	—	—	·22	·05.	1·46	—	—	—	—		20
21	·11	·17	·10	—	—	·24	·52	—	—	—	tr	—		21
22	·24	·34	·08	tr.	—	·64	·18	—	—	—	—	—		22
23	·05.	—	—	·24	—	·12	·28	tr.	—	·10	·34	—		23
24	·99	—	·15.	·12	—	·12	·13	tr.	—	·10	·72	—		24
25	—	—	—	—	—	—	tr	·31	—	·07	·12	—		25
26	—	·10	—	—	—	—	tr	tr.	—	·21	·13	—		26
27	—	·05.	—	—	—	·09	tr.	·03	—	—	·12	—		27
28	—	—	—	—	—	—	·10	—	—	—	·35	—		28
29	—	·22	—	·16	—	·17	·14	tr.	—	—	tr.	—		29
30	—	✕	—	·30	—	·44	·04	·11	—	·52	·01	—	d	30
31	—	✕	—	✕	—	✕	·05	·23	✕	·27	✕	—		31
TOTAL	5·52	1·44	·70	2·52	·65	3·09	4·96	3·49	·71	4·65	5·66	1·50	Year's Total 34·79	
* Days with .01 in. or more.	~~15.~~	~~7~~	~~5.~~	~~12~~	~~5.~~	~~13~~	~~21~~	~~12~~	~~3~~	~~14~~	~~21~~	~~8.~~	~~136~~	
* Days with .04 in. or more.	15.	7	5.	12	4	13	21	11	3	14	20	8~~5~~8	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. J. McCaskie

[P.T.O.

1804/5
SIDMOUTH, PITLANDS
1939—40

780309

Section **A** for the entry of
AIR MINISTR
FALL ORGANIZATION

Station No. 1804/5

FORM 1090

REGIS 1939

Kept at Pitlands Salcom

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Gro

" Ground " Sea

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							·36	·30	·06		·14			1
2								·50	·92		·39			2
3							·03	·13			·08	·38		3
4							·48	·06		·44	·10	·19		4
5							·04			·10	·71			5
6							·41			·17	·15			6
7											·32	·27		7
8							·07	·23		1·66	·16	·07		8
9								·04		·10	·04	·16		9
10								·19	·04	·07		·06		10
11										·12		·05		11
12														12
13							·38		·14	1·17	·06			13
14							·16			·04	·25			14
15							·22				·26			15
16							·15				·26	·05		16
17							·40				·05			17
18							1·16			·04	·48			18
19							·08					·11		19
20							·35	·37				·05		20
21							·16							21
22							·25				·22			22
23							·11				·48			23
24							·12			·04				24
25							·02			·11	·12			25
26								·14			·11			26
27											·17			27
28							·12	·25			·36	·04		28
29							·10							29
30		✕						·14		·39	·04			30
31		✕		✕		✕		·07	✕	·59	✕			31
TOTAL							5·17	2·42	1·16	5·04	4·95	1·43	Year's Total 20·17	
* Days with .01 in. or more.							21	12	4	14	22	11		
* Days with .04 in. or more.							19	12	4	14	22	11		

WH.

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Cave

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 1804/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Pitlands Salcombe Hill Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 10 ft. 6 in.

,, Ground ,, Sea Level 200 ft.

Letters v. 40
f Aerologue

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							·36	·30	·06		·14			1
2								·50	·92		·39			2
3							·03	·13			·08	·38		3
4							·48	·06		·44	·10	·19		4
5							·04			·10	·71			5
6							·41			·17	·15			6
7											·32	·27		7
8							·07	·23		1·66	·16	·07		8
9								·04		·10	·04	·16		9
10								·19	·04	·07		·06		10
11										·12		·05		11
12														12
13							·38		·14	1·17	·06			13
14							·16			·04	·25			14
15							·22				·26			15
16							·15				·26	·05		16
17							·40				·05			17
18							1·16			·04	·48			18
19							·08					·11		19
20							·35	·37				·05		20
21							·16							21
22							·25				·22			22
23							·11				·48			23
24							·12			·04				24
25							·02			·11	·12			25
26								·14			·11			26
27											·17			27
28							·12	·25			·36	·04		28
29							·10							29
30		✕						·14		·39	·04			30
31		✕		✕		✕		·07	✕	·59	✕			31
TOTAL							5·17	2·42	1·16	5·04	4·95	1·43	Year's Total 20·17	
* Days with .01 in. or more.							21	12	4	14	22	11		
* Days with .04 in. or more.							19	12	4	14	22	11		

WH.

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) R. Cave [P.T.O.

1804/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. ~~[illegible]~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~39~~40

apr - Dec part estd.

Kept at Pitlands Salcombe Hill Sidmouth

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ....ft.

1939 up. imp.

f. A 200109/40

10 Tabs Sqrs.

Letter sent 30.1.41 ref [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·15			1
2		·09		·20							+	·16		2
3		·70									·95	(·25)		3
4	·05	·16					·09			·16	·04	·04		4
5	+									·12	·45	·06		5
6	·29	·66					·04			·02	·04	·18		6
7	·09						·03			·70		·05		7
8							·06			·05	·13	·27		8
9							·38		·02	·38	·53	·09		9
10							·08		·08	·10	·14	·34		10
11	·43			·01			·28			·05	·35	·04		11
12			·14			·13	·32				·14			12
13		·03	·33	·01			·02		·50		1·75	·16		13
14			·05	·04	·62				·07	·30		·47		14
15					·14		·16		·22	·45	·49			15
16		1·00	·65	(·15)			·08		·02	·10	·22	·02		16
17		·09	·39	·02			·03		·08	·50	·19	·02		17
18		·35	·24	1·13			·02	·04			·02			18
19			·09	·10					+		·06			19
20			·02	·01			·09	·02	·45	·10	·02			20
21			·02		·10				·06		·25			21
22			·11	·38		·49								22
23		·02	·18	·09	·02				·07					23
24	·07						·28			·38				24
25	·15		·09											25
26	·81	·45		·08	·53									26
27	·31	·01			·40		·05							27
28	·22	·01			·03									28
29	·11	·10	·10	1·03		·06						·22		29
30		✕	·01	·09						·30		·16		30
31	·11	✕	·01	✕		✕			✕	·40	✕	·47		31
TOTAL	2·21	3·67	2·43	~~2·19~~ 2·34	1·84	·68	2·01	·06	1·57	3·21	5·92	3·00 ~~2·75~~	Year's Total ~~28·54~~ 28·94	
* Days with .01 in. or more.	12	~~4~~ 13	~~4~~ 15	~~4~~ 14	~~2~~ 7	3	~~4~~ 16	2	~~2~~ 11	16	~~2~~ 19	~~2~~ 17	145	
* Days with .04 in. or more.	12	9	11	~~9~~ 10	5	3	12	1	8	15	17	15	118	

Await reply

Print wkt.

* See Instruction 3 (f) on other side. Note V. C Cave

† Spare column, no entries required.

(*Signed*) V.C. Cave

[P.T.O.

1805

Section **A** for the entry of D
AIR MINISTRY.-

FORM 1090.

REGISTI

FOR OFFICIAL USE.
LL ORGANIZATION.

1805
SIDMOUTH, STEEP HILL
1931—39

780309

Kept at Steep Hill S
in the County of Devon

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Leve

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02		·86	·04	·03	·05		·34	·02			1
2	·22	·08		·75					·35		·04	·11	2
3	·06	·01	·78				·03		·20		1·39	·02	3
4	·03		·14		·15	·28	·17	·12	·05	·02			4
5		·34	·08	·03	·02	·68		·08			·16	·15	5
6		·09		·07	·04	·13				·18	·07	·53	6
7		·02		Tr	·28	·23	·34	·09		·05	·45	·14	7
8		·25		·28	·08	·47	·02	·04		·04	·18	·07	8
9		·13			·02	·07	·06				·39	Tr	9
10		·05			·05	·18	·02	·02			·57	Tr	10
11	·13	·28				·22	·05		·05		·52		11
12	·03	·07			·01		·25		·06	·06			12
13		·07			·05		·10	·11					13
14	·02	·04	Tr		Tr	·30	1·07	·01	·05		·25		14
15	·01	·05		·06	·13	~~·44~~		·06	Tr			·02	15
16		·15		·05	·16	·44			Tr ·05				16
17		·09		·08		·08	·43		Tr				17
18	·02			·14		·25	·05	1·58			·21		18
19	·03	·06	·04	·11		·15	·02	·02	·06		·05		19
20	Tr	·11	·41	·01				·19			·09		20
21	·15	·06			·31					·01	·01		21
22	·31	·01	Tr		·07						Tr		22
23	·25	·03		·08	·70		·02				·31		23
24	·10	Tr		·38	·12		·66	·59			·02		24
25	·25			·35	·05		·21				·19		25
26		·01		·24			·28				·57	Tr	26
27	·18	·24			·51		·06				·13		27
28	·06	·11	·04		·08		·02	·02		·01	·01	·09	28
29	·02		·13		·09			·16			·17	·14	29
30	·02	×			·07				·08	·01			30
31	·38	×	·02	×	·03	×	·01		×		×	·39	31
TOTAL	2·28	2·31	1·64	3·29	3·06	3·51	3·92	3·09	1·29	·40	5·78	1·66	YEAR'S TOTAL 32·23
*Days with ·01 in. or more.	20	24	8	15	22	14	21	14	10	9	21	10	188
*Days with ·04 in. or more.	11	17	7	12	4	13	14	·10	10	4	18	8	128

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Burleigh D. Kilburn

[P.T.O.

/29 1805

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Steep Hill Salcombe Regis Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02		·86	·04	·03	·05		·34	·02			1
2	·22	·02		·75					·35		·04	·11	2
3	·06	·01	·78				·03		·20		1·39	·02	3
4	·03		·14		·15	·28	·17	·12	·05	·02			4
5		·34	·08	·03	·02	·68		·08			·16	·15	5
6		·09		·07	·04	·13				·18	·07	·53	6
7		·02		Tr	·28	·23	·34	·09		·05	·45	·14	7
8		·25		·28	·08	·47	·02	·64		·04	·18	·07	8
9		·13			·02	·07	·06				·39	Tr	9
10		·05			·05	·18	·02	·62			·57	Tr	10
11	·13	·28				·22	·05		·05		·52		11
12	·03	·07			·01		·25		·06	·06 Tr			12
13		·07			·05		·10	·11					13
14	·02	·04	Tr		Tr	·30	1·07	·01	·05		·25		14
15	·01	·05		·06	·13	~~·44~~		·06	Tr			·02	15
16		·15		·05	·16	·44			Tr ·05				16
17		·09		·08		·08	·43		Tr				17
18	·02			·14		·25	·05	1·58			·21		18
19	·03	·06	·04	·11		·15	·02	·02	·06		·05		19
20	Tr	·11	·41	·01				·19			·09		20
21	·15	·06			·31					·01	·01		21
22	·31	·01	Tr		·07						Tr		22
23	·25	·03		·08	·70		·02				·31		23
24	·10	Tr		·38	·12		·66	·59			·02		24
25	·25			·35	·05		·21				·19		25
26		·01		·24			·28				·57	Tr	26
27	·18	·24			·51		·06				·13		27
28	·06	·11	·04		·08		·02	·02		·01	·01	·09	28
29	·02		·13		·09			·16			·17	·14	29
30	·02	×			·07				·08	·01			30
31	·38	×	·02	×	·03	×	·01		×		×	·39	31
TOTAL	2·28	2·31	1·64	3·29	3·06	3·51	3·92	3·09	1·29	·40	5·78	1·66	YEAR'S TOTAL 32·23
*Days with ·01 in. or more.	20	24	8	15	22	14	21	14	10	9	21	10	188
*Days with ·04 in. or more.	11	17	7	12	4	13	14	·10	10	4	18	8	128

40-9999

(Signed) Burleigh D. Kilburn [P.T.O.

*See Instruction 2 (*f*) on other side.

1805

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Steephill, Salcombe Regis
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 150 ft.

Oct. & Year, days estimated by observer by reference to gauge at Home Orchard.

OK see file 907533/29.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·11			·02	·24	·23		·12	·01	1
2	Tr			·24		·02		·05	·03		·04	·26	2
3	Tr					·76	·05	·02	·41		·03	·64	3
4	·02					·27	Tr	·10	Tr		·18	·01	4
5	·10		·04						·12				5
6	·43		—	·16	·09		·06		·37				6
7	·02		·03	·07			Tr		·40				7
8	·01			·03	·22				·17				8
9	·61	·03	·60	·19	·02				Tr				9
10	·25			·18	·03								10
11	Tr			·09	·08			Tr	·01			·06	11
12	·46				·31		·01		·02			·01	12
13	·08			·16	·02	·02	·33	·35				·34	13
14	·32			·18	·21	·02					·03	·01	14
15	·01			·07	·20		·08					·04	15
16	·15			·07	·03		·18					Tr	16
17	·01			·01					·05				17
18	·02				·82				·06		·18		18
19	·16				·28				·05				19
20	·03				1·30			·01		3·71	·30	·22	20
21	·01		·09	·23	Tr			·10	·13	·26	·10	·12	21
22					Tr		Tr	·02	·65	·84	·26	·01	22
23		·01			·05		·19			·49	·06	·11	23
24					·02		·69		·16	·20	·02		24
25			·57		·03		·02		·12	·22	·01	·01	25
26			·06	·02			·09			·10	·07	·06	26
27			·75	·40	·11		·12			·26	·01		27
28			·04	·03	·15	·13	·02					·10	28
29			·34	·06	·23	·48	Tr	·69	·52	·45	·01	·30	29
30		×	·03	·08	Tr	1·22	·26	·01	·48	·06	1·28	Tr.	30
31		×	Tr	×	·16	×	·02		×	·01	×	·70	31
TOTAL	2·72	·04	2·54	2·33	3·89	2·92	2·09	1·59	3·75	6·10	2·70	2·41	YEAR'S TOTAL 33·08
*Days with ·01 in. or more.	18	2	10	19	20	8	15	10	17	23	16	18	166 ~~[illegible]~~
*Days with ·04 in. or more.	9		8	14	14	5	10	6	14	19	10	11	120 ~~[illegible]~~

40-9999

*See Instruction 2 (*f*) on other side.

See Note on other side as to October

(Signed) Beverley D Kilburn

P.T.O.

1805

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stechill, Salcombe Regis

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	·33	·13		·03	·32					·10	1·77	1
2	·35	Tr	·90		·72	Tr			Tr		·07		2
3	·02	·12	·21		·04								3
4	·12	Tr	·05		·06								4
5	·02		·30		·01					Tr	·02		5
6	·02	·40	Tr		·08		·20			·12		Tr	6
7	·01	·14	·02		·12		·02			·25			7
8	·01	·02	·02		·02		·07			·02			8
9		·04			·32		·16			·11	·06		9
10	Tr	·25					·20			·39			10
11	·14			Tr		·52	·17	·28					11
12	Tr			·21	·05	·10	·18		·36	Tr		·04	12
13					·04	·01	·13	·47		·16	·02		13
14	·04						·57	·29		·13	·32		14
15	·45		·24				·36			·05	·14		15
16		·02	·91							·10			16
17	·03	·06	·16			·06			·06				17
18	·04		·14			·09					·03		18
19	·18		·22			·06	Tr	·01	Tr		Tr	·02	19
20		·07				·29		·07	·15		·40		20
21		·01				·10		·04		·03			21
22				·07	·03	·18		·44	·46	·03	·01		22
23		·89		·25		·20			·48	·15			23
24		·58		·22					·05	·04			24
25		1·29		·26		·29			·06	·01		·20	25
26		·33		·30	·48	·16				·01			26
27		Tr			Tr					·28	·05	·64	27
28		·04		·40	·22		·47		·01	26		·10	28
29	·06	×		·08	Tr				·03			·07	29
30	·02	×	·14				·03		·16			·06	30
31	·06	×	·05	×		×			×	·03	×		31
TOTAL	1·96	4·59	3·49	1·79	2·22	2·37	2·56	1·54	1·82	2·17	1·16	2·90	YEAR'S TOTAL 28·57
*Days with ·01 in. or more.	17	16	14	8	14	13	12	7	10	18	4	8	148
*Days with ·04 in. or more.	10	13	12	8	10	12	10	5	7	12	6	7	112

40-9999

*See Instruction 2 (*f*) on other side.

D

See Note at Back as to Oct 30 to Nov 16.

(Signed)

P.T.O.

1805

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1805

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sleaf Hill, Salcombe Regis
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level about 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02							·71	·11		·17	·79		1
2	·17		·06						·79	·01	11	·27		2
3	04							·32		·40	Tr	·24		3
4	·10		·17	·04	·18			·02	·18	·09		·26		4
5			·11		·11	·03		·74	01	·04		·42		5
6	·05		·26	·06	·23			Tr		·46	·02	·48		6
7	·03							·10		·09	·01	·40		7
8	Tr				·14			·01			·36	·49		8
9	·03		·23						05	·02	·45	·07		9
10	·16		·15	·35			·02	·09			·05	·19		10
11	·39		·09	·43			·01	·05		Tr	Tr	·61		11
12	·08	·01	·02					·52	·01			·30		12
13	·28			·39							04	·20		13
14	·24		·39	·02					·01	·02	·16	·26		14
15	·03		·12		·12				·02	·22	·13	·30		15
16	·04		·30		·02				·04	·01	Tr	·34		16
17	·05		Tr	·13					·03	·12		·33		17
18			·26	·40					·01			·29		18
19	·04		·14	·13		·05		·09	·07	Tr		·04		19
20			·09	·12			·09		·01	·29		Tr		20
21		·01	·10			·18			·08			·47		21
22	·02		·08			·01	·02	·22	·32			·93		22
23	·20		·02	·18		·70		Tr	·38	·10		·24		23
24		·08	·04	·03		·10	·06	·02		·11		·05		24
25	·23	·02		·19		Tr	·01			·22		·84		25
26	·02		·02	·06		·20			·10		·02	·10		26
27				·01		·03	Tr	·01	·01	Tr	·01	·29		27
28				·12		·03		·53	·15	·02		·65		28
29									·03	·05	Tr	·02		29
30	·01	×					·02	·37	·06	·03		·28		30
31		×		×		×	·12	·08	×	·02	×	11		31
TOTAL	2·23	·12	2·65	2·66	·80	1·33	·35	3·88	2·~~49~~ 50	2·32	1·53	9·96	Year's Total 30·3[illegible]	3
*Days with ·01 in. or more.	21	4	19	16	6	9	8	16	21	19	12	30	181	
*Days with ·04 in. or more.	14	1	16	13	5	5	8	12	12	12	8	28	129	

† Spare column, no entries required.

(Signed) Burleigh D. Kilburn

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

Notes on September Observations

This house was closed from September 13th to 30th and the rainfall for that period accumulated in the rain gauge which did not overflow as it amounted to 1.30.
Through the courtesy Of Sir Stanley Dewey who has a gauge on Peak Hill I was supplied with his figures for the month from which I entered the amounts for the separate days in my list and the number of Days .
My observations with the above amount taken in bulk made the rainfall for the month 2.47 agreeing with Sir Stanley's detailed observations to two hundredths his figure being 2.49

Keep attached to return.

①

ack
2/1/35

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 1805

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sheffhill Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 150 ft.

re-estimated values

sept 28 – Oct 14

from surrounding st[illegible]

(no 1807)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·60			·14	·07		·15	(·18)	·09	·19		1
2		·03	·07			·01			·15	(·25)	·06	·10		2
3			·16		·18	·20			·07	(·64)	·23	Tr		3
4		·18		·09	·10	·65			·04		·10	·34		4
5		·28	·02	·08		·26			·16	(·39)	·01	·02		5
6				·22		·73					·64	·22		6
7				·24		·04				(·23)	·04	·03		7
8				·30					·28		·26	·02		8
9				·30		·18			·15	(·64)	·19			9
10	·07		·25	·01		Tr					Tr	·05		10
11	·17		·03	·01					·17		·31	·03		11
12	·02	·14		·43		·24		Tr	·02		·19			12
13	·03	·06				·57			·01		·29			13
14		·12		·70		·08			·06		·95	·33		14
15		·05		·77	·11	·02			·19		·37	·06		15
16		·03	·01	·14	·95	·04			·43		1·26			16
17				·03	·01	·30	[illegible]	·19	·06	Tr	·02			17
18		·11		·19	·30		·26		·14	·03	Tr	·14		18
19		·02		·02		·10	·21		·03	·11	·38			19
20		·23		·25		·62	·01				·25			20
21		·46		·14		·01			·05	·06				21
22		·01	·03	·06					·04	·04				22
23		·01	·06	·03	·06			·41	·16	·48		·46		23
24		·64			·06			·74	24	·06		·18		24
25	·31	·25		·07	·02	·07		Tr	·72			·22		25
26		·58						·40			·02	·91		26
27		·13		·01				·01		·08	·04	·46		27
28		·12						·17	(·16)	·06	·01	·08		28
29									(12)		·07	·44		29
30		×				·07		·66	(10)	·12	·37	·47		30
31	·04	×		×		×		·05	×	·76	×	·33		31
													Year's Total	
TOTAL	·64	3·45	1·23	4·09	1·79	3·73	·55	2·63	3·10	4·05	5·55	5·08	35·89	
*Days with ·01 in. or more.	6	19	9	21	9	19	4	8	24	16	23	21	179	
*Days with .04 in. or more.	4	15	4	15	7	15	3	7	21	15	19	17	142	

† Spare column, no entries required.

(Signed) Barbara [illegible] Killman

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

Note:-

The furnace was shut up 26th Sept to 14th October and the figures for that period were supplied to me by Mr Horsley's man

BSK

Keep attached

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1805

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Steep Hill Salcombe Regis

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 150 ft.

[illegible]

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·29	·02	·14		·16	·33		~~Tr.~~		·01	·06	1
2	Tr.			·06		·08	·44	·01	Tr.		·12	·01	2
3	·02			·85		·02	·14	·02	·60	—	·23	Tr.	3
4			·16	·01		·05	Tr.		·40		·05	·09	4
5	·30	·01	·02				·08	·01	·12	—		·14	5
6	·10		·02			·01	·21	·03	·12	—	·29	·02	6
7	·16		·37				·04		·01		·19		7
8	·29		·78				·91				·34	·02	8
9	·39	·20	·10				·24		·12		·03		9
10	·12	·29	Tr.								·33		10
11	·40	·02				·07	·06	·01	·03		·70	·10	11
12	·02			·21	·05	·08	·28		·27		·13		12
13	·05						·08	·03	·02		·08	·78	13
14		·02					·45		·15			·44	14
15	·02	·01			·10		·40		·02	·04	·09	·26	15
16		·17			·23		·33		·02		·12	·16	16
17	·07	·80		·01	·06		·19			·03	·04	·44	17
18	·13	·29	·16			·27	·27			Tr.		·09	18
19	·50	·01	·16	·06		·38	·01					Tr.	19
20	·05	·22	·12	·05		·07	·01						20
21	·12	·25	·07	·95		·10	·03		·24				21
22	·13	·22	·37		·05		·10						22
23	·42	·07	·01	·14	·21		·07			·05			23
24		·03	·01				·11		·29	·24		·01	24
25	·18	·02	·35	·13			·14		✓	·20			25
26	·16	·07	·16	·01			·22		·16 ✓	·03			26
27	·52	·09	·05				·11		✓	·21			27
28	1·00	·01	·74			·02	·01			·03	·01	·19	28
29	·03	·03	·01			·05				·14	·11		29
30	·22	×				·05				·14		Tr.	30
31	·09	×	·75	×	·10	×	·04		×	·01	×	·44	31
TOTAL	5·53	3·12	4·43	2·61	·80	1·41	5·30	·11	2·57 ✓	1·12	2·87	3·25	YEAR'S TOTAL 33·12 ✓ ~~32·92~~
*Days with ·01 in. or more.	26	21	20	12	~~8~~	14	27	6	17 ✓	12	17	16	188 ✓
*Days with .04 in. or more.	22	12	14	9	7	11	28		10 ✓	8	14	12	142

40-9999

*See Instruction 2 (*f*) on other side.

See Note at 2 [illegible]

(Signed) [illegible] E. Kilburn

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1805

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Steaf Hill, Salcombe Regis S. Devon

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	~~in.~~	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	tr		.55	[illegible]				.10		.01	.47		1
2	.02	.46	.11	.25								.64		2
3		.24	.01	.15	.04	[illegible]			.10			[illegible]		3
4	.14	.77	.10		.03			.01				.39		4
5	.16		.05	.03			.70					.13		5
6	.05	.60	.43	.14	.05		.19							6
7		.72	.03	.03		.03					.04	.33		7
8		.04			1.07		.07				.12	.69		8
9		.01	.12	.10	.06				.68		—	.03		9
10	.21	.04	.69	.20	.10	.27	.01	.05				.23		10
11	.04	.01	.22	.20	.45	.06	.38					.01		11
12	.54	.37	.05	.20		.24	.11	.97	.08			.46		12
13		.06	.92	.23				.30	.08			.01		13
14		.03	.09	.04			.63	.04	.02			.04		14
15	.32	.11	.19	.41			.46		.19			.25		15
16	.04	.06	.35	.02		.03		.19	.63		.16			16
17	.62	.07	.57						.12		.15 tr			17
18	.10	.12	.20			.09		.02	.17		.14	.19		18
19	.14	.03	.03	.24	.08							.06		19
20	.37	.06 tr		.15	.09		.09				.01	.48		20
21	.37	.45	.10	.04	.32				.20	tr .01	.09	.02		21
22	.19	tr	.09		.28	.03	.14		.09	.75	.34	.04		22
23	.15	.29			.11					.40	.20	.02		23
24	.25	.59	.01		tr .11				.02	.84		.01		24
25	.03	.62	.47		.10				.03	.22	.01	.03		25
26	.01	.22	.25							.02		.05		26
27	.01	.29								.32				27
28	.32	.04								.23	.02			28
29	.04									.37	.27			29
30	.45	×				.02 [illegible]				.64	.20			30
31	.28	×		×		×			×	.48	×			31
TOTAL	4.94	6.30	4.88	2.88	2.89	.77	2.78	1.58	2.41	3.68	1.76	3.38	Year's Total. 38.25	✓ ✓
* Days with .01 in. or more.	25	25	22	17	14	8	10	7	14	11	15	22	190	✓ ✓
* Days with .04 in. or more.	21	21	18	14	13	4	9	5	11	9	11	16	152	✓ ✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) Burleigh D. Kilburn

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1805

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Stee J Hill, Salcombe Regis, Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·04			·03	·29		·04		·54	·05	·06		1
2		·02								·22	·02	·22		2
3					·03	·02	·07	·18		·34	·10	·01		3
4					·02	·12	·21	1·33		·26	·01	·10		4
5	·01						·02		·02	·21				5
6	·07					·13	1·12		·10	·47	Tr.	·05		6
7	·08					·34	·22		·04	·03	·03	·08		7
8	·43					·06	·11	·04		·10				8
9	·18	·05				·07		·02				·48		9
10	·10	·02					·04					48		10
11	·10	·01					·06	·34			·27	·78		11
12	·25				·17	·09	·06			·31	·36	·01		12
13	·20				·10	[illegible]		·02		~~·41~~	·20	·68		13
14	·65				·15	[illegible]	·78				·01	·01		14
15	·13				·21		·17			·26	·10	·23		15
16	·13				·05				·01		·33	·02		16
17		·17	·02		·03					·11	·04			17
18	·16				·09	·09		·03	·19	·01	·24			18
19									·37		·67			19
20									·02		·19			20
21	·01							·42	·04		·36	4 ·10		21
22	·03			·04					·18		·43	4 ·26 ✓		22
23				·02	[illegible]			·02	·01		·05	·10		23
24			·18		·02	·06	[illegible]	·06	·08		·35			24
25	·10	·26	·02		·22		·61	·07		·03	1·15	·07		25
26	·33	·28			·33		·01			·15	·02	·16	✓	26
27	·10	·02			·06	·12	·46	·45		·07	·24			27
28	·17	·11			·10	·12		·81	·07		·01	·02		28
29	·07				·40		·04		·15	·27	·22	·03		29
30	·08	×			·11	·75			·37		·10	·10		30
31	25	×		×	·12	×			×	·11	×	·23		31
TOTAL	3·65	·98	·22	·06	2·24	1·87	3·98	3·83	1·65	3·09	5·55	4·03	Year's Total. 31·13	✱
* Days with .01 in. or more.	22	10	3	1	18	12	15	14	14	17	25	~~22~~ 23	~~175~~	174 ✱
* Days with .04 in. or more.	19	6	1	1	13	11	13	10	10	14	19	16 ✓	133	✱

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

Note on October O.K. W.S.R.

I was absent from home from October 4th to 27th and the rainfall was collected in my gauge and recorded in bulk on my return. The figures given in my register were kindly supplied to me by Sir Stanley Dewey from his record on Peak Hill ,but they agree with the total in my return, made by observation here and the amount in bulk, within ·04 .My figures made 3·05 and his 3 09

Berting D Kilburn

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1805

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at [illegible] Salcombe Regis [illegible]

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07		·08	·03	·02			·22	·14		·22	·02		1
2	·06		·01	·27	·01		·03	·53	1·05		·31	·08		2
3	·50		·07	·90			·63	·13		·37	·10	·41		3
4	·04	·01	·41	·06	·28		·51	·07		·12	·11	·20		4
5	·01	·01	·05	·14			·14	·04		·48	·73			5
6	·78	m.	·10	·09			·43	·05		·18	·16			6
7	·01	·59	·03					·01			·37	·41		7
8	·01	·20			·07	·13	·08	·17		1·80	·20	·10		8
9	·03	·02	·02					·07		·11	·06	·08		9
10	24		·11			·09		·18	·03	·08	·01	·16		10
11		·02						·01		·19	·01	·08		11
12		·05		·01					·03	·02	·02			12
13	·02			·14		·03	·41		·13	1·13	·06			13
14	·87			·14	·02	·13	·16			·05	·39			14
15	·56		·05		·18	·67	·18				·22	·05		15
16	·25			·09			·07			·03	·12			16
17	·49	·04			·04	·18	·60				·09			17
18	·01	·01			·56	·08	1·00				·51	·05		18
19	·25		·01			·05	·07				·01	·04		19
20	·35					·04	·36	·37				·06		20
21	·05	·77	·06		·03	·24	·48							21
22	·38	·33	·08			·60	·26		·01		·29			22
23	·01			·18			·12				·54			23
24	·76		·12	·04		·24	·15			·04	[illegible]			24
25	·60	·08	·01	·04			·04	·15		·10	·15	·02		25
26	·03	·02		·08				·23		·16	·14			26
27		·23		·01		·02	·01	·01		·03	·16	·01		27
28		·03		·01		·09	·20				·47	·04		28
29			·01	·03		·11	·14			·20	·01			29
30		×	·04	·28		35	·01	·14		·45	·03			30
31		×		×		×	·03	·67	×	·50	×	·01		31
TOTAL	6·40	1·81	1·26	2·44	1·21	3·02	5·21	2·65	1·37	5·56	5·46	1·84	Year's Total 37·23	✓
* Days with .01 in. or more.	24	15	17	18	9	16	24	17	6	18	27	17	208	✓
* Days with .04 in. or more.	16	8	11	13	5	18	19	14	3	15	22	13	157	✓

† Spare column, no entries required.

* See Instruction 5 (i) on other side.

(*Signed*) Burleigh B. Kilburn

[P.T.O.

1806

290

Section **A** for the entry of Daily

AIR MINISTRY.—MI

FORM 1

REGISTER

FOR OFFICIAL USE.

ORGANIZATION.

1806

SIDMOUTH U.D.C.

1931 – 40

780309

Kept at Sidmouth

in the County of Devon

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·42				1
2				·71									2
3			·74								1·45		3
4													4
5		·32				·68							5
6										·18			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14							·96						14
15													15
16													16
17													17
18								1·54					18
19													19
20													20
21													21
22													22
23					·70								23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31	·38	×		×		×			×		×	·38	31
TOTAL	2·07	2·18	1·49	3·13	2·63	3·33	3·61	2·77	1·20	0·35	5·37	1·57	YEAR'S TOTAL 29·70
*Days with ·01 in. or more.	18	21	8	14	18	14	19	12	10	10	20	11	175
*Days with ·04 in. or more.	11	17	6	13	12	13	12	8	7	2	17	7	125
40-9999	52·6	55·4	37·8	79·5	66·8	84·6	91·7	70·4	30·5	8·9	136·4	39·9	754·5

(Signed) Borough Surveyor

B.T.O.

*See Instruction 2 (*f*) on other side.

1806

Section **A** for the entry of Daily ~~Observations.~~ FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1931.

290

Kept at Sidmouth

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·42				1
2				·71									2
3			·74								1·45		3
4													4
5		·32				·68							5
6										·18			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14							·96						14
15													15
16													16
17													17
18								1·54					18
19													19
20													20
21													21
22													22
23					·70								23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31	·38	×		×		×			×		×	·38	31
TOTAL	2·07	2·18	1·49	3·13	2·63	3·33	3·61	2·77	1·20	0·35	5·37	1·57	YEAR'S TOTAL 29·70
*Days with ·01 in. or more.	18	21	8	14	18	14	19	12	10	10	20	11	175
*Days with ·04 in. or more.	11	17	6	13	12	13	12	8	7	2	17	7	125
40-9999	52·6	55·4	37·8	79·5	66·8	84·6	91·7	70·4	30·5	8·9	136·4	39·9	754·5

(Signed) Borough Surveyor

P.T.O.

*See Instruction 2 (*f*) on other side.

1806

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

290

Kept at Sidmouth

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7										1·13			7
8													8
9	·60	·02											9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20					1·32								20
21													21
22									·64				22
23		·02											23
24							·67						24
25													25
26													26
27			·73	·38									27
28													28
29								·66					29
30		×				·95					1·31		30
31		×		×		×			×		×	·74	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	2·66	0·04	2·47	2·17	3·74	2·61	1·95	1·38	3·81	6·27	2·49	2·41	32·00
*Days with ·01 in. or more.	14	2	181	20	19	7	18	7	17	22	14	16	167
*Days with ·04 in. or more.	9	0	8	14	15	5	9	5	15	18	8	12	118
40-9999	67·6	1·0	62·7	55·1	95·0	66·3	49·5	35·1	96·8	159·3	63·2	61·2	

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

1806

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1099

REGISTER OF RAINFALL IN 1933.

290

Kept at Sidmouth

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1·81	1
2					·66								2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10										·40			10
11						·61							11
12													12
13								·43					13
14							·80						14
15	0·52												15
16			·92										16
17													17
18													18
19											·43		19
20													20
21													21
22									·60				22
23													23
24													24
25		1·33											25
26				·31									26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·81	4·20	3·16	1·59	2·13	2·86	2·53	1·51	1·83	2·20	1·12	2·83	YEAR'S TOTAL 27·77
*Days with ·01 in. or more.	15	16	13	8	13	16	12	7	12	17	8	9	14~~8~~6
*Days with ·04 in. or more.	7	13	11	8	9	12	10	5	8	12	5	5	105

40-9999 46·0

*See Instruction 2 (*f*) on other side.

D

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE.

1806

Section A for the entry of Daily Observations. **Station No** ~~290~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1096.

REGISTER OF RAINFALL IN 1934.

Kept at Sidmouth W.D.R.

in the County of Devon

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·81				2
3										·45			3
4													4
5								·72					5
6					·23								6
7													7
8													8
9											·42		9
10													10
11	·43			·48									11
12													12
13													13
14			·43										14
15													15
16													16
17													17
18													18
19													19
20							·13						20
21													21
22												·96	22
23						·68							23
24													24
25		·08											25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·06	0·10	2·32	2·58	0·81	1·36	0·36	3·64	2·35	2·32	19·33 1·43	9·85	YEAR'S TOTAL 29·18
*Days with ·01 in. or more.	21	2	17	15	7	10	8	15	16	19	11	30	171
*Days with ·04 in. or more.	11	1	14	13	5	5	3	11	12	9	7	28	119
					20·6	345	9·1	92·5	59·7	58·9	36·3	250·1	

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) ....

P.T.O.

1806

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sidmouth. U.D.C.

in the County of Devon

290

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 26. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			55											1
2														2
3										·79				3
4														4
5														5
6						·81								6
7														7
8														8
9														9
10														10
11	·15													11
12														12
13														13
14														14
15				·73										15
16									·49		1·31			16
17					·97									17
18							·28							18
19														19
20														20
21														21
22														22
23														23
24		·65						·69						24
25														25
26												1·00		26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	·47	3·49	1·27	3·87	1·82	3·60	·59	2·56	2·86	3·69	5·41	4·98	Year's Total 34·61	✓
*Days with ·01 in. or more.	6	18	8	19	9	18	4	8	26	17	23	21	177	
*Days with ·04 in. or more.	4	14	4	15	7	14	4	6	20	15	17	17	137	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) ....

[P. T. O.

1806

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1030.

REGISTER OF RAINFALL IN 1936.

Kept at Sidmouth U.D.C.
in the County of Devon
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan, 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3									0·60					3
4														4
5														5
6														6
7														7
8							·72							8
9			·72											9
10														10
11											·67			11
12														12
13								·03				·75		13
14														14
15														15
16														16
17		·76												17
18						·73								18
19														19
20														20
21				·89										21
22														22
23														23
24					·19									24
25														25
26														26
27										·22				27
28	·98													28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	5·21	2·91	4·12	2·35	0·78	1·50	4·83	0·10	2·65	1·03	2·61	3·18	Year's Total 31·27	
* Days with ·01 in. or more.	23	17	14	11	8	14	25	6	17	11	15	17	181	
* Days with ·04 in. or more.	19	11	14	9	7	11	22	0	11	6	13	13	136	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE. 1806

Section **A** for the entry of Daily Observations. Station No. 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Sidmouth (U.D.C.)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 25 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·51										1
2														2
3														3
4		·72												4
5														5
6														6
7														7
8					1·06									8
9									·63					9
10						·24								10
11														11
12								·95				·45		12
13			·99											13
14							·94							14
15														15
16														16
17	·51													17
18														18
19														19
20														20
21														21
22										·71	·32			22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	4·23	5·73	4·62	2·63	2·62	·70	2·64	1·59	2·34	3·35	1·65	3·21	35·31	✓
* Days with .01 in. or more.	24	24	19	16	14	8	11	7	14	11	11	20	179	✓
* Days with .04 in. or more.	19	17	15	13	12	4	9	5	11	9	9	13	136	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

290

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1806

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

400

Kept at Sidmouth (U.D.C.)
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·54				1
2														2
3														3
4								1·54						4
5														5
6							1·10							6
7														7
8														8
9														9
10														10
11												·63		11
12														12
13														13
14	·57													14
15														15
16														16
17														17
18														18
19									·30					19
20														20
21														21
22				·03										22
23														23
24			·16											24
25		·23									1·01			25
26		·23												26
27														27
28														28
29					·37									29
30		✗				·63								30
31		✗		✗		✗			✗		✗			31
TOTAL	3·07	·82	·19	·04	1·89	1·50	3·48	3·74	1·33	2·81	4·80	3·62	Year's Total 27·29	
* Days with .01 in. or more.	21	8	3	2	18	10	14	14	11	17	21	21	160	
* Days with .04 in. or more.	19	6	1	0	14	10	11	6	8	14	17	15	121	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

1.05!

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1806

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1[illegible]90

REGISTER OF RAINFALL IN 1939

Kept at Sidmouth (U.D.C.)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 25 ft.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								·48	1·11					2
3				·81								·39		3
4			·37											4
5											·62			5
6														6
7		·50												7
8										1·62				8
9														9
10														10
11														11
12														12
13														13
14														14
15						·65								15
16														16
17														17
18					·39		·90							18
19														19
20														20
21														21
22														22
23														23
24														24
25	·88													25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	5·98	1·39	·95	2·16	·90	2·82	4·78	2·26	1·37	5·05	4·73	1·45	Year's Total 33·84	
* Days with .01 in. or more.	19	12	14	15	8	16	21	15	6	19	24	15	184	
* Days with .04 in. or more.	15	6	9	11	4	13	17	13	4	13	19	9	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

290

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1806 1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 19~~3~~40

Xoo

Kept at Sidmouth (U.D.C.)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9							·41							9
10								·02						10
11														11
12									·55					12
13											1·91			13
14					·66									14
15														15
16		·90	·72							·50				16
17														17
18				1·10				·02						18
19														19
20								·02						20
21														21
22						·47								22
23														23
24														24
25														25
26	·74													26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×	·55	Year's Total	31
Total	2·08	3·77	2·40	3·22	1·91	·63	1·84	·07	1·65	3·29	6·00	2·97	29·83	
* Days with .01 in. or more.	14	18	15	18	10	5	16	4	12	17	20	16	165	
* Days with .04 in. or more.	9	12	11	10	8	2	12	0	6	15	16	14	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

1807

Section **A** for the entry

AIR MINIST

FORM 1090.

REGIS

1807

SIDMOUTH. HOME ORCHARD

1931 — 40

780309

93 . 1931.

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

Kept at Home Orch

in the County of D

807.

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·63	·03	·02	·05	—	·37	·03	—	—	1
2	·24	·01	—	·74	—	—	—	—	·35	—	·05	·11	2
3	·04	—	·78	—	—	—	·03	—	·20	—	1·56	·03	3
4	·01	—	·13	—	·02	·31	·22	·10	·06	·02	—	—	4
5	—	·37	·06	·03	·14	·73	—	·07	—	Tr	·12	·16	5
6	—	·07	—	—	Tr	·19	—	—	—	·20	·06	·54	6
7	—	·02	—	—	·33	·24	·34	—	—	·07	·49	·14	7
8	—	·28	—	·35	—	·48	·08	·01	—	—	·23	·07	8
9	—	·12	—	—	—	·08	·02	—	—	—	·35	·01	9
10	—	·04	—	—	·05	·19	—	·02	—	—	·56	—	10
11	·13	·29	—	—	·01	·23	·01	·01	—	—	·52	—	11
12	·03	·07	—	—	Tr	—	·21	—	·07	·10	—	—	12
13	—	—	—	—	·04	·01	·10	·13	—	—	—	—	13
14	·02.	—	Tr	·08	—	·30	1·14	·01	·06	—	·27	—	14
15	·01	·13	—	—	·14	Tr	·01	·06	Tr	—	—	·01	15
16	—	·15	—	—	·16	·49	—	Tr	Tr	—	—	—	16
17	—	·06	—	—	—	·09	·45	—	—	—	—	—	17
18	·03	—	Tr	·22	—	·24	·06	1·61	·11	—	·21	—	18
19	·03	·04	·04	·11	—	·15	·02	·03	—	—	—	—	19
20	Tr	·11	·39	·01	—	—	—	·21	Tr	—	·09	—	20
21	·14	·05	—	—	·33	—	—	—	—	—	·01	—	21
22	·32	Tr	—	Tr	·08	—	—	—	—	—	·37	—	22
23	·28	·03	—	·08	·70	—	·02	—	—	—	·02	—	23
24	·10	—	—	·40	·13	—	·68	·60	—	—	—	—	24
25	·24	Tr	—	·33	·05	—	·22	—	—	—	·21	—	25
26	—	·01	Tr	·23	—	—	·28	—	—	—	·58	—	26
27	·20	·25	—	Tr	·48	—	·10	—	—	—	·15	—	27
28	·05	·10	·04	Tr	·10	—	—	·02	—	·04	·01	·14	28
29	·02	—	·12	—	·09	—	·02	·17	—	·01	·15	—	29
30	·03	×	—	—	·07	—	—	—	·16	—	—	—	30
31	·49	×	·02	×	·04	×	·01	Tr	×	·02	×	·48	31
TOTAL	2·41	2·21	1·58	3·21	2·97	3·75	4·07	3·05	1·38	0·49	6·01	1·69.	YEAR'S TOTAL 32·82.
*Days with ·01 in. or more.	19.	20	8	12	19	15	21	14	8	8	20	10	174
*Days with ·04 in. or more.	11	15.	7.	10	16	13	13	8	8	4	17.	7.	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. Horsley

P.T.O.

1807

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193[illegible]. 1931.

Kept at Home Orchard SIDMOUTH.
in the County of Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 100. ft.

Station No. 1807.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·63	·03	·02	·05	—	·37	·03	—	—	1
2	·24	·01	—	·74	—	—	—	—	·35	—	·05	·11	2
3	·04	—	·78	—	—	—	·03	—	·20	—	1·56	·03	3
4	·01	—	·13	—	·02	·31	·22	·10	·06	·02	—	—	4
5	—	·37	·06	·03	·14	·73	—	·07	—	Tr	·12	·16	5
6	—	·07	—	—	Tr	·19	—	—	—	·20	·06	·54	6
7	—	·02	—	—	·33	·24	·34	—	—	·07	·49	·14	7
8	—	·28	—	·35	—	·48	·08	·01	—	—	·23	·07	8
9	—	·12	—	—	—	·08	·02	—	—	—	·35	·01	9
10	—	·04	—	—	·05	·19	—	·02	—	—	·56	—	10
11	·13	·29	—	—	·01	·23	·01	·01	—	—	·52	—	11
12	·03	·07	—	—	Tr	—	·21	—	·07	·10	—	—	12
13	—	—	—	—	·04	·01	·10	·13	—	—	—	—	13
14	·02.	—	Tr	·08	—	·30	1·14	·01	·06	—	·27	—	14
15	·01	·13	—	—	·14	Tr	·01	·06	Tr	—	—	·01	15
16	—	·15	—	—	·16	·49	—	Tr	Tr	—	—	—	16
17	—	·06	—	—	—	·09	·45	—	—	—	—	—	17
18	·03	—	Tr	·22	—	·24	·06	1·61	·11	—	·21	—	18
19	·03	·04	·04	·11	—	·15	·02	·03	—	—	—	—	19
20	Tr	·11	·39	·01	—	—	—	·21	Tr	—	·09	—	20
21	·14	·05	—	—	·33	—	—	—	—	—	·01	—	21
22	·32	Tr	—	Tr	·08	—	—	—	—	—	·37	—	22
23	·28	·03	—	·08	·70	—	·02	—	—	—	·02	—	23
24	·10	—	—	·40	·13	—	·68	·60	—	—	—	—	24
25	·24	Tr	—	·33	·05	—	·22	—	—	—	·21	—	25
26	—	·01	Tr	·23	—	—	·28	—	—	—	·58	—	26
27	·20	·25	—	Tr	·48	—	·10	—	—	—	·15	—	27
28	·05	·10	·04	Tr	·10	—	—	·02	—	·04	·01	·14	28
29	·02	—	·12	—	·09	—	·02	·17	—	·01	·15	—	29
30	·03	×	—	—	·07	—	—	—	·16	—	—	—	30
31	·49	×	·02	×	·04	×	·01	Tr	×	·02	×	·48	31
TOTAL	2·41	2·21	1·58	3·21	2·97	3·75	4·07	3·05	1·38	0·49	6·01	1·69.	YEAR'S TOTAL 32·82.
*Days with ·01 in. or more.	19.	20	8	12	19	15	21	14	8	8	20	10	174
*Days with ·04 in. or more.	11	15.	7.	10	16	13	13	8	8	4	17.	7.	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) S. Horsley.

P.T.O.

1807

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Home Orchard Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 100. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·10	—	·01	·02	·10	—	·01	·10	·01	1
2	—	—	—	·25	—	·01	·01	·05	·06	—	·03	·28	2
3	·04	—	·01	—	—	·72	·05	—	·37	—	·11	·03	3
4	·02	—	—	—	—	·27	Tr	·11	—	—	·14	—	4
5	·11	—	·03	·01	—	—	—	—	·14	—	Tr	—	5
6	·41	—	—	·16	Tr	—	·07	—	·41	·01	—	—	6
7	·02	—	·05	·08	·08	—	·01	—	·41	·62	—	—	7
8	—	—	·59	·02	·22	—	—	—	·39	·16	—	—	8
9	·74	snow. ·04	—	·24	·02	—	—	—	Tr	Tr	Tr	—	9
10	·28	—	—	·15	·03	—	—	—	Tr	·43.	—	—	10
11	·01	—	—	·06	·08	—	—	—	Tr	Tr	—	·07	11
12	·55	—	—	Tr	·33.	—	·01	—	·04	·27	Tr	·02	12
13	·09	—	—	·17	·02	·02	·34	·35	—	·87	·05	·34	13
14	·33	—	—	·17	·21	—	—	—	Tr	·07	—	—	14
15	Tr	—	—	·07	·20	—	·09	—	—	Tr	Tr	·03	15
16	·15	—	—	·06	—	—	·17	—	—	·05	—	—	16
17	Tr	—	—	·01	Tr	—	—	—	·10	·06	—	Tr	17
18	·01	—	—	—	·33.	—	—	—	Tr	·03	·18	—	18
19	·17	—	—	Tr	·28	—	—	—	·06	·54	—	—	19
20	·04	—	—	Tr	1·30	—	—	·01	—	·63	·34	·22	20
21	·01	—	·08	·25	Tr	—	—	·10	·15	·30	·11	·11	21
22	—	—	·01	Tr	·01	—	Tr	—	·66	·41	·31	·02	22
23	—	·02	—	—	·03	·01	·21	—	Tr	·52	·07	·11	23
24	—	—	—	—	·01	—	·72	—	·26	·23	·08	Tr	24
25	—	—	·54	—	—	—	·03	—	—	·22	·02	·03	25
26	—	—	·07	·02	—	—	·09	—	—	·11	·07	—	26
27	—	—	·77	·45	·11	—	·11	—	—	·27	·01	·08	27
28	—	—	—	·02	·18	·12	·02	—	—	Tr	·01	·13	28
29	—		·38	·06	·24	·53	—	·70	·51	·26	—	·31	29
30	—	×	·03	·03	Tr	1·35	·30	·01	·46	·30	1·44	·03	30
31	—	×	—	×	·15	×	·10	—	×	·08	×	·86	31
TOTAL	2·98	·06	2·56	2·38	3·83	3·04	2·35	1·43	4·02	6·45	3·07	2·68	YEAR'S TOTAL 34·85
*Days with ·01 in. or more.	16	2	11	20	19	9	17	8	14	23	16	17	172
*Days with .04 in. or more.	11	1	7	14	13	5	11	6	14	20	11.	10·	123.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) I. Hersley

P.T.O.

1807

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** ~~1809~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Loretto Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 125 ft.

continuation for Sidmouth (Home Orchard)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·36	·12	—	·03	·10	—	—	—	—	·10	1·74		1
2	·42	—	·88	—	·69	·33	—	—	—	—	·01	·03		2
3	·09	·11	·24	—	·04	—	—	—	—	—	—	—		3
4	·16	Tr	·04	—	·05	—	—	—	—	—	—	—		4
5	·08	Tr	·33	—	·01	—	—	—	—	Tr	·02	—		5
6	·01	·43	Tr	—	·08	—	·18	—	—	·12	—	·01		6
7	·01	·12	·01	—	·09	—	·03	—	—	·25	—	—		7
8	·01	·01	·01	—	·02	—	·07	—	—	·02	—	—		8
9	—	·03	—	—	·33	Tr	·14	—	—	·11	·06	—		9
10	—	·27	—	—	—	—	·25	—	—	·39	—	—		10
11	·15	—	—	—	—	·50	·12	·27	—	—	—	—		11
12	—	—	—	·23	·03	·09	·19	—	·36	Tr	—	·03		12
13	Tr	—	—	—	·06	·01	·12	·42	—	·16	·02	—		13
14	·04	—	—	—	—	—	·23	·29	—	·13	·32	—		14
15	·47	—	·23	—	—	Tr	·70	—	—	·05	·14	—		15
16	—	·02	1·58	—	—	Tr	Tr	—	—	·10	—	—		16
17	·03	·06	·17	—	—	·07	—	—	·06	—	—	—		17
18	—	—	·14	—	—	·08	—	—	—	—	—	—		18
19	·22	—	·21	—	—	·05	—	·01	Tr	—	·43	—		19
20	—	·06	—	—	—	·29	—	·01	·15	—	—	—		20
21	—	·01	—	—	—	·11	—	·03	Tr	·03	—	—		21
22	—	—	—	·07	·02	·18	—	·42	·46	·01	—	—		22
23	—	·98	—	·28	—	·20	—	—	·48	·16	—	—		23
24	—	·54	—	·25	—	Tr	—	—	·05	·04	—	—		24
25	—	1·36	—	·26	—	·28	—	—	·06	—	—	·22		25
26	—	·33	—	·33	·45	·16	—	—	—	·03	—	—		26
27	—	·01	—	—	·01	—	Tr	—	—	·29	·06	·74		27
28	—	·04	—	·48	·22	—	·47	—	·01	·25	—	·10		28
29	~~05~~	—	[illegible]	·08	—	—	·01	—	·03	Tr	—	·06		29
30	·02	×	·10	—	—	—	·02	—	·16	—	—	·07		30
31	·05	×	·05	×	—	×	—	—	×	·03	×	—		31
TOTAL	2·04	4·76	4·11	1·98	2·13	2·45	2·53	1·45	1·82	2·17	1·16	3·00	Year's Total 29·60	
*Days with ·01 in. or more.	16	17	14	8	15	14	13	7	10	17	9	9	149	
*Days with ·04 in. or more.	10	12	12	8	9	13	10	5	8	12	6	6	111.	

40-9999

*See Instruction 2 (*f*) on other side.

W

† Spare column, no entries required.

(*Signed*) S. Horsley.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1807.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at LORETTO SIDMOUTH

in the County of DEVON

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 6" in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	—	—	—	—	—	—	·74	·12	T	·18	·87		1
2	·04	—	·05	—	—	—	—	Tr	·85	·01	·11	·24		2
3	·03	—	—	—	—	—	—	·33	—	·45	—	·26		3
4	·09	—	·17	·04	·19	—	—	—	·21	·02	—	·28		4
5	—	—	·14	—	·12	·03	—	·76	—	·01	·01	·40		5
6	·05	—	·21	·05	·24	—	—	—	—	·44	·01	·50		6
7	·02	—	—	—	—	—	—	·09	—	·07	·02	·42		7
8	Tr	—	—	—	·14	—	—	—	·08	—	·34	·21		8
9	·03	—	·22	—	—	—	—	—	—	·03	·49	·05		9
10	·17	Tr	·14	·35	—	—	—	·09	—	—	·05	·17		10
11	·40	—	·08	·44	—	—	·01	·06	—	—	—	·62		11
12	·09	—	—	Tr	—	—	·01	·47	—	—	—	·30		12
13	·32	—	·01	·40	—	—	—	—	·07	Tr	·04	·20		13
14	·26	—	·41	Tr	—	—	—	—	·04	·01	·18	·27		14
15	·02	—	·10	—	·12	—	—	—	·10	·24	·13	·30		15
16	·03	—	·31	—	·02	—	—	—	·04	[illegible]	Tr	·35		16
17	·06	—	Tr	·21	Tr	—	—	—	—	·12	—	·35		17
18	·03	—	·24	·31	—	—	—	—	Tr	·01	—	·30		18
19	—	—	·13	·10	Tr	·08	—	·09	·03	—	—	·04		19
20	—	—	·08	·10	—	—	·08	—	·01	—	—	Tr		20
21	—	—	·09	·01	—	·18	Tr	—	·07	·31	—	·45		21
22	·03	—	·09	—	—	—	·02	·22	·01	—	—	1·00		22
23	·20	·09	·01	·15	—	·66	—	—	·40	·17	—	·21		23
24	—	·01	·04	·05	—	·10	·06	·01	—	·06	—	·06		24
25	·24	—	—	·19	—	—	·01	—	·04	·25	—	·88		25
26	·01	—	·03	·05	—	·17	Tr	—	·10	—	—	·02		26
27	—	—	—	·01	—	·07	—	—	·03	—	·02	·34		27
28	—	—	—	·05	—	·02	—	·55	·20	·01	—	·65		28
29	—	—	—	—	—	—	—	—	Tr	·03	—	·01		29
30	·01	×	—	—	—	—	·02	·30	·04	·03	—	·28		30
31	—	×	—	×	—	×	·16	·08	×	·02	×	·10		31
TOTAL	2·24	·10	2·55	2·51	·83	1·31	·37	3·79	2·44	2·29	1·58	10·13	Year's Total 30·14	
*Days with ·01 in. or more.	21	2	19	16	6	8	8	13	18	19	12	30	172	
*Days with ·04 in. or more.	12	1	16	14	5	6	3	12	14	9	8	28	128	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. Heasley.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "LORETTO" SIDMOUTH.

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1' ft 6 in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	Tr	·58	—	—	·15	·07	—	·09	·18	·09	·17		1
2	—	·03	·06	—	—	·01	—	—	·15	·25	·05	·10		2
3	—	Tr	·16	—	·18	·20	—	—	·06	·60	·23	Tr		3
4	—	·19	—	·11	·09	·64	—	—	·04	—	·10	·35		4
5	—	·33	·01	·03	—	·22	—	—	·16	·39	—	—		5
6	Tr	·01	—	·22	—	·78	—	—	—	—	·05	·01		6
7	—	—	—	·24	—	·04	—	—	—	·23	·04	·02		7
8	—	—	—	·29	—	—	—	—	·28	—	·26	·02		8
9	—	—	—	·32	—	·17	—	—	·13	·60	·18	—		9
10	·06	—	Snow. ·19	·01	—	—	Tr	—	—	—	—	·04		10
11	·17	Tr	Snow. ·02	—	—	·23	—	—	·19	—	·35	·02		11
12	·02	·09	—	Tr	—	·56	—	·02	·02	—	·17	—		12
13	·03	·10	—	·44	—	·08	—	—	·01	—	·27	—		13
14	Tr	·09	—	·76	Tr	—	—	—	·20	—	·96	·35		14
15	—	·07	—	·77	·10	·03	—	—	·03	—	·39	·06		15
16	—	·04	·01	·13	—	—	—	—	·39	—	1·26	Tr		16
17	—	·01	—	·03	·95	·33	—	·20	·05	—	·02	—		17
18	—	·11	—	·19	·01	—	·24	—	·16	·04	Tr	·13		18
19	—	·02	—	·02	·28	·10	·21	—	·03	·12	·41	—		19
20	—	·25	—	·25	—	·02	·02	—	—	—	·25	—		20
21	—	·44	Tr	·14	—	—	—	—	·06	—	—	—		21
22	—	·03	·02	·06	—	—	—	Tr	·10	·10	—	—		22
23	—	·02	·06	·02	·06	—	—	·40	—	·43	—	·43		23
24	·01	·64	—	—	·06	—	—	·74	·30	·06	—	·21		24
25	·21	·25	—	·07	·02	·06	—	—	—	—	—	·22		25
26	—	·56	—	—	—	Tr.	—	·41	·12	—	—	·95		26
27	—	·16	—	—	—	—	—	·01	—	·09	·03	·46		27
28	—	·11	—	—	—	—	—	·14	·16	·06	·02	·08		28
29	—	—	—	—	—	—	—	—	·12	Tr	·04	·47.		29
30	·04	×	—	—	—	·07.	—	·68	·10	·11	·41	·51		30
31	—	×	—	×	—	×	—	·04	×	·76	×	·31		31
TOTAL	·55	3·55	1·11	4·10	1·75	3·69.	·54	2·64	2·95	4·02	5·58	4·91.	Year's Total. 35·39	
* Days with .01 in. or more.	8	21	9	19	9	17.	4	9	23	15	21	20	175	
* Days with .04 in. or more.	4	15	5	14	7	14	3	7	19	15	18	16	137.	

40-9999

† Spare column, no entries required.

(*Signed*) T. Horsley

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at "Loretto" Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·28	·02	·15	—	·16	·33	·01	—	—	·01	·06		1
2	Tr	—	—	·05	—	·07	·44	·01	·01	—	·08	·02		2
3	·01	—	—	·85	—	·02	·16	—	·68	—	·26	·01		3
4	—	—	·15	·01	—	·04	—	Tr	·40	—	—	·08		4
5	·33	Tr	·01	—	—	—	·06	·01	·12	Tr	·03	·15		5
6	·08	—	·02	—	—	·02	·22	·03	—	—	·31	Tr		6
7	·13	—	·39	—	—	—	·04	·02	·13	—	·24	·02		7
8	·33	—	·76	—	—	—	·82	—	·02	—	·30	·02		8
9	·39	·21	·10	—	—	—	·24	—	·13	—	·02	—		9
10	·14	·27	—	—	—	—	Tr	—	Tr	—	·34	—		10
11	·39	·01	—	—	—	·07	·07	·01	·03	—	·75	·09		11
12	·01	—	—	·17	·06	·08	·29	—	·27	—	·13	·04		12
13	·04	—	—	—	—	—	·06	·04	·02	·04	·07	·76		13
14	—	·02	—	—	—	—	·45	—	·16	·03	Tr	·48		14
15	—	·01	—	—	·10	—	·43	—	·02	—	·07	·26		15
16	·02	·17	—	—	·23	—	·34	—	·01	Tr	·13	·14		16
17	·03	·80	—	—	·06	—	·21	—	—	·03	·05	·46		17
18	·15	·29	·16	—	—	·23	·29	Tr	—	·03	—	·10		18
19	·53	·01	·17	·04	—	·40	Tr	Tr	—	·02	—	—		19
20	·03	·23	·11	·06	—	·05	·01	—	·24	—	—	Tr		20
21	Tr	·17	·13	·92	—	·09	·01	Tr	Tr	—	—	—		21
22	·12	·28	·31	—	—	—	·11	—	—	—	—	Tr		22
23	·12	·06	·01	—	·05	—	·07	—	—	·04	—	—		23
24	·42	·02	·01	·01	·21	—	·12	—	·34	·24	—	—		24
25	·17	—	·37	·11	—	—	·13	—	·02	·22	—	—		25
26	·15	·06	·18	Tr	—	—	·23	—	·09	·03	—	—		26
27	·57	·08	·05	—	—	—	·10	—	·02	·22	—	—		27
28	1·02	Tr	·74	—	—	·02	·01	—	—	·02	—	·18		28
29	·02	·02	Tr	—	—	·03	—	—	—	·14	·10	·10		29
30	·22	✕	—	—	Tr	·06	—	—	—	·15	—	Tr		30
31	·09	✕	·70	✕	·09	✕	·04	—	✕	Tr	✕	·46		31
TOTAL	5·49	2·99	4·39	2·37	·80	1·34	5·28	·13	2·71	1·21	2·89	3·43	Year's Total 33·03	✓
* Days with .01 in. or more.	26	18	19	10	7	14	26	7	18	13	16	18	192	✓
* Days with .04 in. or more.	20	12	14	8	7	10	23	1	10	7	13	14	139	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. Horsley

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1807.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at "LORETTO" SIDMOUTH

in the County of DEVON.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	—	·01	—	·57	–	—	—	—	·04	Tr	·02	·48		1	
2	·01	·48	·03	·25	—	–	–	—	·13	·01	—	·04		2	
3	Tr	·24	·08	·16	·02	—	—	–	Tr	—	—	—		3	
4	·14	·78	Tr	—	·03	—	–	·01	—	–	—	·40		4	
5	·16	—	·05	·03	—	–	·65	—	–	—	–	·10		5	
6	·04	·52	·47	·14	·04	—	·21	—	—	–	—	—		6	
7	—	·78	·02	·02	—	·03	—	—	—	—	·02	SNOW ·36		7	
8	—	·03	—	—	1·07	—	·05	—	—	—	·12	SNOW ·07		8	
9	·01	·01	·12	·09	·03	—	·02	—	·69	—	—	·04		9	
10	·21	·03	·68	·21	·01	·25	·03	·05	—	—	—	·21		10	
11	·04	—	·20	·19	·52	·05	·32	—	—	—	—	·01		11	
12	·55	·37	·03	·21	–	·23	·10	·97	·08	—	–	·47		12	
13	Tr	·06	·96	·23	—	–	—	·30	·08	—	—	·01		13	
14	—	·02	·10	·03	—	—	·62	·04	·01	—	—	·04		14	
15	·32	·11	·15	·43	—	—	·48	—	·18	—	—	·24		15	
16	·03	·05	·36	·03	—	·01	·01	·19	·62	—	·16	—		16	
17	·58	·06	·59	—	—	—	—	–	·12	—	·15	–		17	
18	·11	·12	·19	—	–	·09	—	·02	·17	—	·14	·19		18	
19	·13	·04	·02	·13	·08	—	—	—	·01	—	·01	·05		19	
20	·40	·07	Tr	·15	·07	—	—	—	—	—	–	·47		20	
21	·36	·46	·09	·04	·31	—	·09	—	·18	Tr	·07	·02		21	
22	·20	·01	SNOW ·09	—	·28	·02	·13	—	·10	·74	·34	·04		22	
23	·16	·26	—	—	·10	—	—	–	–	·40	·18	—		23	
24	·24	·58	·02	—	–	—	—	—	·02	·83	—	·02		24	
25	·02	·57	·46	—	·08	—	—	—	·04	·23	—	·03		25	
26	Tr	·26	SNOW ·04	—	·12	—	—	—	—	·02	–	·04		26	
27	·01	SNOW ·35	—	—	—	—	—	—	—	·33	—	—		27	
28	SNOW ·35	·02	—	—	–	–	—	—	—	·21	·02	—		28	
29	·01	—	—	—	–	Tr	—	—	—	·39	·26	Tr		29	
30	·45	✕	–	–	–	·02	–	–	·01	·16	·21	—		30	
31	·27	✕	–	✕	—	✕	—	—	✕	·36	✕	—		31	
TOTAL	4·80	6·29	4·75	2·91	2·76	·70	2·71	1·58	2·48	3·68	1·70	3·33	Year's Total 37·69	✓ ✓	
* Days with .01 in. or more.	24	26	21	17	14	8	12	7	16	11	13	21	190	✓ ✓	
* Days with .04 in. or more.	18	19	16	13	10	4	9	5	12	9	9	16	140.	✓ ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "LORETTO" SIDMOUTH
in the County of DEVON
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·04	—	—	·02	·28	—	·02	—	·60	·03	·05		1
2	—	·04	—	—	—	Tr	—	·17	—	·16	·01	·22		2
3	—	—	—	—	·12	·01	·05	1·17	—	·26	·10	·01		3
4	—	Tr	—	—	·02	·11	·20	—	—	·13	Tr	·09		4
5	·01	—	—	—	—	—	·02	—	—	·34	—	·01		5
6	·07	—	—	—	—	·11	1·18	—	·09	·06	—	·04		6
7	·09	—	—	—	—	·02	·23	—	·04	·04	·03	·07		7
8	·45	—	—	—	—	·05	·13	·02	—	·12	—	Tr		8
9	·18	·04	—	—	—	·07	—	·01	—	Tr	—	·49		9
10	·09	·02	—	—	—	—	·03	—	—	—	—	·46		10
11	·09	Tr	—	—	—	Tr	·06	·33	—	—	·26	·67		11
12	·24	—	—	—	·17	—	·05	—	—	·28	·45	·04		12
13	·19	—	—	—	·09	—	—	·01	—	—	·12	·66		13
14	·66	—	—	—	·15	—	·75	—	—	—	—	Tr		14
15	·14	—	—	—	·21	—	·15	Tr	—	·26	·09	·23		15
16	·11	SNOW ·01	—	—	·04	—	—	—	—	Tr	·33	·01		16
17	—	·14	·02	—	·02	—	—	—	·01	·10	·03	—		17
18	·14	—	—	—	·08	·08	—	·01	·22	·01	·24	—		18
19	—	—	—	—	—	—	—	—	·36	—	·72	—		19
20	—	—	—	—	—	—	—	—	·01	—	·12	—		20
21	·01	—	—	—	—	—	—	—	·03	—	·34	SNOW ·31		21
22	·03	—	—	·03	—	·05	—	·41	·17	—	·41	SNOW ·08		22
23	Tr	—	—	·03	—	—	—	·01	·01	—	·06	·03		23
24	—	—	·16	—	—	—	—	·03	·07	—	·34	—		24
25	·07	·27	·02	—	·23	Tr	·61	·05	Tr	·02	1·08	SNOW & RAIN ·11		25
26	·31	·28	—	—	·32	Tr	—	—	—	·17	·01	·08		26
27	·09	·02	—	—	·05	·12	·48	·45	—	·06	·22	Tr		27
28	·17	·10	—	—	·08	·11	—	·81	·06	—	Tr	·01		28
29	·06	—	·03	—	·40	—	—	—	·09	·28	·24	·02		29
30	·08	✕	—	—	·08	·81	·03	—	·38	—	·09	·09		30
31	·24	✕	—	✕	·12	✕	Tr	—	✕	·12	✕	·22		31
TOTAL	3·52	·96	·23	·06	2·20	1·82	3·97	3·50	1·54	3·01	5·32	4·00	Year's Total 30·13	✓
* Days with .01 in. or more.	22	10	4	2	17	12	14	14	13	17	22	23	170	✓
* Days with .04 in. or more.	19	7	1	0	14	10	11	7	9.	15	17	17	127	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Horsley

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at "LORETTO" SIDMOUTH

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	—	·08	·02	·01	—	·02	·26	·12	—	·14	·01		1
2	·06	—	Tr	·25	·01	—	Tr	·50	1·04	—	·39	·06		2
3	·49	—	·06	·78	—	—	·02	·13	—	—	·08	·40		3
4	·03	—	·42	·04	·25	—	·50	·05	—	·42	·11	·19		4
5	—	—	·04	·13	—	—	·12	·03	—	·12	·69	·01		5
6	·75	—	·09	·09	—	—	·43	·05	—	·17	·18	—		6
7	·01	·54	·03	—	—	·09	—	Tr	—	—	·35	·40		7
8	·01	·20	—	—	·06	—	·07	·16	—	1·77	·18	·09		8
9	·02	·01	·01	—	—	—	—	·11	—	·10	·04	·08		9
10	·23	—	—	—	—	·07	—	·13	·03	·08	Tr	·16		10
11	·01	·01	·11	—	—	—	—	—	—	·16	Tr	·08		11
12	—	·04	—	—	—	—	—	—	·02	·01	—	—		12
13	—	—	—	·14	Tr	·02	·40	—	·12	1·13	·05	—		13
14	·85	—	—	·13	·01	—	·19	—	—	·05	·27	—		14
15	·52	—	·04	·01	·17	·67	·16	—	—	Tr	·28	·05		15
16	·23	—	—	·08	·01	—	·11	—	—	·01	·11	—		16
17	·50	·03	—	—	·04	·16	·58	—	—	·01	·09	—		17
18	·01	·01	—	—	·48	·16	1·02	—	—	—	·50	·05		18
19	·25	—	·01	—	—	·02	·07	·50	—	—	—	·04		19
20	·34	—	—	—	—	·07	·33	—	—	—	—	·05		20
21	·06	·16	·06	—	·04	·11	·15	—	—	—	—	—		21
22	·37	·33	·07	—	—	·56	·28	—	—	—	·29	—		22
23	·01	Tr	·07	·17	—	·01	·11	—	—	—	·53	—		23
24	·68	—	—	·03	—	·24	·15	·12	—	·03	·01	—		24
25	SNOW & SLEET ·70	·07	·01	·02	—	—	—	·17	—	·10	·16	—		25
26	·02	·03	—	·08	—	Tr	—	—	—	·16	·13	—		26
27	—	·19	—	·01	—	·02	Tr	—	—	·03	·19	—		27
28	—	·03	—	·01	—	·07	·20	—	—	—	·43	·04		28
29	—	—	·01	·03	—	·08	·13	—	—	·19	·01	—		29
30	—	✕	·03	·27	—	·36	·01	·12	—	·35	·02	—		30
31	—	✕	—	✕	—	✕	·01	·05	✕	·59	✕	·01		31
TOTAL	6·22	1·65	1·14	2·29	1·08	2·70	5·06	2·38	1·33	5·48	5·23	1·72	Year's Total 36·28	
* Days with .01 in. or more.	23	13	16	18	10	16	22	14	5	19	24	16	196	
* Days with .04 in. or more.	15	7	10	11	6	12	18	13	3	14	21	13	143.	

† Spare column, no entries required.

(*Signed*) T. Horsley

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at "LORETTO" SIDMOUTH

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	—	·02	·13	—	—	—	—	—	·16	—		1
2	—	·08	—	·20	—	—	—	—	—	—	·49	·11		2
3	·03	·70	—	·01	—	—	·01	—	—	·16	·60	·27		3
4	·02	·22	—	·01	—	—	·08	—	—	·15	·05	·04		4
5	·04	·01	—	—	—	—	—	—	—	·02	·45	·08		5
6	·25	·69	—	—	—	—	·05	—	—	·11	·04	·19		6
7	·09	·01	—	—	—	—	·03	—	Tr	·04	—	·04		7
8	·01	·01	—	—	—	—	·05	—	—	·30	·16	·31		8
9	—	—	—	—	—	—	·40	·01	·03	·08	·53	·08		9
10	—	—	—	—	—	—	·15	·02	·08	·05	·14	·34		10
11	—	—	—	·02	—	—	·19	—	—	—	·47	·05		11
12	—	—	·17	—	—	·14	·36	—	·55	—	·14	—		12
13	—	SNOW Tr	SLEET ·33	·02	—	—	·02	—	·06	·46	1·72	·19		13
14	—	SNOW ·03	·03	·04	·69	—	·01	—	·23	·33	—	·49		14
15	—	SNOW ·06	—	·09	·13	—	·14	—	·26	·12	·50	·01		15
16	SNOW Tr	SNOW & SLEET ·96	·76	·16	—	—	·08	—	·06	·51	·19	—		16
17	—	·16	·30	·03	—	—	·02	—	Tr	—	·18	·01		17
18	SNOW ·11	·29	·27	1·09	—	—	·02	·02	—	·06	·02	·02		18
19	—	·04	·11	·10	—	—	·08	—	·47	—	·13	—		19
20	—	·01	·02	·02	—	—	—	·02	·01	—	·03	—		20
21	—	—	·01	—	·11	—	—	—	·01	·03	·38	—		21
22	—	·01	·12	·36	—	·48	—	—	·05	—	—	—		22
23	—	·05	·17	·08	·01	—	Tr	—	—	·37	Tr	—		23
24	·01	—	·01	—	—	—	·22	—	—	—	—	—		24
25	·17	—	·13	·01	—	·01	Tr	—	—	—	—	—		25
26	·80	·45	—	·07	·52	—	·04	—	—	—	·01	—		26
27	·31	·10	·01	Tr	·42	—	—	—	—	—	—	—		27
28	·22	·09	—	·02	·03	—	—	—	—	—	—	—		28
29	SNOW ·19	·09	·13	1·02	—	·04	—	—	—	·06	—	·24		29
30	·02	✗	·01	·08	·01	—	—	—	—	·32	—	·16		30
31	·04	✗	·03	✗	—	✗	—	—	✗	·49	✗	RAIN & SNOW ·56	RAIN & SNOW.	31
TOTAL	2·31	4·07	2·61	3·45	2·05	·67	1·95	·07	1·81	3·66	6·39	3·19	Year's Total 32·23	
* Days with .01 in. or more.	15	21	17	20	9	4	18	4	11	18	20	18	175	
* Days with .04 in. or more.	10	14	10	11	6	3	12	—	8	16	17	15	122	

† Spare column, no entries required.

(*Signed*) J. Horsley

* See Instruction 3 (f) on other side.

[P.T.O.

1808

Section **A** for the entry of

AIR MINISTRY

ALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST

31.

1808

SIDMOUTH, WINSLADE COTTAGE

1931 — 35

780304

Kept at Winslade Coll

in the County of De

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·01	–	–	–	–	–	-	·35	·03	–	–	1
2	·07	·01	·11	·66	·04	–	–	-	·37	–	·07	·10	2
3	–	–	·07	·71	–	–	·10	-	·25	–	1·61	·03	3
4	–	·36	·77	–	–	·22	[illegible]	x	·03	–	·03	–	4
5	–	·10	·12	·03	x	·72	–	x	–	·02	·07	·16	5
6	–	–	–	·06	-	·15	–	(·35)	–	·22	·04	·72	6
7	–	·30	–	–	·47	·28	·38	~~1·75~~	–	·05	·42	·16	7
8	–	–	·04	·30	–	·73	·01	·28	–	–	·15	·08	8
9	–	·11	–	–	–	·06	·10	–	–	–	·20	–	9
10	–	·04	–	–	·06	·21	–	·04	–	–	1·00	·01	10
11	·14	·26	–	–	·01	·25		–	·05	–	·30	–	11
12	·04	·06	–	–	·05	–		–	·06	–	–	–	12
13	–	·04	–	–	–	–		·12	–	–	–	–	13
14	·02	·05	–	·03	–	·32	1·64	·02	·05	–	·28	–	14
15	–	·06	–	·05	·18	–	–	·11	·02	–	–	–	15
16	–	·20	–	·20	·20	·58	–	–	·05	–	–	–	16
17	–	–	–	·11	–	·08	·45	–	·02	–	–	–	17
18	–	·04	–	·01	–	·07	·05	1·77	–	–	·22	–	18
19	·04	·07	·03	·04	–	·30	✓	·05	·05	–	·06	–	19
20	–	·06	·40	–	–	–	-	·27	–	–	·10	–	20
21	·17	·04	–	–	·30	–	-	–	–	–	–	–	21
22	·35	–	·02	–	x	–	-	–	–	–	·02	–	22
23	·24	–	–	·11	x	–	✓	–	–	–	·35	–	23
24	–	·04	–	·37	·92	–	x	·62	–	–	·28	–	24
25	–	·01	–	·34	·05	–	x	–	–	–	–	–	25
26	-	·02	–	·20	–	–		–	–	–	·50	–	26
27	x ·53	·11	–	–	·45	–		–	–	·01	·27	·01	27
28	·05	·27	·03	–	·18	–		·02	–	–	·02	·11	28
29	✓		–	–	·05	–	✓	19	–	·01	·11	·18	29
30	✓	×	·11	–	·02	–	-	–	·14	–	–	–	30
31	x ·51	×	·02	×	·02	×	✓ (1.40)	·02	×	·01	×	·42	31
TOTAL	2·41	2·26	1·72	3·22	3·00	3·97	(4·28)	(3.86)	1·44	0·35	6·13	1·98	YEAR'S TOTAL 34·62
*Days with ·01 in. or more.	~~11~~ 14	22 ✓	11 ✓	15 ✓	~~17~~ 18	13 ✓	16	14	12 ✓	7 ✓	21 ✓	11 ✓	(173)
*Days with ·04 in. or more.	11	18	7	12	13	13	11	11	9	2	18	8	(133)

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Godiva Collins

P.T.O.

1808

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

allocate July & Aug [illegible]

Stanch 22/2/32.

Kept at Winslade College Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 145 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·01	–	–	–	–	–	–	·35	·03	–	–	1
2	·07	·01	·11	·66	·04	–	–	-	·37	–	·07	·10	2
3	–	–	·07	·71	–	–	·10	-	·25	–	1·61	·03	3
4	–	·36	·77	–	–	·22	·15	x	·03	–	·03	–	4
5	–	·10	·12	·03	x	·72	–	x	–	·02	·07	·16	5
6	–	–	–	·06	-	·15	–	-(·35)	–	·22	[illegible]	·72	6
7	–	·30	–	–	·47	·28	·38	~~1·75~~	–	·05	·42	·16	7
8	–	–	·04	·30	–	·73	·01	·28	–	–	·15	·08	8
9	–	·11	–	–	–	·06	·10	–	–	–	·20	–	9
10	–	·04	–	–	·06	·21	–	·04	–	–	1·00	·01	10
11	·14	·26	–	–	·01	·25		–	·05	–	·30	–	11
12	·04	·06	–	–	·05	–		–	·06	–	–	–	12
13	–	·04	–	–	–	–		·12	–	–	–	–	13
14	·02	·05	–	·03	–	·32	1·64	·02	·05	–	·28	–	14
15	–	·06	–	·05	·18	–	–	·11	·02	–	–	–	15
16	–	·20	–	·20	·20	·58	–	–	·05	–	–	–	16
17	–	–	–	·11	–	·08	·45	–	·02	–	–	–	17
18	–	·04	–	·01	–	·07	·05	1·77	–	–	·22	–	18
19	·04	·07	·03	·04	–	·30	✓	·05	·05	–	·06	–	19
20	–	·06	·40	–	–	–	-	·27	–	–	·10	–	20
21	·17	·04	–	–	·30	–	-	–	–	–	–	–	21
22	·35	–	·02	–	x	–	-	–	–	–	·02	–	22
23	·24	–	–	·11	x	–	✓	–	–	–	·35	–	23
24	–	·04	–	·37	·92	–	x	·62	–	–	·28	–	24
25	–	·01	–	·34	·05	–	x	–	–	–	–	–	25
26	-	·02	–	·20	–	–		–	–	–	·50	–	26
27	x ·53	·11	–	–	·45	–		–	–	·01	·27	·01	27
28	·05	·27	·03	–	·18	–		·02	–	–	·02	·11	28
29	✓		–	–	·05	–	✓	·19	–	·01	·11	·18	29
30	✓	×	·11	–	·02	–	-	–	·14	–	–	–	30
31	x ·51	×	·02	×	·02	×	(1·40)	·02	×	·01	×	·42	31
TOTAL	2·41	2·26	1·72	3·22	3·00	3·97	(4·28)	(3·86)	1·44	0·35	6·13	1·98	YEAR'S TOTAL 34·62
*Days with ·01 in. or more.	~~11~~ 14	22	11	15	~~17~~ 18	13	16	14	12	7	21	11	(173)
*Days with ·04 in. or more.	11	18	7	12	13	13	11	11	9	2	18	8	(133)

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Godiva Collins

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 1808

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Winslade Cottage Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 145 ft.

July & August total allocated by surrounding stns.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'03	—	—	'10		'02	'02		—	—	'09	—	1
2	'01	—	—	'30		—	—		'09	'01	'03	'30	2
3	'01	—	'01	—		'70	'06			—	03	'05	3
4	'03	—	—	—		'25	—			—	'20	—	4
5	'12	—	'03	'01		—	—			—	—	—	5
6	'46	—	—	'08		—	—		'95	—	—	—	6
7	'03	—	—	'09		—		taken altogether	'53	1'16	—	—	7
8	—	—	'69	'04		—			'01	'14	—	—	8
9	'66	—	—	'24		—	'07		—	—	—	—	9
10	'28	Snow	—	'19		—	—		—	'18	—	—	10
11	'01	—	—	'04		—	—		—	'28	—	'06	11
12	'57	—	—	'01	taken altogether	—	—		'10	'27	—		12
13	'09	—	—	—		—	'34			'08	—	'31	13
14	'30	—	—	'18		—	—			'06	'03		14
15	—	—	—	'21		—	'08			'03	—		15
16	'15	—	—	'04		—	'23			'04	—		16
17	'02	—	—	'06	1'87	—		2'34	'09	—	—		17
18	'03	—	—	—		—		—		—	'18		18
19	'17	—	—	'02		—		—		'49	—		19
20	'07	—	—	—		—		'01		'60	'46		20
21	—	—	—	'33		—		'11	'23	'34	'10		21
22	—	'05	'10	—		—		—	'61	'45	'29	taken altogether	22
23	—	—	—	—		—		—		'38	'04		23
24	—	—	—	—		—		—		'20	'02		24
25	—	—	'56	'03		—	taken altogether	—		'20	—		25
26	—	—	'07	—	taken altogether	—		—		'22	'05		26
27	—	—	'79	'10		—		—		'25	—		27
28	—	—	'10	—		'14		—		—	—		28
29	—	—	'31	—		'55		'79	'90	'43	'01		29
30	—	×	'03	—		1'40		—	'56	'09	1'31		30
31	—	×	'01	×	2'75	×		—	×	'08	×	1'73	31
TOTAL	3'04	'05	2'70	2'07	4'12	3'06	(2.00) July + Aug	(1.25) 3'25	4'07	6'82	2'84	2'45	YEAR'S TOTAL 34'47
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Galen Collins

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1808

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Winslade Cottage Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 145 ft.

Allocate for July & August

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	'50	'39		—	'03	'04	—	brought on 2'31	—	'20	—	1'95		1
2	'36	'02		—	'74	'34	—	Away from home	—	—	'15	'05		2
3	'02	'11		—	'04	—	—		—	—	—			3
4	'21	'01		—	'05	—	—		—	'01	—			4
5	—	—		—	'02	—	—		—	—	'03			5
6	'02	'42		—	'08	—	'10		—	'11	—			6
7	'03	'14		—	'08	—	'11		—	'28	—			7
8	—	—		—		—	'10		—	'01	—			8
9	—	—		—		—	'17		—	'13	—	frost + a little snow		9
10	—	'30	Away from home	—		—	'36		—	'46	—			10
11	'16	'09		—		'20	'10	'78	—	—	—			11
12	—	—		'20		'41	'21	—	'39	—	—			12
13	—	—		—			'12	'46	—	'87	—			13
14	—	—		—			'96	'31	—	—				14
15	'61	[illegible]		—			'03	—	—	'07				15
16	—	[illegible]		—				—	—	'11				16
17	'04	[illegible]		—				—	'08	—				17
18	'05	[illegible]		—				—	—	—	'43			18
19	'23	[illegible]		—	Away from home			—	'02	—	'42			19
20	—	'07		—				'02	'12	—	'01			20
21	—	'02		—		'21	Away from home	—	—	'03	—			21
22	—	—		'07		'75		'37	'50	'05	—	a little rain had to be thawed		22
23	—	'87		'37		'24		—	'52	'15	—			23
24	—	'49		'30		'01		—	'05	'04	'10			24
25	—	1'37		'30		'34		—	'07	—	—			25
26	—	'29		'33		'19		—	—	'02	—			26
27	—	—		—		—		—	—	'30	—			27
28	—	'02		'50		—		—	—	'25	—			28
29	'11	—		'04		—		—	'04	—	—			29
30	'02	×		—		—		—	'20	—	—			30
31	'04	×	Total	×	1'19	×		—	×	—	×	1'10		31
TOTAL	2'39	4'61	3'36	2'71	2'23	2'73	July & Aug 2'31 1'88	4'25	1'99	2'59	1'14	3'10	Year's Total 30'50	
*Days with ·01 in. or more.	~~14~~	~~14~~												
*Days with .04 in. or more.	[illegible]													

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Olive Collins (Miss)

D M

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1808

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Winslade Cottage Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

„ Ground „ Sea Level 145 ft.

Allocate Feb, Mar & April

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05				–	–	–	·70		–	·11	·81		1
2	–				–	–	–	·01		–	–	·35		2
3	–			Total content of raingauge for the 3 months	–	–	–	·42		·54	–	·27		3
4	–				·18	–	–	·03		·05	·08	·27		4
5	·06				·12	·03	–	·77		·14		·43		5
6	·21				·25	–	–	–	1·30	·53		·65		6
7	·03				–	–	–	·11	–	·09		·43		7
8	·04		Away from home Feb. March April		·20	–	–	–	·05	·03		·19		8
9	·15					–	–	–	–	–		·07		9
10	·45					–	–	·09	–	–	·92	·16		10
11	–					–	·01	·04	–	–	–	·63		11
12	·11					–	·02	·46	–	–	–	·25		12
13	·31					–	–		–	–	·07	·24		13
14	·26					–	–		–	·02	·10	·16		14
15	·03					–	–		–	·24	–	·35		15
16	·05					–	–		·04	·13	–	·47		16
17	·07					–	–		–	–	·13	·44		17
18	·04					–	–		·10	–	–	·18		18
19	–					–	·09		·07	·02	–			19
20	–				·20	·13	–		·02	·01	–			20
21	·04				–	·20	–		·02	·35	–			21
22					–	·02	·11		·46	–	–			22
23	·34				–	·84	–		·45	·26	–	Rain sometime every day		23
24	–				–	·11	·07		·02	·02	–			24
25	·24				–	·02	–		–	–	–			25
26	–				–	·14	–		·13	–	·02			26
27	·01				–	·10	·02		–	–	–			27
28	–				–	·03	–		·16	·02	–			28
29	–				–	–	–		·04	·10	–			29
30	–	×			–	–	·02		·10	·03	·03	4·51		30
31	·01	×		×	–	×	·08	1·08	×	·07	×	·07		31
TOTAL	2·49	(·10)	(2.55)	5·19 (2.54)	·95	1·62	·42	3·71	2·96	2·75	1·46	10·93	Year's Total 32·48	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Godiva Collins

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1808

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Winslade Cottage

in the County of Sidmouth Devon

Diameter of Funnel of Gauge 5 in in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 145 ft.

[illegible] allocate Feb & Mar.

Circ F. sent 15/7/36 obsr [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	brought over	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	·01	~~·62~~		–	·16	·08	–		·11	·10	·22		1
2	–	·03			–	·04	–	–		·38	·08	·09		2
3	–	–			–	·19	–	–		·75	·10	·01		3
4	–	·24			–	·41	–	–		·02	·19	·43		4
5	–	·34			·25	·34	–	–	·80	·13	·03	·03		5
6	–	Away from home	Totting gauge from Feb 5.	·40	–	·89	–	–	–	–	·07	·21		6
7	–			·23	–	·05	–	–	·27	·25	·04	·04		7
8	–			·27	–	–	–	–	–	·02	·11	·03		8
9	–			·20	–	·20	–	–	–	·52	·33	–		9
10	·08			·17	–	·03	–	–	·15	·21	–	–		10
11	·23			–	–	·20	–	–	·22	–	·24	·05		11
12	·02			·02	–	·60	–	·01	·03	–	·22	–		12
13	·01			·35	–	·07	–	–	–	–	·33	–		13
14	·04			·62	–	–	–	–	·02	–	1·04	·39		14
15	–			·80	·09	·03	–	–		–	·43	–		15
16	–			·11		·02	–	–	·73	–	1·32	–		16
17	–			·03	·91	·33	–	·18	·05	–	·02	·15		17
18	–		3·80	·17	–	·01		–	·12	·02	·01	Away.		18
19	–		–	·10	–	·11	·43	–	–	·11	·42			19
20	–		–	·16		·01	–	–	·02	–	·28			20
21	–		·03	·15		–	–	–	·06	·07	–			21
22	–		·02	·08		–	–	–	·04	–	–			22
23	–		·05	–		–	–	·41		·61	·04			23
24	·02		–	·02	·40	–	–	·78	·42	·05	–			24
25	·24	(2·90)	–	·07	–	·06	–		·04	·01	–			25
26	–		–	–	–	·01	–	·53	–	·02	–			26
27	–		–	–	·02	–	–	·02	·03	·07	–			27
28	–		–	–	–	–	–	·14	·21	–	·03			28
29	–		–	–	–	–	–		·16	·02	·06			29
30	·04	×	–	–	–	·07	–		·05	·05	·43	3·65		30
31	–	×	–	×	·03	×	–	·50	×	·92	×	·27	37·04	31
TOTAL	·71	(3·32)	(1·20) ~~4·52~~	3·95	1·70	3·83	·51	2·57	3·42	4·34	5·92	5·57	Year's Total. ~~34·04~~	
* Days with .01 in. or more.	9					21	3						–	
* Days with .04 in. or more.													–	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Godiva Collins.

P.T.O.

1809

1809
SIDMOUTH, SIDMOUNT
1931 — 34
780309

Section **A** for the entry of D
AIR MINISTRY. LL ORGANIZATION.

FORM 1091. **REGIST** 1.

Kept at Sidmount
in the County of Devo
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Leve

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	–	1.3	–	13.7	1.0	0.5	1.5	–	11.4	0.8	–	–	1
2	5.1	–	–	17.8	–	–	–	–	7.6	–	1.5	2.3	2
3	1.5	–	17.8	–	–	–	1.0	–	5.1	–	34.3	1.0	3
4	–	–	2.8	–	3.3	5.8	4.6	2.8	2.0	0.8	–	–	4
5	–	6.9	1.8	1.0	0.3	17.3	–	2.5	–	–	2.8	3.3	5
6	–	2.0	–	1.8	1.3	4.3	–	–	–	5.3	2.3	15.2	6
7	–	0.8	–	–	7.6	5.6	10.2	2.3	–	1.8	8.4	3.3	7
8	–	6.9	–	7.6	–	11.9	1.3	1.3	–	0.5	4.1	1.8	8
9	–	2.8	–	–	–	2.3	1.8	–	–	–	9.9	0.3	9
10	–	1.8	–	–	1.3	4.3	–	1.0	0.3	–	12.7	–	10
11	3.6	6.9	–	–	0.6	6.4	3.0	–	2.0	–	11.9	–	11
12	0.8	1.8	–	–	–	–	6.4	–	1.3	1.3	–	–	12
13	–	1.8	–	–	1.3	–	4.6	3.3	–	0.8	–	–	13
14	0.8	1.3	–	–	0.5	8.6	25.4	–	1.8	–	4.8	–	14
15	–	1.5	–	2.5	1.8	–	–	2.0	0.5	–	–	–	15
16	–	3.8	–	1.5	5.1	14.0	–	–	1.5	–	–	–	16
17	–	3.5	–	2.8	–	2.5	11.2	–	0.5	–	–	–	17
18	4.3	–	–	4.6	–	5.1	1.8	38.6	–	–	5.6	–	18
19	1.0	1.6	1.3	3.8	–	3.3	0.8	1.3	2.3	–	1.3	–	19
20	–	3.0	10.2	0.5	–	–	–	4.8	–	–	2.3	–	20
21	3.6	1.8	–	–	6.4	–	–	–	–	–	0.5	–	21
22	7.1	–	–	–	3.0	–	–	–	–	–	–	–	22
23	6.3	1.7	–	3.3	17.8	–	1.0	1.3	–	–	7.6	–	23
24	2.8	–	–	9.7	2.8	–	16	14.0	–	–	0.8	–	24
25	6.4	–	–	8.4	1.3	–	6.1	–	–	–	5.6	–	25
26	–	–	–	6.9	–	–	6.9	–	–	–	14.2	–	26
27	4.6	6.1	–	–	14.0	–	3.0	–	–	–	3.0	–	27
28	2.0	3.8	1.3	–	1.0	–	–	–	–	trace	–	3.6	28
29	0.8	×	2.5	–	2.3	–	1.0	4.6	–	trace	3.8	4.6	29
30	0.5	×	–	–	1.3	–	–	–	3.3	0.5	–	–	30
31	10.2	×	–	×	1.0	×	0.5	–	×	–	×	10.4	31
TOTAL	2.30 58.4	2.40 61.0	1.48 37.7	3.38 85.9	2.95 74.9	3.62 91.9	4.26 109.1	3.14 79.8	1.56 39.6	.48 12.1	5.41 137.4	1.80 45.8	32.78 YEAR'S TOTAL 832.6
*Days with 0·2 mm. or more.	17	20	7	15	21	14	20	13	13	8	20	10	178
*Days with 1·0 mm. or more.	13	19	7	14	18	13	18	13	10	3	18	9	155

(144W)
40-9999

M

(Signed) C.H. Radford

[P.T.O.

1809

~~COPY FOR OFFICIAL USE.~~

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1931.

Kept at Sidmount Sidmouth
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ..... in.
,, Ground ,, Sea Level 148 ft.

Convert

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	1.3	—	13.7	1.0	0.5	1.5	—	11.4	0.8	—	—	1
2	5.1	—	—	17.8	—	—	—	—	7.6	—	1.5	2.3	2
3	1.5	—	17.8	—	—	—	1.0	—	5.1	—	34.3	1.0	3
4	—	—	2.8	—	3.3	5.8	4.6	2.8	2.0	0.8	—	—	4
5	—	6.9	1.8	1.0	0.3	17.3	—	2.5	—	—	2.8	3.3	5
6	—	2.0	—	1.8	1.3	4.3	—	—	—	5.3	2.3	15.2	6
7	—	0.8	—	—	7.6	5.6	10.2	2.3	—	1.8	8.4	3.3	7
8	—	6.9	—	7.6	—	11.9	1.3	1.3	—	0.5	4.1	1.8	8
9	—	2.8	—	—	—	2.3	1.8	—	—	—	9.9	0.3	9
10	—	1.8	—	—	1.3	4.3	—	1.0	0.3	—	12.7	—	10
11	3.6	6.9	—	—	0.6	6.4	3.0	—	2.0	—	11.9	—	11
12	0.8	1.8	—	—	—	—	6.4	—	1.3	1.3	—	—	12
13	—	1.8	—	—	1.3	—	4.6	3.3	—	0.8	—	—	13
14	0.8	1.3	—	—	0.5	8.6	25.4	—	1.8	—	4.8	—	14
15	—	1.5	—	2.5	1.8	—	—	2.0	0.5	—	—	—	15
16	—	3.8	—	1.5	5.1	14.0	—	—	1.5	—	—	—	16
17	—	3.5	—	2.8	—	2.5	11.2	—	0.5	—	—	—	17
18	4.3	—	—	4.6	—	5.1	1.8	38.6	—	—	5.6	—	18
19	1.0	1.5	1.3	3.8	—	3.3	0.8	1.3	2.3	—	1.3	—	19
20	—	3.0	10.2	0.5	—	—	—	4.8	—	—	2.3	—	20
21	3.6	1.8	—	—	6.4	—	—	—	—	—	0.5	—	21
22	7.1	—	—	—	3.0	—	—	—	—	—	—	—	22
23	6.3	1.7	—	3.3	17.8	—	1.0	1.3	—	—	7.6	—	23
24	2.8	—	—	9.7	2.8	—	16	14.0	—	—	0.8	—	24
25	6.4	—	—	8.4	1.3	—	6.1	—	—	—	5.6	—	25
26	—	—	—	6.9	—	—	6.9	—	—	—	14.2	—	26
27	4.6	6.1	—	—	14.0	—	3.0	—	—	—	3.0	—	27
28	2.0	3.8	1.3	—	1.0	—	—	—	—	Trace	—	3.6	28
29	0.8	×	2.5	—	2.3	—	1.0	4.6	—	Trace	3.8	4.6	29
30	0.5	×	—	—	1.3	—	—	—	3.3	0.5	—	—	30 32.78
31	10.2	×	—	×	1.0	×	0.5	—	×	—	×	10.4	31
TOTAL	2.30 58.4	2.40 61.0	1.48 37.7	3.38 85.9	2.95 74.9	3.62 91.9	4.26 109.1	3.14 79.8	1.56 39.6	.48 12.1	5.41 137.4	1.80 45.8	YEAR'S TOTAL 832.6
*Days with 0·2 mm. or more.	17	20	7	15	21	14	20	13	13	8	20	10	178
*Days with 1·0 mm. or more.	13	19	7	14	18	13	18	13	10	3	18	9	165

(144W)
40-9999

M

(Signed) Cl Radford

[P.T.O.

1809

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932.

Kept at Sidmouth, Sidmount

in the County of S. Devonshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	·8			3·0		·5	1·0	4·6			3·3	6·9	1
2				7·4			·5	1·5	3·0		1·3	·5	2
3						18·3	·8		9·9		·5		3
4	1·0					6·9		2·8			5·6		4
5	2·3		1·0						3·0				5
6	11·4			4·3			2·0		10·7				6
7	·8		·3	1·8	2·5				12·4	26·9			7
8			16·5	1·3	5·3				3·3	3·3			8
9	15·2	1·3		4·6	·8					·5			9
10	9·7			4·6	·8					4·6			10
11	·3			2·8	2·0				·8	6·4		·8	11
12	11·7			·3	8·6		1·5		1·0	7·4		·3	12
13	3·0			4·6	1·0	·5	7·6	9·9		23·4		10·2	13
14	6·4			4·8	6·6					·8	·5		14
15				2·0	5·1		1·0			·5		1·0	15
16	3·3			1·8			9·1						16
17				·3					1·3	1·3			17
18					8·9				1·8		4·3		18
19	4·6				8·1				1·3	12·7			19
20	1·3			·5	34·3					16·0	8·4	4·6	20
21			2·5	7·6				3·0	3·6	5·1	2·0	2·8	21
22					1·0			·3	14·7	8·6	7·6		22
23		·5			·8	·5	5·6		·3	12·7	1·5	3·0	23
24							19·8		5·1	7·6	·8		24
25			15·7				1·5		3·8	5·3	·3		25
26			2·0	1·0			2·0			2·5	1·8		26
27			17·3	8·6	3·0		2·8			6·6	·3	2·0	27
28			1·3	1·0	5·3	2·5	·8					3·0	28
29			8·1	1·5	6·1	13·5		18·3	12·7	11·7		8·1	29
30		×	·5	1·0	·3	29·0	7·4	·5	11·7	1·0	32·3	·5	30
31		×		×	4·1	×	1·3		×	·5	×	17·3	31
TOTAL	2·83 71·8	·07 1·8	2·57 65·2	2·55 64·8	4·12 104·6	2·82 71·7	2·55 64·7	1·61 40·9	3·95 100·4	6·51 165·4	2·78 70·5	2·40 61·0	YEAR'S TOTAL 34·76 882·8
*Days with 0·2 mm. or more.	14	2	10	21	19	8	16	8	18	22	15	14	167
*Days with 1·0 mm. or more.	11	1	8	18	15	5	13	6	16	18	10	10	131

(144w)

40-9999

M

(Signed) Miss C. M. Radford

[P.T.O.

1809.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at Sidmouth, Sidmount

in the County of S. Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

Copy by B.R.O.

24.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	12.2	8.4	2.0		.5	2.5					3.0	40.7	1
2	8.6		19.1		17.0	8.1						1.5	2
3	.5	3.3	6.1		1.3								3
4	5.3	.3	.5		1.8								4
5			7.4		.3					.3	.5		5
6	.3	9.9			2.5		3.8			3.0			6
7		3.6	.3		3.3		1.0			7.6			7
8	.5	.5	1.3		1.0		2.5						8
9		1.3			8.4		4.8			2.5	2.0		9
10		6.4					6.4			10.9			10
11	3.8			.3	.5	16.5	2.3	6.6		.5			11
12				5.3	1.8	2.5	5.6		11.4				12
13					1.3	.5	3.6	13.5		3.6	1.0		13
14	.5						22.1	9.1		4.1	6.6		14
15	13.2		5.6				3.6			1.3	3.3		15
16		.3	22.4							2.5			16
17		1.3	3.6			2.5			1.5				17
18	2.5		3.0			3.3					.8		18
19	5.6		4.1			.8			.3		11.4		19
20		1.3				9.7		.5	2.0			.5	20
21						4.6				1.0			21
22				1.8	.5	6.1		9.4	15.5	.5			22
23		15.7		7.6		6.4			9.7	4.1			23
24		17.8		5.8					1.3	.8			24
25		30.5		7.1		7.9			1.0	.8		5.8	25
26		8.1		6.4	9.9	7.6				1.0		.5	26
27				.5					.3	8.1	1.5	14.2	27
28		1.0		12.7	6.9		13.5			6.4		2.5	28
29	.8			1.0					.5			2.0	29
30	.5	✕	3.8				.5		5.3			1.5	30
31	1.5	✕	1.5	✕		✕			✕	1.3	✕		31
TOTAL	55.8	109.7	80.7	48.5	57.0	79.0	69.7	39.1	48.8	60.3	30.1	69.2	YEAR'S TOTAL 747.9
*Days with 0·2 mm. or more.	14	16	14	10	15	14	12	5	11	19	9	9	148
*Days with 1·0 mm. or more.	8	13	12	8	11	12	11	4	8	14	7	7	115
(144W)	2.20	4.32	3.18	1.91	2.24	3.11	2.74	1.54	1.92	2.37	1.19	2.72	29.44

40-9999

D

(Signed)..

[P.T.O.

1809

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Sidmouth, Sidmount

in the County of S. Devonshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

This Station terminated end of April.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	·5												1
2	5·1		1·3										2
3	·8												3
4	2·3		4·8	1·0									4
5			2·3										5
6	2·0		6·9	1·0									6
7	·8												7
8													8
9	·8		4·8										9
10	3·3		3·8	8·6									10
11	10·7		1·5	14·2									11
12	2·5		·5										12
13	6·9			11·7									13
14	7·1		10·2	1·0									14
15	·5		2·5	·3									15
16	·8		8·4										16
17	·8			4·1									17
18	1·3		5·6	11·7									18
19			3·6	3·6									19
20			2·3	3·3									20
21			2·0										21
22	·5		3·0										22
23	6·1		·5	4·1									23
24		2·8	1·3	1·0									24
25	6·9	·5		4·6									25
26	·5		·8	1·3									26
27				·8									27
28				·3									28
29													29
30	·3	×											30
31		×		×		×			×		×		31
TOTAL	2·38 60·5	0·13 3·3	2·60 66·1	2·86 72·6	✗								YEAR'S TOTAL
*Days with 0·2 mm. or more.	21	2	19	17									
*Days with 1·0 mm. or more.	11	1	16	14									

(144 W)

40-9999

M

(Signed) Miss C. M. Radford

P.T.O.

1810

1810
SIDMOUTH
1931-32

780309

Section **A** for the entry of Da
AIR MINISTRY.— L ORGANIZATION.

FORM 1091. **REGISTE**

Kept at Sidmouth Sin

in the County of Devon

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level 186 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	0.3	—	15.2	0.8	0.5	1.3	—	11.4	0.8	—	—	1
2	6.8	—	—	19.1	—	—	—	—	7.9	—	1.5	2.8	2
3	1.8	—	21.6	—	—	—	1.0	—	5.6	—	33.0	0.8	3
4	—	—	3.3	—	3.0	5.6	5.1	2.8	2.0	0.8	—	—	4
5	—	9.4	1.8	0.8	0.3	18.3	—	2.9	—	—	3.0	3.8	5
6	—	2.5	—	1.5	1.0	4.1	—	—	—	5.1	2.0	14.7	6
7	—	0.5	—	—	7.9	6.4	10.4	2.0	—	1.5	10.2	9.3	7
8	—	7.6	—	7.6	—	11.9	1.8	1.0	—	0.5	4.3	1.5	8
9	—	3.3	—	—	—	2.3	2.0	—	—	—	9.1	0.3	9
10	~~3.0~~	1.0	—	—	1.3	4.6	—	0.8	0.3	—	12.7	—	10
11	3.0	5.8	—	—	0.3	6.4	2.8	—	1.8	—	10.7	—	11
12	1.0	1.5	—	—	—	—	6.6	—	1.0	1.0	—	—	12
13	—	1.3	—	—	1.3	—	3.8	2.8	—	0.8	—	—	13
14	0.8	0.8	—	—	0.3	8.4	26.7	—	1.5	—	5.3	—	14
15	—	1.0	—	1.5	2.3	[illegible]	—	2.0	0.5	—	—	—	15
16	—	2.0	—	1.0	4.6	14.0	—	—	1.3	—	—	—	16
17	—	2.0	—	1.5	—	2.3	10.9	—	0.5	—	—	—	17
18	0.8	—	—	3.0	—	5.1	1.6	42.7	—	—	6.1	—	18
19	0.8	1.3	1.0	2.6	—	3.3	0.8	1.5	1.8	—	1.5	—	19
20	—	2.8	10.2	0.3	—	—	—	5.3	—	—	2.5	—	20
21	3.8	1.5	—	—	6.9	—	—	—	—	—	0.3	—	21
22	8.0	—	—	—	2.5	—	—	—	—	—	—	—	22
23	6.6	1.3	—	3.3	18.3	—	0.8	1.0	—	—	8.4	—	23
24	2.0	—	—	9.9	2.5	—	17.0	14.5	—	—	0.8	—	24
25	5.8	—	—	8.1	1.0	—	5.6	—	—	—	6.4	—	25
26	—	—	—	6.1	—	—	7.1	—	—	—	13.5	—	26
27	5.1	6.4	—	—	13.5	—	3.8	—	—	—	2.6	—	27
28	1.5	2.3	1.3	—	0.5	—	—	—	—	trace	—	2.5	28
29	0.5	x	3.0	—	2.3	—	0.8	4.3	—	trace	3.6	3.6	29
30	0.3	×	—	—	1.3	—	—	—	3.3	1.0	—	—	~~30~~
31	11.4	×	—	×	0.8	×	0.3	—	×	—	×	10.7	32.60 31
	2.34	2.15	1.66	3.21	2.86	3.67	4.30	3.29	1.53	.45	5.41	1.73	YEAR'S TOTAL
TOTAL	59.3	54.6	42.2	81.6	72.7	93.2	109.3	83.5	38.9	11.5	137.6	44.0	828.5
*Days with 0·2 mm. or more.	17	20	7	16	21	14	20	13	13	8	20	10	178
*Days with 1·0 mm. or more.	12	17	7	13	15	13	16	12	10	4	18	8	148

(144W)
40-9999

(Signed) C W Radford

P.T.O.

1810

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1931.

Kept at ~~Sidmouth~~ Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 186 ft.

Conform

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	0.3	—	15.2	0.8	0.5	1.3	—	11.4	0.8	—	—	1
2	6.8	—	—	19.1	—	—	—	—	7.9	—	1.5	2.8	2
3	1.8	—	21.6	—	—	—	1.0	—	5.6	—	33.0	0.8	3
4	—	—	3.3	—	3.0	5.6	5.1	2.8	2.0	0.8	—	—	4
5	—	9.4	1.8	0.8	0.3	18.3	—	2.9	—	—	3.0	3.8	5
6	—	2.5	—	1.5	1.0	4.1	—	—	—	5.1	2.0	14.7	6
7	—	0.5	—	—	7.9	6.4	10.4	2.0	—	1.5	10.2	9.3	7
8	—	7.6	—	7.6	—	11.9	1.8	1.0	—	0.5	4.3	1.5	8
9	—	3.3	—	—	—	2.3	2.6	—	—	—	9.1	0.3	9
10	~~3.0~~	1.0	—	—	1.3	4.6	—	0.8	0.3	—	12.7	—	10
11	3.0	5.8	—	—	0.3	6.4	2.8	—	1.8	—	10.7	—	11
12	1.0	1.5	—	—	—	—	6.6	—	1.0	1.0	—	—	12
13	—	1.3	—	—	1.3	—	3.8	2.8	—	0.8	—	—	13
14	0.8	0.8	—	—	0.3	8.4	26.7	—	1.5	—	5.3	—	14
15	—	1.0	—	1.5	2.3	[illegible]	—	2.0	0.5	—	—	—	15
16	—	2.0	—	1.0	4.6	14.0	—	—	1.3	—	—	—	16
17	—	2.0	—	1.5	—	2.3	10.9	—	0.5	—	—	—	17
18	0.8	—	—	3.0	—	5.1	1.5	42.7	—	—	6.1	—	18
19	0.8	1.3	1.0	2.6	—	3.3	0.8	1.5	1.8	—	1.5	—	19
20	—	2.8	10.2	0.5	—	—	—	5.3	—	—	2.5	—	20
21	3.8	1.5	—	—	6.9	—	—	—	—	—	0.3	—	21
22	8.0	—	—	—	2.5	—	—	—	—	—	—	—	22
23	6.6	1.3	—	3.3	18.3	—	0.8	1.0	—	—	8.4	—	23
24	2.0	—	—	9.9	2.5	—	17.0	14.5	—	—	0.8	—	24
25	5.8	—	—	8.1	1.0	—	5.6	—	—	—	6.4	—	25
26	—	—	—	6.1	—	—	7.1	—	—	—	13.5	—	26
27	5.1	6.4	—	—	13.5	—	3.8	—	—	—	2.6	—	27
28	1.5	2.3	1.3	—	0.5	—	—	—	—	trace	—	2.5	28
29	0.5	×	3.0	—	2.2	—	0.8	4.3	—	trace	3.6	3.6	29
30	0.3	×	—	—	1.3	—	—	—	3.3	1.0	—	—	30
31	11.4	×	—	×	0.8	×	0.3	—	×	—	×	10.7	31
	2.34	2.15	1.66	3.21	2.86	3.67	4.30	3.29	1.53	.45	5.41	1.73	32.60
TOTAL	59.5	54.6	42.2	81.6	72.7	93.2	109.3	83.5	38.9	11.5	137.4	44.0	YEAR'S TOTAL 828.5
*Days with 0·2 mm. or more.	17	20	7	16	21	14	20	13	13	8	20	10	178
*Days with 1·0 mm. or more.	12	17	7	13	15	13	16	12	10	4	18	8	145

(144W)

40-9999

(Signed) C M Radford

P.T.O.

1810

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932.

Kept at [illegible]

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 186 ft.

Convert

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.8	—	—	2.8	—	0.8	0.8	4.1	—	—	3.0	—	1
2	—	—	—	7.4	—	—	0.5	1.3	3.0	—	1.0	7.4	2
3	—	—	—	—	—	18.3	1.0	—	9.1	—	0.5	0.6	3
4	1.0	—	—	—	—	6.6	—	3.0	—	—	5.3	—	4
5	2.5	—	0.8	—	—	—	—	—	3.3	—	—	—	5
6	11.4	—	—	4.1	—	—	1.8	—	10.9	—	—	—	6
7	0.5	—	0.3	1.0	2.0	—	—	—	13.5	29.0	—	—	7
8	—	—	16.0	1.0	6.6	—	—	—	3.6	3.6	—	—	8
9	16.5	1.3	—	4.3	0.5	—	—	—	—	0.5	—	—	9
10	7.4	—	—	4.1	0.8	—	—	—	—	4.3	—	—	10
11	0.3	—	—	1.8	2.0	—	—	—	0.5	7.1	—	1.0	11
12	14.0	—	—	0.3	8.9	—	1.3	—	1.0	6.6	—	0.3	12
13	2.5	—	—	4.8	0.8	0.5	7.4	9.7	—	22.4	—	9.9	13
14	6.9	—	—	4.1	8.1	—	—	—	—	0.5	0.5	—	14
15	—	—	—	2.0	5.1	—	0.8	—	—	0.5	—	1.3	15
16	3.6	—	—	1.3	—	—	8.9	—	—	—	—	—	16
17	—	—	—	0.3	—	—	—	—	1.0	1.0	—	—	17
18	—	—	—	—	8.9	—	—	—	1.3	—	4.6	—	18
19	4.6	—	—	—	8.1	—	—	—	1.0	13.5	—	—	19
20	1.0	—	—	0.3	33.3	—	—	—	—	15.5	8.6	4.6	20
21	—	—	2.3	8.1	—	—	—	2.8	3.3	5.6	1.8	2.5	21
22	—	—	—	—	0.8	—	—	0.3	15.2	8.9	7.4	—	22
23	—	0.8	—	—	0.5	0.5	5.3	—	0.3	12.2	1.3	2.5	23
24	—	—	—	—	—	—	22.1	—	4.6	6.4	0.5	—	24
25	—	—	14.7	—	—	—	1.3	—	4.1	5.3	0.3	—	25
26	—	—	1.8	0.5	—	—	2.0	—	—	2.5	1.3	—	26
27	—	—	19.1	10.7	2.5	—	2.5	—	—	6.1	0.3	2.0	27
28	—	—	1.0	0.8	4.6	2.3	1.0	—	—	—	—	3.8	28
29	—	—	9.1	1.5	6.4	14.0	—	18.8	15.0	10.7	—	8.9	29
30	—	×	0.5	1.0	0.3	30.5	7.6	0.5	13.7	0.8	34.8	0.5	30
31	—	×	—	×	4.3	×	1.0	—	×	0.3	×	17.8	31 34.96
TOTAL	2.88 73.0	0.08 2.1	2.58 65.6	2.45 62.2	4.08 103.5	2.90 73.5	2.57 65.3	1.59 40.5	4.11 104.4	6.43 163.3	2.80 71.2	2.49 63.1	YEAR'S TOTAL 888.7
Days with 0·2 mm. or more.	14	2	10	21	19	8	16	8	18	22	15	14	167
Days with 1·0 mm. or more.	11	1	7	16	13	5	13	6	16	17	10	11	126

(144w)

40-9999

(Signed) [illegible]

P.T.O.

447/34

1810/3

SIDMOUTH, SOMERTON LODGE

1934 — 40

7F0309

Section **A** **for the entry of D**

AIR MINISTRY

LL ORGANIZATION.

Station No. 1810/3

FORM 1090.

REGIST 1934.

v/S Devon/7

c imp 1934

Kept at Somerton Lo

in the County of Dev

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·12	·45		1
2											·13	·33		2
3												·25		3
4												·29		4
5												·42		5
6											·02	·50		6
7												·49		7
8											·24	·19		8
9											·55	·06		9
10											·05	·16		10
11												·58		11
12												·24		12
13											·03	·22		13
14											·16	·24		14
15											·12	·32		15
16												·36		16
17												·33		17
18												·26		18
19												·05		19
20														20
21												·51		21
22												·86		22
23												·26		23
24												·02		24
25												·80		25
26											·02	·14		26
27												·24		27
28												·64		28
29												·11		29
30		×										·20		30
31		×		×		×			×		×	·11		31
TOTAL											1·47	9·93	Year's Total. imp	
* Days with .01 in. or more.											10	30	—	
* Days with .04 in. or more.											7	29	—	

40-9999 Copied from Med Wessex Assoc Sheet

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

N

(Signed) Dr C. Woodhouse

[P.T.O.

447/34

Section **A** **for the entry of Daily Observations.** **Station No.** 1810/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

v/S Devon/7

c imp 1934

Kept at Somerton Lodge, Sidmouth

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

From No 1821.

Per M.W.R.A.

~~Await reply from Dr W posn. of [illegible]~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											·12	·45		1
2											·13	·33		2
3												·25		3
4												·29		4
5												·42		5
6											·02	·50		6
7												·49		7
8											·24	·19		8
9											·55	·06		9
10											·05	·16		10
11												·58		11
12												·24		12
13											·03	·22		13
14											·16	·24		14
15											·12	·32		15
16												·36		16
17												·33		17
18												·26		18
19												·05		19
20														20
21												·51		21
22												·86		22
23												·26		23
24												·02		24
25												·80		25
26											·02	·14		26
27												·24		27
28												·64		28
29												·11		29
30		×										·20		30
31		×		×		×			×		×	·11		31
TOTAL											1·44	9·93	Year's Total. imp	
* Days with .01 in. or more.											10	30	–	
* Days with .04 in. or more.											4	29	–	

40-9999 Copied from Mid Wessex Assoc Sheet

† Spare column, no entries required.

N

(Signed) Dr. C. Woodhouse

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1810/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Somerton Lodge, Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 60 ft.

319447/34

on file

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	- - -		·53			·15	·07		·10	·20	·09	·21		1
2		·03	·06			·04			·14	·24	·06	·10		2
3			·16		·15	·14			·05	·75	·20			3
4		·20		·10	·12	·42			·03		·06	·46		4
5	·01	·31	·01	·04		·26			·15	·14	·02	- - -		5
6		·03		·22		·76				- - -	·04	·23		6
7				·22		·04				·25	·04	·03		7
8				·27				- - -	·26	- - -	·27	- - -		8
9				·33		·18			·10	·54	·16	·06		9
10	·09		·23	·01		·01				- - -				10
11	·15		·02	·01		·23			·18	- - -	·35	·02		11
12	·12	·07				·53		- - -	·01		·16			12
13		·11		·48		·07					·24			13
14		·07		·73	- - -	- - -			·07		1·04	·34		14
15		·07		·70	·11	·03			·19		·36	·06		15
16		·04	·01	·11		·02			·44		1·34			16
17				·03	·88	·30	·03	·17	·05		·02			17
18		·12		·19	·01		·24		·15	·03		·14		18
19		·02		- - -	·32	·09	·20		·02	·11	·40			19
20		·24		·25	·01	·02	·01			- - -	·28			20
21		·41	- - -	·12					·05	·07				21
22		·03	·02	·07					·04	·04				22
23			·06	·01	·05			·43	·17	·45		·43		23
24		·61		- - -	·05			·70	·24	·06		·24		24
25		·27		·07	·03							·22		25
26	·22	·50						·39	·11		·01	1·00		26
27		·11							·02	·09	·03	·48		27
28		·11			- - -			·17	·14	·06	·02	·08		28
29		×						·65	·13	~~·15~~	- - -	·47		29
30	·04	×			·07				·09	·12	·44	·52		30
31		×		×		×		·03	×	·80	×	·30		31
TOTAL	~~·37~~ ·63	3·35	1·10	3·96	~~1·73~~ 1·80	3·~~44~~ 29	·55	2·54	2·93	3·95	5·63	5·~~14~~ 39	Year's Total. 35·~~14~~ 12	
* Days with .01 in. or more.	6	19	9	19	10	21	5	7	24	16	22	19	177	
* Days with .04 in. or more.	5	15	5	15	7	15	3	6	20	15	17	17	140	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Cecil Woodhouse M.D.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1810/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sidmouth, Somerton Lodge.

in the County of Devonshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·53	-	-	·15	·07	-	·10	·20	·09	·21		1
2	-	·03	·06	-	-	·04	-	-	·14	·24	·06	·10		2
3	-	-	·16	-	·15	·14	-	-	·05	·75	·20	-		3
4	-	·20	-	·10	·12	·42	-	-	·03	-	·06	·46		4
5	·01	·31	·01	·04	-	·26	-	-	·15	·14	·02	-		5
6	-	·03	-	·22	-	·76	-	-	-	-	·04	·23		6
7	-	-	-	·22	-	·04	-	-	-	·25	·04	·03		7
8	-	-	-	·27	-	-	-	-	·26	-	·27	-		8
9	-	-	-	·33	-	·18	-	-	·10	·54	·16	-		9
10	·09	-	·23	·01	-	·01	-	-	-	-	-	·06		10
11	·15	-	·02	·01	-	·23	-	-	·18	-	·35	·02		11
12	·06	·07	-	-	-	·53	-	-	·01	-	·16	-		12
13	-	·11	-	·48	-	·07	-	-	-	-	·24	-		13
14	-	·07	-	·73	-	-	-	-	·07	-	1·04	·34		14
15	-	·07	-	·70	·11	·03	-	-	·19	-	·36	·06		15
16	-	·04	·01	·11	-	·02	-	-	·44	-	1·34	-		16
17	-	-	-	·03	·88	·30	·03	·17	·05	-	·02	-		17
18	-	·12	-	·19	·01	-	·24	-	·15	·03	-	·14		18
19	-	·02	-	-	·32	·09	·20	-	·02	·11	·40	-		19
20	-	·24	-	·25	·01	·02	·01	-	-	-	·28	-		20
21	-	·41	-	·12	-	·01	-	-	·05	·07	-	-		21
22	-	·03	·02	·07	-	-	-	-	·04	·04	-	-		22
23	-	-	·06	·01	·05	-	-	·43	·17	·45	-	·43		23
24	-	·61	-	-	·05	-	-	·70	·24	·06	-	·24		24
25	-	·27	-	·07	·03	·06	-	-	-	-	-	·22		25
26	·22	·50	-	-	-	·01	-	·39	·11	-	·01	1·00		26
27	-	·11	-	-	-	-	-	-	·02	·09	·03	·48		27
28	-	·11	-	-	-	-	-	·17	·14	·06	·02	·08		28
29	-		-	-	-	-	-	·65	·13	-	-	·47		29
30	·04	×	-	-	-	·07	-	-	·09	·12	·44	·52		30
31	-	×	-	×	-	×	-	·03	×	·80	×	·30		31
TOTAL	·57	3·35	1·10	3·96	1·73	3·44	·55	2·54	2·93	3·95	5·63	5·39	Year's Total. 35·14	
* Days with .01 in. or more.	6	19	9	19	10	21	5	7	24	16	22	19	177	
* Days with .04 in. or more.	5	15	5	15	7	15	3	6	20	15	17	17	140	

40-9999 Copied from Mid-Wessex Rainfall Returns † Spare column, no entries required.

* See Instruction 2 (f) on other side. (*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1810/3.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Sowerton Lodge, Sidmouth
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft · in.
,, Ground ,, Sea Level 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·19	---	·15		·19	·35				·01	·06		1
2				·04		·08	·45	·01	---		·13	·01		2
3	·01			·83		·02	·16	·02	·79		·21	·02		3
4			·15	·01		·04	---		·43		·05	·07		4
5	·28		·01				·06	·01	·14			·15		5
6	·10	·01	·02			·01	·24	·03	·14		·33			6
7	·11		·38				·04		---		·22	·02		7
8	·32		·71				·75		·02		·37	·02		8
9	·36	·21	·11				·25		·12		·02			9
10	·12	·27					---				·32			10
11	·40	---				·06	·05	·01	·04		·74	·09		11
12	·01			·08	·08	·08	·32		·31		·13	·02		12
13	·04						·06	·02	[illegible]	·04	·09	·77		13
14		·02					·47		·17	·04		·45		14
15	·02				·08		·44		·01		·08	·26		15
16		·18					·29		·01		·13	·15		16
17	·02	·78			·07		·21			·03	·04	·48		17
18	·15	·26	·16			·27	·31	·01				·10		18
19	·53		·17	·05		·42	---	·01		---				19
20	·02	·22	·13	·04		·05	·02		·23					20
21		·16	·05	·90		·10	·01							21
22	·11	·30	·35				·12							22
23	·14	·07	---	·15	·05		·08			·05				23
24	·41	---	---		·20		·14		·41	·24				24
25	·19		·38	·12			·15		·03	·21				25
26	·15	·08	·17				·23		·07	·02				26
27	·50	·06	·04				·11			·23				27
28	·99	·03	·67				---			·01		·20		28
29	·02	·02	·02			·02				·14	·10	·10		29
30	·23	×			---	·06				·17				30
31	·07	×	·67	×	·13	×	·05		×		×	·47		31
													Year's Total.	
TOTAL	5·34	2·86	4·19	2·37	·61	1·40	5·36	·12	2·92	1·18	2·97	3·44	32·76	✓
* Days with .01 in. or more.	26	16	17	10	6	13	25	8	15	11	16	18	181	✓
* Days with .04 in. or more.	20	12	14	9	6	10	23	0	11	8	14	13	140	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Cecil Woodhouse. M.D.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1810/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Days

Kept at Somerton Lodge. Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 60 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	—	—	·56					·03		·02	·46		1
2	·01	·52	·04	·27					·18			·03		2
3		·24	·09	·16	·02		- - -		·01					3
4	·15	·85			·03		- - -	·01				·40		4
5	·15		- - -	·03	·04		·67					·12		5
6	·04	·48	·53	·14			·25							6
7		·81	·02	·03		·03						·32		7
8		·01			1·00		·06				·14	·08		8
9		·01	·14	·14	·17		·04		·70			·13		9
10	·25	·05	·65	·26		·22		·03				·23		10
11	·03		·16	·18	·50	·05	·35							11
12	·57	·27	·04	·25		·23	·10	·98	·07			·47		12
13		·06	·93	·23				·34	·06					13
14		·02	·17	·04			·68	·07	·02			·05		14
15	·31	·05	·12	·29			·49		·20			·26		15
16	·03	·03	·40	·16		·02		·20	·64		·16			16
17	·58	·06	·58					·02	·12		·14			17
18	·13	·12	·23	·15		·09			·19		·15	·18		18
19	·12	·05	·03		·07						- - -	·05		19
20	·36	·06	·10	·15	·08							·46		20
21	·35			·03	·29		·10		·18		·10			21
22	·19		·15		·28	·01	·14		·14	·76	·33	·06		22
23	·15	·26			·07					·38	·24	·02		23
24	·25	·60	·01							·72				24
25	- - -	·55	·41		·07				·04	·19		·03		25
26		·28	·05		·12					- - -		·04		26
27	·04	·33								·38				27
28	·28	·11								·20	- - -			28
29	·06	✕								·40	·30			29
30	·47	✕				·02			- - -	·07	·22	·01		30
31	·28	✕		✕		✕			✕	·43	✕			31
TOTAL	4·89	5·82	4·85	3·07	2·74	·67	2·88	1·65	2·58	3·53	1·80	3·40	Year's Total 37·88	✓ ✓
* Days with .01 in. or more.	23	23	20	17	13	8	10	7	14	9	10	19	173	✓ ✓
* Days with .04 in. or more.	20	19	17	14	11	4	10	4	11	9	9	15	143	✓ ✓

† Spare column, no entries required.

(*Signed*) C. Woodhouse

M.D.

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1810/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Somerton Lodge - Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·04			·03	·27		·02		·50	·03	·05		1
2										·24		·23		2
3					·13		·02	·17		·27	·12			3
4						·10	·25	1·29		·17		·10		4
5	·01						·02							5
6	·06					·14	1·05		·11	·07		·03		6
7	·07					·02	·23		·02	·04	·03	·08		7
8	·42					·05	·14	·03		·12				8
9	·18	·05				·07		---				·44		9
10	·10						·02					·53		10
11	·09	·02					·06	·33			·28	·67		11
12	·25				·18		·04			·29	·31	·02		12
13	·18				·09			·01			·33	·64		13
14	·62				·15		·83							14
15	·09				·20		·09			·25	·11	·22		15
16	·17	·01	---		·05					·02	·29	·01		16
17		·14	·02		·02				·01	·11	·01			17
18	·15				·06	·09			·22		·26			18
19								·03	·34		·49			19
20											·30			20
21									·03		·35	Snow ·45		21
22	·03			·03		·06		·44	·19		·42	Snow ·13		22
23				·01				·02	·01		·05	·03		23
24			·16		---			·03	·06		·36			24
25	·10	·25	·01		·24		·62	·02		·02	1·09			25
26	·33	·26			·28					·17		·23		26
27	·11	·01	·01		·04	·13	·47	·42		·06	·23			27
28	·19	·11			·09	·14	---	·81	·06			·02		28
29	·07	×			·38				·09	·30	·24	·02		29
30	·09	×			·10	·83	·03		·35		·09	·08		30
31	·25	×		×	·12	×			×	·14	×	·23		31
TOTAL	3·56	·89	·20	·04	2·16	1·90	3·87	3·62	1·49	2·77	5·39	4·21	Year's Total 30·10	✓✓
*Days with ·01 in. or more.	21	9	4	2	16	11	14	13	12	16	20	20	158	✓✓
*Days with ·04 in. or more.	19	6	1	—	14	10	10	6	8	14	17	14	119	✓✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Cecil Woodhouse: M.D.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1810/3.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Somerton Lodge - Sidmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 60 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05		·07	·02			---	·24	·13		·14			1
2	·05			·24			·01	·50	1·31		·36	·08		2
3	·46		·06	·88				·09			·09	·39		3
4	---		·38	·06	·26		·51	·05		·43	·10	·19		4
5			·03	·11			·13	·03		·09	·72			5
6	·76		·09	·10			·50	·05		·17	·22			6
7		·53				·14		·01			·38	·45		7
8	·01	·21			·06		·08	·14		1·83	·20	·10		8
9	·02		·03					·03		·12	·04	·09		9
10	·25					·07		·20	·03	·08		·15		10
11		·02	·10							·14		·04		11
12		·04								---	·02			12
13				·15		·02	·41		·13	1·15	·04			13
14	·84			·12	·01	·13	·22			·03	·32			14
15	·49		·04		·20	·74	·10				·29	·04		15
16	·21			·08			·12				·18			16
17	·52	·02			·03	·02	·57				·10			17
18			·01		·27	·30	1·17				·50	·05		18
19	·27					·01	·03					·04		19
20	·28					·09	·31	·45				·04		20
21	·05	·16	·04		·04	·12	·18							21
22	·43	·31	·07			·59	·31				·31			22
23	---			·18		---	·13				·59			23
24	·70	·07	·07	·05		·26	·15			·04				24
25	·96			·04			·04	·16		·09	·14			25
26	·03	·01		·13				·22		·17	·17			26
27		·18				·02				·02	·20			27
28		·07				·08	·20				·46	·01		28
29		×		·04		·09	·13			·21				29
30		×	·03	·29		·34	---	·13		·32	·01			30
31		×		×		×	---	·06	×	·65	×			31
TOTAL	6·38	1·62	1·02	2·49	·87	3·02	5·30	2·36	1·60	5·54	5·58	1·67	Year's Total 37·45	
* Days with .01 in. or more.	18	11	13	15	7	16	20	15	4	16	23	13	171	
* Days with .04 in. or more.	15	8	9	14	5	12	18	12	3	14	21	12	143.	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. Woodhouse M.D.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 1810/3 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Sidmouth (Somerton Lodge)

in the County of ……

Diameter of Funnel of Gauge……in.

Height of top of Gauge above Ground……ft……in.

,, Ground ,, Sea Level……ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	-	-	·01	·13	-	-	-	-	-	·15	-		1
2	-	·08	-	·20	-	-	-	-	-	-	·47	·10		2
3	·03	·65	-	·01	-	-	-	-	-	·19	·67	·25		3
4	-	·21	-	-	-	-	·08	-	-	·15	·04	·04		4
5	·05	-	-	-	-	-	-	-	-	·01	·48	·08		5
6	·27	·72	-	-	-	-	-	-	-	·14	·04	·22		6
7	·08	-	-	-	-	-	·04	-	-	·04	-	·05		7
8	-	·01	-	-	-	-	·07	-	-	·30	·16	·32		8
9	-	-	-	-	-	-	·43	·01	·02	·09	·55	·07		9
10	-	-	-	-	-	-	·07	·04	-	·04	·14	·39		10
11	-	-	-	-	-	-	·24	-	·08	-	·51	·04		11
12	-	-	·21	-	-	·14	·38	-	·56	-	·16	-		12
13	-	-	·32	·03	-	-	·02	-	·06	·54	1·83	·21		13
14	-	·01	·08	·04	·66	-	-	-	·23	·31	-	·51		14
15	-	·10	-	·12	·12	-	·14	-	·26	·20	·51	-		15
16	-	1·04	·68	·18	-	-	·08	-	·07	·53	·17	·02		16
17	-	·05	·40	·02	-	-	·03	-	-	-	·15	-		17
18	·14	·41	·26	1·05	-	-	·02	·03	-	·05	-	·02		18
19	-	·04	·13	·10	-	-	·09	-	·52	-	·16	-		19
20	-	-	·02	·01	-	-	-	·02	·01	·03	·03	-		20
21	-	-	-	-	·11	-	-	-	-	-	·44	-		21
22	-	-	·13	·35	-	·51	-	-	·09	-	-	-		22
23	-	·02	·18	·09	·02	-	-	-	-	·39	-	-		23
24	-	·06	-	-	-	-	·23	-	-	-	-	-		24
25	·17	-	·13	-	-	-	-	-	-	-	-	-		25
26	·81	·48	-	·02	·54	-	·04	-	-	-	-	-		26
27	·32	·09	-	-	·44	-	-	-	-	-	-	-		27
28	·22	·09	-	·08	·03	-	-	-	-	-	-	-		28
29	·16	·10	·14	1·02	-	·04	-	-	-	·07	-	-		29
30	·03	✕	-	·07	-	-	-	-	-	·36	-	-		30
31	·12	✕	·04	✕	-	✕	-	-	✕	·58	✕	-		31
TOTAL	2·44	4·16	2·72	3·40	2·05	·69	1·96	·10	1·90	4·02	6·66	2·32	Year's Total 32·42	
* Days with .01 in. or more.	13	17	13	17	8	3	15	4	10	18	18	14	150	
* Days with .04 in. or more.	11	14	12	11	6	3	12	1	8	16	17	12	123	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. Woodhouse Esq. per Mid Wessex Rainfall Association

P.T.O.

-81/36.

Section A **for the entry of**
AIR MINISTR

FORM 1090

REGIS

Kept at Newton Poppleford
in the County of .... D
Diameter of Funnel of Gauge......
Height of top of Gauge above Gr
,, Ground ,, Sea Level ......

1810/4
NEWTON POPPLEFORD
HAYMANS
1937

7870309

Station No. 1810/4
FALL ORGANIZATION
1937

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·01	—	·66	—		—	—	·09	—	·13	·56		1
2	·01	·32	—	·19	—	—	—	—	·11	—	—	—		2
3	—	·28	·17	·14	·09	—	·01	—	Tr	—	Tr	·10		3
4	·14	·78		—	·05	—	—	·01	—	—	—	·40		4
5	·13	—	Tr	·03	—	—	·55	—	—	—	—	·06		5
6	·03	·51	·41	·18	·03	—	·20	—	—	—	—	—		6
7	—	·77	·01	·06	—	—	—	—	—	—	Tr	—		7
8	—	Tr	—	—	1·29	·06	·06	—	—	—	·23	—		8
9	—	·02	·14	·20	·11	Tr	·07	—	·63	—	—	—		9
10	·31	·02	·82	·31	—	·18	·03	·01	—	—	—	·45		10
11	·03	—	·30	·26	·43	·07	·30	—	—	—	—	—		11
12	·57	·28	·10	·25	Tr	·31	·13	·88	·05	—	—	·48		12
13	—	·06	·94	·23	—	—	—	·25	—	—	—	—		13
14	—	·01	·11	·04	—	—	1·46	·13	·07	—	—	·06		14
15	·31	·07	·09	·22	—	—	·33	—	·12	—	—	—		15
16	·03	·12	·41	·12	—	·01	·02	·15	·55	—	·23	—		16
17	·56	·06	·60	—	—	—	—	—	—	—	·13	—		17
18	·13	·11	·22	—	—	·19	—	—	·80	—	·21	—		18
19	—	·05	·05	·10	·08	—	—	—	·02	—	—	·50		19
20	·47	·06	·03	·11	·09	—	—	—	—	—	—	·55		20
21	·42	·43	·15	·02	·40	—	·08	—	·13	·02	·12	—		21
22	·25	—	·05	—	·23	—	·09	—	·30	·60	·39	·10		22
23	·18	·25	Tr	—	·04	—	—	—	—	·22	·51	—		23
24	·36	·59	—	—	—	—	—	—	·05	·81	—	—		24
25	·07	·44	·40	—	·02	—	—	—	—	·30	—	—		25
26	·07	·35	·04	—	·19	—	—	—	—	·01	—	—		26
27	·02	·16	—	Tr	—	—	—	—	—	·32	—	—		27
28	·32	·11	—	—	—	—	—	—	—	·20	—	—		28
29	—		—	—	—	Tr	—	—	—	·56	·34	—		29
30	·80	✗	—	—	—	·02	—	—	Tr.	·20	·26	—		30
31	·35	✗	—	✗	—	✗	—	—	✗	·30	✗	—	40·76	31
TOTAL	5·73	5·86	5·04	3·22	0 3·~~1~~5	·84	3·33	1·43	2·92	3·54	2·54	3·26	Year's Total ~~40·86~~	
* Days with .01 in. or more.	23	24	19	17	13	7	13	6	12	11	10	10	~~165~~	
* Days with .04 in. or more.	18	20	17	15	11	5	10	4	11	9	10	10	140	

std.
print
rs ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE 81/36.

Section **A** for the entry of Daily Observations

Station No. 1810/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Newton Poppleford (Haymans)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 118 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	·01	–	·66	–		–	–	·09	–	·13	·56		1
2	·01	·32	–	·19	–	–	–	–	·11	–	–	–		2
3	–	·28	·17	·14	·09	–	·01	–	Tr	–	Tr	·10		3
4	·14	·78	–	–	·05	–	–	·01	–	–	–	·40		4
5	·13	–	Tr	·03	–	–	·55	–	–	–	–	·06		5
6	·03	·51	·41	·18	·03	–	·20	–	–	–	–	–		6
7	–	·77	·01	·06	–	–	–	–	–	–	Tr	–		7
8	–	Tr	–	–	1·29	·06	·06	–	–	–	·23	–		8
9	–	·02	·14	·20	·11	Tr	·07	–	·63	–	–	–		9
10	·31	·02	·82	·31	–	·18	·03	·01	–	–	–	·45		10
11	·03	–	·30	·26	·43	·07	·30	–	–	–	–	–		11
12	·57	·28	·10	·25	Tr	·31	·13	·88	·05	–	–	·48		12
13	–	·06	·94	·23	–	–	–	·25	–		–	–		13
14	–	·01	·11	·04	–	–	1·46	·13	·07	–	–	·06		14
15	·31	·07	·09	·32	–	–	·33	–	·12	–	–	–		15
16	·03	·12	·41	·12	–	·01	·02	·15	·55	–	·23	–		16
17	·56	·06	·60	–	–	–	–	–	–	–	·13	–		17
18	·13	·11	·22	–	–	·19	–	–	·80	–	·21	–		18
19	–	·05	·05	·10	·08	–	–	–	·02	–	–	·50		19
20	·47	·06	·03	·11	·09	–	–	–	–	–	–	·55		20
21	·42	·43	·15	·02	·40	–	·08	–	·13	·02	·12	–		21
22	·25	–	·05	–	·23	–	·09	–	·30	·60	·39	·10		22
23	·18	·25	Tr	–	·04	–	–	–	–	·22	·51	–		23
24	·36	·59	–	–	–	–	–	–	·05	·81	–	–		24
25	·07	·44	·40	–	·02	–	–	–	–	·30	–	–		25
26	·07	·35	·04	–	·19	–		–	–	·01	–	–		26
27	·02	·16	–	Tr	–	–	–	–	–	·32	–	–		27
28	·32	·11	–	–	–	–	–	–	–	·20	–	–		28
29	–		–	–	–	Tr	–	–	–	·56	·34	–		29
30	·80	×	–	–	–	·02	–	–	Tr	·20	·25	–		30
31	·35	×	–	×	–	×	–	–	×	·30	×	–	40·76	31
TOTAL	5·73	5·86	5·04	3·22	3·~~1~~05	·84	3·33	1·43	2·92	3·54	2·54	3·26	Year's Total ~~40·86~~	
* Days with ·01 in. or more.	23	24	19	17	13	7	13	6	12	11	10	10	~~165~~	
* Days with ·04 in. or more.	18	20	17	15	11	5	10	4	11	9	10	10	140	

3rd. print ✓

† Spare column, no entries required.

(*Signed*) E. [illegible] Cox [P.T.O.

* See Instruction 3 (f) on other side.

1810/5

Section **A** for the entry of D
AIR MINISTRY.-

COPY FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

REGIST

2. ~~5.Devon~~/7

1810/5
SEATON TOWNSEND
1932 —— 40

780309

Kept at X SEATON (TO
in the County of DEVON.

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
" Ground " Sea Lev

∴ include this version

CK. good record

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	TR.	-	-	·10	TR.	TR.	-	·07	TR.	TR	·20	TR	1
2	TR	-	-	·14	TR	-	TR	·04	TR	-	·04	·31	2
3	TR.	-	TR	-	TR	·65	·02	TR.	·42	·05	·02	·02	3
4	TR.	-	-	-	-	·29	TR.	·10	-	-	·19	TR.	4
5	·12	-	·02	-	-	-	-	·01	·26	-	-	-	5
6	·48	-	TR.	·42	TR.	-	TR	-	·44	-	-	-	6
7	·01	-	TR.	·05	·06	-	-	-	·33	2.00	-	-	7
8	-	-	·68	·06	·26	-	-	-	·35	·17	-	-	8
9	·80	-	-	·36	TR.	-	-	TR	-	·07	-	-	9
10	·33	-	-	·27	·01	TR.	-	TR.	TR.	·19	TR.	TR.	10
11	·05	-	-	·07	·06	-	-	TR	·01	1·17	-	·06	11
12	·54	-	-	TR.	·31	-	TR	-	·01	·12	TR.	·06	12
13	·08	-	-	·13	·01	TR	·24	·28	-	·84	-	·19	13
14	·31	-	-	·32	·18	-	-	TR	-	·01	·07	TR	14
15	TR	-	-	·08	·18	-	·01	-	-	·03	·04	·06	15
16	·15	-	-	·05	TR	-	-	-	TR	-	-	·01	16
17	TR.	-	-	·01	TR	-	TR	-	·05	·04	-	TR.	17
18	·01	-	-	-	·41	-	-	-	·05	TR	·18	-	18
19	·01	-	-	TR.	·28	TR.	-	-	·05	·50	TR	-	19
20	TR.	-	TR	·05	1.17	-	TR	·10	·01	·62	·23	·05	20
21	·01	-	·09	·18	TR	TR	-	·32	·09	·29	·06	·12	21
22	TR	-	-	-	TR	-	·02	TR.	1.08	·35	·29	TR.	22
23	-	TR.	-	-	·05	·08	·26	-	·01	·55	·02	·07	23
24	-	·02	-	-	·06	-	·57	-	·19	·12	·02	TR	24
25	-	-	·46	TR.	-	-	·03	-	·16	·25	TR.	[illegible]	25 ·01
26	-	-	·16	·02	-	-	·33	-	TR	·09	·01	-	26
27	-	-	·32	·38	·10	-	·14	-	-	·36	TR	·11	27
28	-	-	TR.	·04	TR	·07	·18	-	-	-	-	·11	28
29	-	-	·36	·05	·24	·47	TR	·74	·60	·50	·08	·42	29
30	-	X	·01	TR	TR	1.20	·54	·07	·64	·03	1.04	·14	30
31		X	TR	X	·03	X	·01	-	X	·01	X	·53	31
TOTAL	2.90	0.02	2.10	2.78	3.41	2.76	2.35	1.67	4.75	7.36	2.49	2.27	YEAR'S TOTAL 34.86
*Days with ·01 in. or more.	13	1	8	19	16	6	12	9	18	23	15	16	156
*Days with ·04 in. or more.	9	-	6	17	13	6	7	7	14	19	11	13	122

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) ~~H. Anderson-Neville~~

P.T.O.

X LT COL H. ANDERSON-NEVILLE X

Section **A** **for the entry of Daily Observations.**

1810/5

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

5. Devon/7

Kept at X SEATON (TOWNSEND) X

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 43 ft.

C 1932.

MLOR have an incomplete return ∴ include this version

CLK. good record

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	TR.	-	-	·10	TR.	TR.	-	·07	TR.	TR	·20	TR	1
2	TR	-	-	·14	TR	-	TR	·04	TR	-	·04	·31	2
3	TR.	-	TR	-	TR	·65	·02	TR.	·42	·05	·02	·02	3
4	TR.	-	-	-	-	·29	TR.	·10	-	-	·19	TR.	4
5	·12	-	·02	-	-	-	-	·01	·26	-	-	-	5
6	·48	-	TR.	·42	TR.	-	TR	-	·44	-	-	-	6
7	·01	-	TR.	·05	·06	-	-	-	·33	2.00	-	-	7
8	-	-	·68	·06	·26	-	-	-	·35	·17	-	-	8
9	·80	-	-	·36	TR.	-	-	TR	-	·07	-	-	9
10	·33	-	-	·27	·01	TR.	-	TR.	TR.	·19	TR.	TR	10
11	·05	-	-	·07	·06	-	-	TR	·01	1·17	-	·06	11
12	·54	-	-	TR.	·31	-	TR	-	·01	·12	TR.	·06	12
13	·08	-	-	·13	·01	TR	·24	·28	-	·84	-	·19	13
14	·31	-	-	·32	·18	-	-	TR	-	·01	·07	TR	14
15	TR	-	-	·08	·18	-	·01	-	-	·03	·04	·06	15
16	·15	-	-	·05	TR	-	-	-	TR	-	-	·01	16
17	TR.	-	-	·01	TR	-	TR	-	·05	·04	-	TR.	17
18	·01	-	-	-	·41	-	-	-	·05	TR	·18	-	18
19	·01	-	-	TR.	·28	TR.	-	-	·05	1·50	TR	-	19
20	TR.	-	TR	·05	1.17	-	TR	·10	·01	·62	·23	·05	20
21	·01	-	·09	·18	TR	TR	-	·32	·09	·29	·06	·12	21
22	TR	-	-	-	TR	-	·02	TR.	1.08	·35	·29	TR.	22
23	-	TR.	-	-	·05	·08	·26	-	·01	·55	·02	·07	23
24	-	·02	-	-	·06	-	·57	-	·19	·12	·02	TR	24
25	-	-	·46	TR.	-	-	·03	-	·16	·25	TR.	[illegible]	25 ·01
26	-	-	·16	·02	-	-	·33	-	TR	·09	·01	-	26
27	-	-	·32	·38	·10	-	·14	-	-	·36	TR	·11	27
28	-	-	TR.	·04	TR	·07	·18	-	-	-	-	·11	28
29	-	-	·36	·05	·24	·47	TR	·74	·60	·50	·08	·42	29
30	-	×	·01	TR	TR	1.20	·54	·01	·64	·03	1.04	·14	30
31		×	TR	×	·03	×	·01	-	×	·01	×	·53	31
TOTAL	2·90	0.02	2·10	2,78	3.41	2.76	2.35	1.67	4.75	7.36	2.49	2·27	YEAR'S TOTAL 34.86
*Days with ·01 in. or more.	13	1	8	19	16	6	12	9	18	23	15	16	156
*Days with ·04 in. or more.	9	-	6	17	13	6	7	7	14	19	11	13	122

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed)

P.T.O.

X LT. COL H. ANDERSON-NEVILLE X

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. 1810/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091

REGISTER OF RAINFALL IN 1933.

Kept at Seaton

in the County of Devon

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 43 ft.

289/5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·68											·88	1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9					·49								9
10													10
11						·62		·84					11
12													12
13													13
14							·67						14
15													15
16			·90										16
17													17
18													18
19											·51		19
20													20
21													21
22													22
23									·66				23
24				·38									24
25		1·24											25
26													26
27													27
28										·36			28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·36	5·13	3·57	1·91	2·03	2·04	2·36	2·09	2·58	2·21	1·00	1·81	YEAR'S TOTAL 29·09
*Days with ·01 in. or more.	13	14	14	10	17	16	12	7	11	14	10	10	148
*Days with ·04 in. or more.	10	10	12	8	11	12	11	5	8	17	4	7	115

40-9999 59·9

65·5

(Signed)..............................

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A.** for the entry of Daily Observations. Station No. ~~1810/3.~~ 1810/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at SEATON.

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 43 ft.

Dub

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.68	.62	.06	Tr.	.05	.03	-	-	-	Tr.	.12	.88	1
2	.24	-	.87	-	.43	.08	-	-	-	-	.01	Tr.	2
3	.08	.14	.21	-	.02	.14	-	-	-	-	-	-	3
4	.18	Tr.	.08	-	.11	-	-	-	-	-	-	-	4
5	.02	Tr.	.26	-	Tr.	-	-	-	-	Tr.	.01	Tr.	5
6	Tr.	.46	Tr.	-	.11	-	.24	-	-	.09	Tr.	-	6
7	Tr.	.16	.02	-	.05	-	Tr.	-	-	.17	-	-	7
8	Tr.	Tr.	.02	-	.06	.03	.11	Tr.	-	Tr-	-	-	8
9	-	)03	-	-	.49	Tr.	.22	Tr.	-	.10	.01	-	9
10	-	.29	-	-	Tr.	Tr.	.11	.01	-	.33	.02	-	10
11	.08	Tr.	-	.01	-	.62	.09	.84	-	.02	-	.05	11
12	-	-	-	.14	.05	-	.22	-	.40	Tr.	-	-	12
13	-	-	-	-	.06	.04	.17	.70	Tr.	.10	Tr.	-	13
14	.01	-	-	-	-	-	.67	.07	-	.21	.21	-	14
15	.57	Tr.	.21	-	-	.07	.06	Tr.	-	.04	.03	-	15
16	-	.12	.90	-	-	.03	-	-	.02	-10	Tr.	-	16
17	Tr.	-	.27	-	-	.05	-	Tr.	.09	-	Tr.	-	17
18	.04	-	.16	-	-	.10	Tr.	-	-	-	.03	-	18
19	.12	Tr.	.23	-	-	.01	-	.02	.02	-	.51	.03	19
20	-	.03	Tr.	Tr.	.01	.21	-	-	.30	-	.05	.01	20
21	-	.03	-	-	.01	.08	-	.06	Tr.	.05	-	-	21
22	-	-	-	.10	.14	Tr.	-	.39	.47	.05	Tr.	-	22
23	-	.65	-	.38	-	.16	-	Tr.	.66	.23	-	-	23
24	-	.97	-	.30	-	Tr.	-	-	.05	.01	-	-	24
25	-	1.24	-	.36	.01	.26	-	-	.17	.04	-	-	25
26	-	.37	-	.27	.39	.13	-	-	.02	.03	-	.17	26
27	-	.02	-	.01	.01	-	.01	-	-	.28	Tr.	.01	27
28	-	Tr.	-	.27	.03	-	.46	-	Tr.	.36	-	.39	28
29	.22	-	-	.07	Tr.	-	-	-	Tr.	-	-	.12	29
30	.03	×	.14	-	-	-	Tr.	-	.38	-	-	.06	30
31	.09	×	.14	×	-	×	-	-	×	Tr.	×	.09	31
TOTAL	2.36	5.13	3.57	1.91	2.03	2.04	2.36	2.09	2.58	2.21	1.00	1.81	YEAR'S TOTAL 29.09
*Days with ·01 in. or more.	13	14	14	10	17	16	11	7	11	17	10	10	140
*Days with .04 in. or more.	10	10	12	8	11	12	10	5	8	14	4	7	111

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) K. Anderson Smith. Lt Col

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No ~~289/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

1810/5

Kept at Seaton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 43 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·91	1
2									·91				2
3													3
4													4
5								·84					5
6					·33					·51			6
7													7
8													8
9											·70·		9
10													10
11	·47												11
12							·09						12
13				·37									13
14			·41										14
15													15
16													16
17													17
18													18
19													19
20							·09						20
21													21
22													22
23						·92							23
24		·11					·09						24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.40	0.13	2.80	2.56	1.08	1.59	0.32	3.13	3.39	2.60	1.86	10.04	YEAR'S TOTAL 31.99
*Days with ·01 in. or more.	19	2	18	16	6	7	5	15	16	18	12	30	164
*Days with .04 in. or more.	14	1	15	13	6	5	4	10	14	13	8	30	133

40-9999

*See Instruction 2 (*f*) on other side. M

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1810/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SEATON

in the County of Devon.

Duplicate

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ..... in.

,, Ground ,, Sea Level 43 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	Tr.	-	.67	.06	Tr.	.10	.91		1
2	.011	-	.04	-	-	-	-	Tr.	.91	.08	.10	.35		2
3	.21	Tr.	-	-	-	-	-	.01	-	.22	-	.19		3
4	.05	-	.36	Tr	.14	-	-	Tr.	.69	.30	-	.23		4
5	.07	-	.05	.05	.05	-	-	.84	-	.15	Tr.	.45		5
6	-	-	.37	Tr.	.33	-	-	Tr.	.01	.51	.03	.61		6
7	.03	-	-	.05	Tr.	Tr.	-	.08	Tr.	.14	.01	.48		7
8	.02	Tr.	-	-	.23	-	-	-	.05	-	.38	.21		8
9	.02	-	.25	Tr.	-	-	-	-	-	Tr.	.70	.08		9
10	.18	-	.11	.32	-	-	-	.07	-	-	.13	.14		10
11	.47	-	.14	.25	-	-	.01	.18	-	-	-	.50		11
12	.12	Tr.	Tr.	.01	-	-	.09	.24	-	-	.05	.21		12
13	.26	-	-	.37	-	Tr.	-	-	-	Tr.	.16	~~.31~~ .35		13
14	.34	-	.41	.02	-	-	-	-	-	.01	.16	.25		14
15	.06	-	.09	-	.14	-	-	-	Tr.	.29	Tr.	.40		15
16	.07	-	.25	tr.	Tr.	-	-	-	Tr.	Tr.	-	.27		16
17	.08	-	.03	.08	.19	-	Tr.	-	.20	.13	Tr.	.32		17
18	.05	-	.22	.28	-	Tr.	-	Tr.	-	Tr.	-	.24		18
19	-	-	.20	.07	Tr.	.03	-	.03	.04	Tr.	-	.08		19
20	-	-	Tr.	.20	Tr.	-	.09	-	.04	.03	-	-		20
21	-	-	.08	Tr.	Tr.	.20	-	.01	Tr.	.34	-	.28		21
22	-	-	.09	-	-	Tr.	Tr.	.11	.49	Tr.	-	.77		22
23	Tr.	-	.02	.28	-	.92	-	.02	.12	.06	-	.10		23
24	.14	.11	.08	.08	-	.12	.09	Tr.	.28	.04	-	.13		24
25	.21	.02	-	.22	-	.02	-	-	~~.06~~	.22	-	.86		25
26	.01	Tr.	.01	.26	-	.22	Tr.	Tr.	.06	Tr.	.03	.10		26
27	-	-	-	Tr.	-	.08	-	.70	.01	Tr.	.01	.29		27
28	-	-	-	.02	-	Tr.	Tr.	.05	.22	.01	Tr.	.72		28
29	-		-	-	-	-	-	.04	.11	.02	Tr.	.09		29
30	Tr.	×	-	-	-	-	Tr.	.10	.10	.04	-	.36		30
31	Tr.	×	-	×	Tr.	×	.04	-	×	.01	×	.07		31
TOTAL	2.40	0.13	2.80	2.56	1.08	1.59	0.32	3.13	3.39	2.60	1.86	10.04	Year's Total 31.90	
*Days with ·01 in. or more.	19	2	18	16	6	7	5	15	16	18	12	30	164	
*Days with ·04 in. or more.	14	1	15	13	6	5	4	10	14	13	8	30	133	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. Henderson Neville Lt. Col.

P.T.O.

COPY FOR OFFICIAL USE. ✓

Sec[illegible] **A** for the entry of Daily Observations. Station No. 289/5. 181015

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Seaton

in the County of Devon

Diameter of Funnel of Gauge — in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 43 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·67											1
2														2
3										1·19				3
4														4
5														5
6						·86								6
7														7
8									·43					8
9														9
10														10
11														11
12														12
13														13
14														14
15				·74										15
16											1·40			16
17					·93									17
18														18
19							·14							19
20														20
21		·76												21
22														22
23														23
24														24
25	·45													25
26														26
27														27
28														28
29														29
30		×						·79						30
31		×		×		×			×		×			31
TOTAL	0·99	4·02	1·43	3·83	1·92	4·53	0·45	2·52	3·51	4·47	6·42	5·43	Year's Total 39·52	
*Days with ·01 in. or more.	9	22	10	21	11	23	6	11	24	22	25	21	205	
*Days with ·04 in. or more.	4	18	8	15	8	15	3	7	20	15	21	17	151	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*)

P.T.O.

1810|5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 289/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Seaton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 43 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								·05						2
3				1·01					·48					3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11											1·00			11
12														12
13												0·60		13
14							·68							14
15														15
16					·22									16
17		·89												17
18														18
19						·52								19
20														20
21														21
22														22
23														23
24														24
25										·38				25
26														26
27														27
28	1·10		·76											28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	6·19	2·89	4·97	2·41	0·83	1·72	4·96	0·10	1·99	1·82	3·13	3·34	Year's Total. 34·35	✓
* Days with .01 in. or more.	25	18	20	12	7	14	26	4	14	13	17	17	187	✓
* Days with .04 in. or more.	21	14	15	8	7	9	21	1	11	9	16	14	146	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

289/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1810/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Seaton (Seafield)
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 43 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·40							·67	1·12		1
2														2
3														3
4														4
5														5
6														6
7		·78												7
8					·96									8
9														9
10														10
11														11
12								·93						12
13			1·16											13
14														14
15				·40			1·43							15
16									1·03					16
17														17
18														18
19														19
20														20
21														21
22						·37								22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30	·75	✕												30
31		✕		✕		✕			✕	·97	✕			31
	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	Year's Total	
TOTAL	5·35	6·16	4·54	3·10	3·07	1·16	3·74	1·56	2·49	3·73	3·04	4·01	41·95	
* Days with .01 in. or more.	23	24	22	18	10	7	12	6	15	10	13	20	180	
* Days with .04 in. or more.	21	22	17	14	9	5	8	3	8	8	11	13	139	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

289/5

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1810/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 090

REGISTER OF RAINFALL IN 1938

Kept at Seaton (Seafield)
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 43 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·52				**1**
2														**2**
3														**3**
4								1·96						**4**
5														**5**
6														**6**
7														**7**
8														**8**
9														**9**
10														**10**
11														**11**
12														**12**
13												·61		**13**
14	·52						·78							**14**
15														**15**
16														**16**
17														**17**
18														**18**
19														**19**
20														**20**
21														**21**
22				·02										**22**
23														**23**
24			·22											**24**
25											1·71			**25**
26		·42												**26**
27														**27**
28														**28**
29					·38				·59					**29**
30		×				·42								**30**
31		×		×		×			×		×			**31**
TOTAL	3·58	1·02	·26	·03	2·33	1·30	3·56	3·81	2·19	3·33	6·30	4·08	Year's Total 31·79	
* Days with .01 in. or more.	20	8	3	2	18	14	15	10	11	21	20	17	159	
* Days with .04 in. or more.	19	5	1	0	14	7	11	7	9	16	18	17	124	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~289/5~~ 1810/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Seaton (Seafield)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 43 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								·65						1
2									·52					2
3				·57										3
4			·36		·25									4
5											·86			5
6														6
7		·71										·45		7
8										1·56				8
9														9
10														10
11														11
12														12
13														13
14														14
15						·91								15
16														16
17														17
18							·49							18
19														19
20														20
21														21
22														22
23														23
24														24
25	1·14													25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	6·44	2·04	·85	2·21	·47	3·15	3·77	2·54	1·09	5·76	6·57	1·74	Year's Total 36·63	
* Days with .01 in. or more.	19	12	11	16	4	12	22	16	3	16	26	13	170	
* Days with .01 in. or more.	14	10	8	13	3	9	17	12	3	13	20	10	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

289/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1810/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Seaton (Seafield)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 43 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9								·01						9
10							·37							10
11														11
12									·58					12
13											1·60			13
14					1·38							·50		14
15														15
16		1·07	·71											16
17														17
18				1·32										18
19														19
20														20
21														21
22						·42								22
23										·66				23
24														24
25														25
26	1·08													26
27														27
28														28
29														29
30														30
31														31
TOTAL	2·68	3·94	2·64	2·87	2·57	·51	2·33	·01	1·70	3·99	6·77	3·63	Year's Total 33·64	
* Days with .01 in. or more.	12	15	14	13	5	3	16	1	9	17	19	16	140	
* Days with .04 in. or more.	9	14	11	9	5	2	12	0	4	14	15	14	109	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

Section **A** for the entry of
AIR MINISTRY ... FALL ORGANIZATION.

Station No. 1810/8

FORM 1090.

REGIST... 1933.

1810/8
SEATON, BUNTS HILL
1933 – 40

780309

Kept at X Seaton (... 10/2 812

in the County of Devon

S Devon/7

Diameter of Funnel of Gauge

Height of top of Gauge above Groun...

,, Ground ,, Sea Level ... ft.

V.G. Record

1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.63	0.64	0.06	–	0.03	0.05	–	–	–	–	0.14	0.89	1
2	0.28	–	0.92	–	0.44	0.09	–	–	–	–	0.01	–	2
3	0.08	0.15	0.26	–	0.03	0.17	–	–	–	–	–	–	3
4	0.11	0.01	0.07	–	0.10	–	–	–	–	–	–	–	4
5	0.04	0.01	0.29	–	–	–	–	–	–	–	0.01	–	5
6	–	0.47	–	–	0.13	–	0.15	–	–	0.09	–	–	6
7	–	0.18	0.02	–	0.05	–	0.01	–	–	0.13	–	–	7
8	0.01	–	0.01	–	0.07	0.01	0.07	–	–	–	–	–	8
9	–	0.04	–	–	0.52	–	0.27	–	–	0.13	0.01	–	9
10	–	0.30	–	–	–	–	0.12	–	–	0.36	0.01	–	10
11	0.08	–	–	–	–	0.48	0.24	0.78	–	–	–	–	11
12		–	–	0.15	0.02	–	0.20	–	0.38	–	–	–	12
13	–	–	–	–	0.08	0.02	0.21	1.12	–	0.11	–	–	13
14	0.03	–	–	–	–	–	0.58	0.12	–	0.18	0.22	–	14
15	0.57	–	0.25	–	–	0.04	0.27	–	–	0.04	0.02	–	15
16	–	–	0.94	–	–	0.03	–	–	0.02	0.18	–	–	16
17	–	0.10	0.17	–	–	0.07	–	0.01	0.11	–	–	–	17
18	0.06	–	0.19	–	–	0.13	–	–	1.28	–	0.03	–	18
19	0.11	–	0.26	–	–	–	–	0.01		–	0.50	trace	19
20	–	0.04	–	–	–	0.30	–	–		–	0.05	–	20
21	–	0.04	–	–	0.01	0.12	–	0.10		0.08	–	0.10	21
22	–	–	–	0.08	0.11		–	0.43		0.04	–	–	22
23	–	1.38	–	0.53	–	0.16	–	–		0.20	–	–	23
24	–		–	0.39	–	–	–	–	0.35	0.01	–	–	24
25	–	1.21	–	0.39	–	0.35	–	–	0.16	0.03	–	0.20	25
26	–	0.30	–	0.27	0.37	0.20	–	–	–	0.02	–	0.01	26
27	–	0.02	–	–	0.02	–	–	–	0.01	0.26	0.02	0.38	27
28	–	–	–	0.27	0.03	–	0.46	–	–	0.36	–	0.08	28
29	0.17		–	0.05	–	–	–	–	–	–	–	0.05	29
30	0.03	×	0.12	–	–	–	0.02	–	0.30	–	–	0.07	30
31	0.08	×	0.15	×	–	×	–	–	×	0.01	×	–	31
TOTAL	2.28	4.89	3.71	2.13	2.01	~~1.95~~ 2.22	2.~~58~~ 60	2.57	2.31	2.18	1.02	1.78	YEAR'S TOTAL 29.70
*Days with ·01 in. or more.	14	16	14	8	15	15	12	7	11	17	11	8	148
*Days with .04 in. or more.	11	13	12	8	9	12	10	5	8	13	4	7	112

Passed OK

40-9999
*See Instruction 2 (*f*) on other side,

N.

(*Signed*) ~~R H Norman M.D.~~ ESQ
Dr R.H. NORMAN

P.T.O.

~~COPY FOR OFFICIAL USE.~~

Section **A** for the entry of Daily Observations.

Station No. 1810/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at ✗ Seaton (BUNT'S HILL) ✗

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft ~~9½~~ 10 in. ✗

,, Ground ,, Sea Level 200 ft. ✗

cf 1810/2 1812

S Devon/7

Total – Dup

V.G. Record

C 1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.63	0.64	0.06	-	0.03	0.05	-	-	-	-	0.14	0.89	1
2	0.28	-	0.92	-	0.44	0.09	-	-	-	-	0.01	-	2
3	0.08	0.15	0.26	-	0.03	0.17	-	-	-	-	-	-	3
4	0.11	0.01	0.07	-	0.10	-	-	-	-	-	-	-	4
5	0.04	0.01	0.29	-	-	-	-	-	-	-	0.01	-	5
6	-	0.47	-	-	0.13	-	0.15	-	-	0.09	-	-	6
7	-	0.18	0.02	-	0.05	-	0.01	-	-	0.13	-	-	7
8	0.01	-	0.01	-	0.07	0.01	0.07	-	-	-	-	-	8
9	-	0.04	-	-	0.52	-	0.27	-	-	0.13	0.01	-	9
10	-	0.30	-	-	-	-	0.12	-	-	0.36	0.01	-	10
11	✗ 0.08	-	-	-	-	0.48	0.24	0.78	-	-	-	-	11
12		-	-	0.15	0.02	-	0.20	-	0.38	-	-	-	12
13	-	-	-	-	0.08	0.02	0.21	1.12	-	0.11	-	-	13
14	0.03	-	-	-	-	-	0.58	0.12	-	0.18	0.22	-	14
15	0.57	-	0.25	-	-	0.04	0.27	-	-	0.04	0.02	-	15
16	-	-	0.94	-	-	0.03	-	-	0.02	0.18	-	-	16
17	-	0.10	0.17	-	-	0.07	-	0.01	0.11	-	-	-	17
18	0.06	-	0.19	-	-	0.13	-	-		-	0.03	-	18
19	0.11	-	0.26	-	-	-	-	0.01	✓	-	0.52	trace	19
20	-	0.04	-	-	-	0.30	-	-	✗ 1.28	-	0.05	-	20
21	-	0.04	-	-	0.01	✗ 0.12	-	0.10		0.08	-	0.10	21
22	-	-	-	0.08	0.11		-	0.43	✗	0.04	-	-	22
23	-	✗ 1.38 ✗ ✓	-	0.53	-	0.16	-	-	✗	0.20	-	-	23
24	-		-	0.39	-	-	-	-	0.05	0.01	-	-	24
25	-	1.21	-	0.39	-	0.35	-	-	0.16	0.03	-	0.20	25
26	-	0.30	-	0.27	0.37	0.20	-	-	-	0.02	-	0.01	26
27	-	0.02	-	-	0.02	-	-	-	0.01	0.26	0.02	0.38	27
28	-	-	-	0.27	0.03	-	0.46	-	-	0.36	-	0.08	28
29	0.17		-	0.05	-	-	-	-	-	-	-	0.05	29
30	0.03	✗	0.12	-	-	-	0.02	-	0.30	-	-	0.07	30
31	0.08	✗	0.15	✗	-	✗	-	-	✗	0.01	✗	-	31
TOTAL	2.28	4.89	3.71	2.13	2.01	~~1.95~~ 2.22	2.~~58~~60	2.57	2.~~2~~31	2.18	1.02	1.78	YEAR'S TOTAL 29.70
*Days with ·01 in. or more.	14	16	14	8	15	15	12	7	11	17	11	8	148
*Days with .04 in. or more.	11	13	12	8	9	12	10	5	8	13	4	7	112

Print OK

40-9999

*See Instruction 2 (*f*) on other side,

N.

(Signed) ✗ R.H. Norman M.D. ✗ ESQ
✗ Dr R.H. NORMAN ✗

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1810/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Seaton

in the County of Devon

Diameter of Funnel of Gauge .... in. same as before

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Do the + Sd Pap

aly

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.61	–	–	–	–	–	–	·54	0.06	–	0.11	1.09		1
2	0.21	–	0.03	–	–	–	–	~~0.86~~	1.08	0.15	0.07	0.31		2
3	0.05	0.01	–	–	–	–	–			0.23	–	0.19		3
4	0.06	–	0.35	0.03	0.15	–	–	0.01	✗	0.29	–	0.23		4
5	tr	–	0.12	~~0.03~~	0.07	–	–	0.86	0.93	0.16	tr	0.43		5
6	0.05	–	0.27	0.03	0.27	–	–	–	✓	0.54	0.03	0.69		6
7	0.03	–	–	~~0.03~~	–	–	–	0.07	–	0.14	0.01	0.44		7
8	–	–	–	–	0.23	–	–	–	0.04	–	0.45	0.19		8
9	0.04	–	0.20	–	–	–	–	–	–	tr	0.55	0.10		9
10	0.20	0.01	0.10	✗ 0.95	–	–	–	0.06	–	–	0.12	0.14		10
11	0.42	–	0.13	✗	–	–	tr	0.05	–	–	–	0.51		11
12	0.13	–	–	–	–	–	0.07	0.26	–	–	–	0.22		12
13	0.26	–	–	✗	–	–	–	–	–	tr	0.02	0.54		13
14	0.36	–	0.37	0.01	–	–	–	–	–	0.01	✗	0.25		14
15	0.06	–	0.08	–	0.14	–	–	–	–	0.29	✗ 0.26	0.37		15
16	0.08	–	0.26	–	–	–	–	–	–	–	–	0.25		16
17	0.10	–	0.01	0.08	✗ 0.10	–	–	–	0.16	0.13	–	0.33		17
18	0.06	–	0.22	0.33	–	–	–	–	tr	–	–	0.26		18
19	–	–	0.15	0.03	–	0.03	–	0.03	0.06	–	–	0.08		19
20	–	–	–	0.19	0.01	–	(·09)	–	0.04	0.04	–	–		20
21	–	–	0.07	0.63	–	0.21		tr	tr	0.4	–	0.33		21
22	0.02	–	0.09	–	–	–		0.12	0.52	–	–	0.80		22
23	0.16	–	0.01	0.29	–	0.95		0.02	0.18	0.05	–	0.11		23
24	–	0.12	0.07	0.08	–	0.16	(·09)	–	0.27	0.04	–	0.09		24
25	0.26	0.01	–	0.19	–	0.01		–	–	0.20	–	0.88		25
26	0.01	–	0.03	0.21	–	0.22		–	0.09	–	0.02	0.05		26
27	–	–	–	–	–	0.07		tr	0.02	0.02	–	0.30		27
28	–	–	–	0.02	–	0.02	?	0.7	0.21	–	–	0.78		28
29	–		–	–	–	–	Aug 3	0.02	0.09	0.03	0.01	0.08		29
30	0.01	×	–	–	–	–		0.03	0.13	0.03	–	0.37		30
31	–	×	–	×	0.01	×	(·11)	0.09	×	tr	×	0.05		31
TOTAL	2.58	0.14	2.56	2.44	0.98	1.61	·36	~~3.25~~ 2.89	3.88	2.75	1.65	10.46	Year's Total. 32.30	
* Days with .01 in. or more.	21	4	18	16	8	8	4	14	16	14	12	30	168	
* Days with .04 in. or more.	16	1	14	11	6	5	4	9	14	13	7	30	130	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) R H Norman

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1810/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Seaton
in the County of Devon
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground as before ft .... in.
,, Ground ,, Sea Level .... ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	tr	0.46	0.03	-	0.28	0.08	-	+	0.09	0.09	0.20		1
2	-	0.04	0.04	-	-	0.14	-	-	+	0.33	0.07	0.06		2
3	-	0.02	0.13	-	0.10	0.44	-	-	+	1.47	0.13	-		3
4	tr	0.20	-	0.06	0.06	0.36	-	-	0.73 +	0.08	0.23	0.48		4
5	-	0.28	-	0.01	-	0.12	-	-	+	0.07	tr	-		5
6	-	0.01	-	0.20	-	1.02	-	-	-	0.04	0.18	0.17		6
7	-	-	-	0.33	-	0.06	-	-	-	0.27	0.05	0.07		7
8	-	-	-	0.33	-	-	-	-	0.37	0.04	0.31	0.02		8
9	-	-	-	0.34	-	0.03	-	-	-	0.62	0.36	-		9
10	0.07	-	+	0.25	-	0.03	-	-	-	tr	tr	0.03		10
11	0.28	tr	0.27	-	-	0.40	-	-	0.19	0.02	0.40	0.01		11
12	0.01	0.12	-	-	-	+	-	-	0.04	-	0.16	-		12
13	0.04	0.14	-	0.35	-	+	-	-	tr	tr	0.27	-		13
14	-	0.08	-	0.36	-	-	-	-	0.02	0.01	0.97	0.50		14
15	-	0.13	-	0.70	0.05	+	-	-	0.20	-	0.14	0.08		15
16	-	0.06	0.01	0.12	-	+	0.02	-	0.32	-	1.25	-		16
17	-	tr	-	0.03	0.90	+	-	0.21	0.03	-	0.08	-		17
18	-	0.15	-	0.27	0.03	1.50	0.12	-	0.35	0.02	tr	0.10		18
19	-	0.02	-	0.03	0.47	+	0.16	-	0.10	0.09	0.42	-		19
20	-	0.30	-	0.24	0.03	/	0.02	-	-	tr	0.23	-		20
21	-	0.70	0.01	0.06	-	/	0.01	-	0.10	0.04	tr	-		21
22	-	0.03	0.06	0.02	-	-	-	0.01	0.03	0.06	-	-		22
23	-	tr	0.09	0.24	0.10	-	-	0.29	0.18	0.38	-	0.35		23
24	0.01	0.65	0.01	tr	0.07	-	-	0.67	0.40	0.04	-	0.17		24
25	0.42	0.33	-	0.05	0.01	+	-	tr	-	-	0.02	0.23		25
26	-	0.48	-	-	tr	+	-	0.43	0.09	-	tr	0.92		26
27	-	0.12	-	-	-	-	-	0.03	0.06	0.06	0.06	0.40		27
28	-	0.13	-	-	tr	-	-	0.07	0.09	0.03	0.01	0.08		28
29	-		-	-	-	-	-	0.01	0.11	-	0.07	0.40		29
30	0.02	×	-	-	-	0.02	-	0.81	0.08	0.21	0.50	0.48		30
31	-	×	-	×	-	×	-	tr	×	0.80	×	0.45		31
TOTAL	0.86	3.99	1.08	3.79	1.82	3.94	0.41	2.53	5.49	4.77	6.00	5.20	Year's Total. 37.82	
* Days with .01 in. or more.	8	20	10	20	10	22	6	9	23 ~~28~~	21	22	20	191	
* Days with .04 in. or more.	4	16	6	15	7	15	3	6	20	17	20	17	146	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R Norman M.D. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1810/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Burts Hill, Seaton

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground as before ft.........in.

,, Ground ,, Sea Level ....ft.

Acc Totals Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.08	0.11	0.01	0.20	–	0.38	0.30	–	–	–	0.01	0.07		1
2	tr	–	–	0.03	–	tr	0.27	0.04	tr	–	0.10	0.01		2
3	0.01	–	–	0.91	–	–	0.16	tr	0.58	–	0.27	–		3
4	–	–	0.34	tr	–	0.07	0.01	–	0.36	–	0.05	0.09		4
5	0.40	tr	0.04	–	–	–	0.04	0.03	0.07	–	tr	0.19		5
6	0.04	–	0.01	–	–	0.06	0.21	0.02	0.14	–	0.33	–		6
7	0.13	–	0.52	–	–	–	0.25	–	tr	–	0.18	0.04		7
8	✗	–	0.71	–	–	–	0.27	–	0.02	–	0.29	0.01		8
9	0.73 ✗	0.03	0.20	–	–	–	0.26	–	0.16	–	0.12	–		9
10	0.17	0.16	–	–	–	–	0.01	–	–	–	0.20	–		10
11	0.23	0.05	–	–	–	0.07	tr	0.01	0.03	–	0.95	0.04		11
12	0.14	–	–	0.01	0.04	0.13	0.64	–	0.32	tr	0.09	–		12
13	0.12	–	–	–	–	tr	0.05	0.02	0.01	0.03	0.16	0.77		13
14	–	0.01	–	–	–	0.01	0.54	–	0.06	0.01	0.01	0.34		14
15	0.01	0.02	–	–	0.04	–	0.09	–	tr	tr	0.12	0.23		15
16	–	0.12	–	0.04	0.20	–	0.31	–	tr	–	0.14	0.16		16
17	0.03	0.80	–	–	0.09	–	0.32	–	–	0.03	0.07	0.41		17
18	0.08	0.27	0.04	–	–	0.21	0.33	tr		0.05	–	0.16		18
19	0.52	0.02	0.10	✗	–	0.30	0.01	0.01		tr	–	–		19
20	0.04	0.33	0.12	✗	–	0.05		tr	✗	–	–	–		20
21	–	0.15	0.01	✗	–	0.13		–	✓ 0.39	–	–	–		21
22	0.18	0.35	0.42	1.01	–	–	✗	–		–	–	tr		22
23	0.07	0.02	0.07	✗	0.03	–	✗	–		0.09	–	0.01		23
24	0.35	0.01	0.01		0.22	–	0.91	–	✗	0.35	–	–		24
25	0.15	–	0.40	0.17	–	0.01	✗	–	✗	0.38	tr	–		25
26	0.26	0.11	0.16	–	–	–	✗	–	0.04	0.04	–	–		26
27	0.61	0.04	0.06	–	–	–	✗	–	–	0.26	–	–		27
28	0.90	0.09	0.64	–	–	–	0.02	–	–	0.02	0.01	0.21		28
29	tr	0.03	0.02	–	–	0.01	–	–	–	✗ 0.45	0.06	0.23		29
30	0.22		–	–	–	0.01	tr	–	–	✗	–	tr		30
31	0.15		0.75		0.14		0.05	–		0.04		0.51		31
TOTAL	5.62	2.72	4.63	2.37	0.76	1.44	5.04	0.13	2.18	1.75	3.16	3.48	Year's Total 33.28	✓
* Days with .01 in. or more.	25	19	20	10	7	13	26	6	15	13	18	17	189	✓
* Days with .04 in. or more.	22	12	15	8	6	9	22	1	11	9	15	14	144	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R H Norman MD [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1810/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Bunts Hill, Seaton
in the County of Devon
Diameter of Funnel of Gauge..........in. as before
Height of top of Gauge above Ground........ft.........in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.15	0.01	0.02	0.37	–	–	–	–	0.10	0.01	0.04	1.12		1
2	0.02	0.52	tr	0.23	–		–	–	0.19	–	–	0.06		2
3	tr	0.15	0.09	0.12	–		tr	–	–	–	–	–		3
4	0.15	0.68	–	tr	–		–	0.01	–	–	–	0.48		4
5	0.25	tr	0.04	0.02	– 0.02		0.72	–	–	–	–	0.09		5
6	0.08	0.51	0.36	0.14			0.41	–	–	tr	–	0.02		6
7	–	0.80	0.01	0.05	–	✓	–	–	–	–	0.01	0.09		7
8	tr	0.03	–	–	0.90	✓	0.07	–	–	–	0.25	0.16		8
9	0.01	–	0.07	0.15	0.14	0.68	0.06	tr	0.76	tr	–	0.20		9
10	0.25	0.04	0.56	0.13	0.01	✗	0.01	0.01	–	–	–	0.27		10
11	0.04	–	0.07	0.16	0.48	✓	0.40	tr	–	–	–	0.01		11
12	0.66	0.42	✓ 0.56	0.12	–	✗	0.15	0.89	0.07	–	–	0.39		12
13	–	0.04	✗	0.34	–			0.40	0.02	–	–	0.01		13
14	–	0.02	0.35	–	–		✓	tr	✓	–	–	0.03		14
15	0.30	0.12	0.14	0.56	–		1.41	0.01	✗	–	–	0.27		15
16	0.05	0.06	0.30	0.06	–	✗	✓	0.23	✗	–	0.10	–		16
17	0.49	0.09	0.36	–	–	–	–	0.01	1.28	–	0.20	–		17
18	0.05	0.12	0.05	–	–	0.06	–	–	✓	–	0.17	0.20		18
19	0.17	0.07	0.06	✗	0.06	–	–	–	–	–	0.01	0.06		19
20	0.44	0.10	0.05	✗	0.05	–	–	–	–	–	–	0.42		20
21	0.38	0.54	0.07	0.62	0.28	–	0.06	–	0.12	–	0.17	0.03		21
22	0.16	–	0.02		0.48	0.47	0.30	–	0.15	0.70	0.60	0.06		22
23	0.16	0.27	tr		0.28	–	–	–	–	0.20	0.22	0.03		23
24	0.41	0.69	0.02	–	–	–	–	–	0.02	0.71	–	0.02		24
25	0.09	0.41	0.36	–	0.10	–	–	–	0.08	0.18	–	0.02		25
26	tr	0.49	0.03	–	0.17	–	–	–	–	0.03	0.01	0.02		26
27	–	0.08	–	tr	–	–	–	–	–	0.34	–	–		27
28	0.08 ✗	0.30	–	–	–	–	–	–	–	0.25	0.01	–		28
29	– ✗		–	–	–	tr	–	–	tr	0.35	0.30	–		29
30	✗ 0.90	✕	–	–	–	0.04	–	–	0.02	0.05	0.30	–		30
31	0.21	✕	–	✕	–	✕	–	–	✕	0.95	✕	tr		31
													Year's Total	
TOTAL	5.50	6.56	3.90	3.07	2.97	1.25	3.59	1.56	2.65	3.77	2.39	4.00	41.21	✓
* Days with .01 in. or more.	24	24	22	16	12	9	12	7	15	11	14	23	189	✓
* Days with .04 in. or more.	22	21	16	15	10	6	9	3	8	9	10	14	143	✓

40-9999.

† Spare column, no entries required.

(*Signed*) R H Norman MD [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1810/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Seaton

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground as before ft.........in.

,, Ground ,, Sea Level ....ft.

Avgs Diffs

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	0.07	–	–	0.01	0.26	Tr	0.01	–	0.70	0.03	0.10		1
2	–	0.01	–	–	Tr	0.02	0.06	–	–	0.25	0.16	0.14		2
3	–	–	–	–	0.18	0.01	0.03	–	–	0.38	0.18	–		3
4	–	–	–	–	0.07	0.04	0.11	1.85	0.02	0.13	–	0.13		4
5	–	–	–	–	–	–	0.02	Tr	0.01	0.40	Tr	0.01		5
6	0.09	–	–	–	–	0.08	0.70	–	0.16	0.06	0.03	0.17		6
7	0.14	–	–	–	–	0.08	0.32	–	0.14	0.04	0.03	0.09		7
8	0.37	0.06	–	–	–	0.10	0.07	0.03	Tr	0.17	–	Tr		8
9	0.18	0.01	–	0.01	–	0.04	–	–	–	0.01	–	0.63		9
10	0.12	–	–	–	–	0.02	0.09	–	–	–	–	0.44		10
11	0.09	–	–	–	–	–	0.03	0.07	–	–	0.32	0.57		11
12	0.35	–	–	–	0.17	–	0.03	0.19	–	0.27	0.11	0.04		12
13	0.24	–	–	–	0.09	–	0.01	0.01	–	0.01	0.24	0.69		13
14	0.56	–	–	–	0.10	–	0.70	–	–	–	–	–		14
15	0.08	–	–	–	0.15	–	0.29	0.03	–	0.26	0.05	0.37		15
16	0.21	Tr	0.02	–	0.12	–	–	0.05	–	0.05	0.31	0.01		16
17	–	0.10	0.03	–	0.03	–	–	–	–	0.20	0.04	–		17
18	0.16	–	–	–	0.14	–	–	–	0.72 ✗	0.02	0.23	–		18
19	–	–	–	–	–	✗	–	✓	✗	–	0.90	–		19
20	–	–	–	–	–	–	–	0.65	✗	–	0.31	–		20
21	0.01	–	–	–	–	0.73	–	–	✓	Tr	0.39	–		21
22	0.03	–	–	–	–	–	–	✗	✗	0.02	0.51	0.21		22
23	–	–	–	0.12	–	✗	–	0.01	–	–	0.12	–		23
24	–	–	0.22	–	0.01	–	–	0.01	0.07	–	0.40	–		24
25	0.10	0.32	0.01	–	0.26	–	0.58	–	–	0.02	1.70	–		25
26	0.38	0.39	–	–	0.33	–	0.01	–	–	0.08	0.02	0.25		26
27	0.10	0.02	–	–	0.11	✗	0.60	0.34	–	0.18	0.36	–		27
28	0.10	0.10	–	–	0.25	✗	–	0.68	0.12	–	–	–		28
29	0.15		Tr	–	0.43	–	–	–	0.55	0.36	0.32	0.04		29
30	0.12	✕	Tr	–	0.03	0.65	0.03	–	0.40	–	0.09	0.07		30
31	0.36	✕	–	✕	0.20	✕	–	–	✕	0.30	✕	0.30		31
TOTAL	3.94	1.08	0.28	0.13	2.63	1.68	3.62	3.93	2.19	3.91	6.85	4.26	Year's Total 34.50	✓ ✓
* Days with .01 in. or more.	21	9	4	2	18	14	17	14	13	21	23	18	174	✓ ✓
* Days with .04 in. or more.	19	6	1	1	13	11	10	7	10	16	19	16	129	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R H Norman M.D.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1810/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Seaton (Bunts Hill)

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground before in.

„ Ground „ Sea Level 40 ft.

Amts ✓

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	–	0.06	0.01	0.02	–	0.03	0.36	0.48	–	0.05	0.05		1
2	–	–	–	0.22	0.01	–	0.01	0.42	0.55	–	0.11	0.14		2
3	0.62	–	0.09	0.65	–	–	–	0.08	–	–	0.20	0.35		3
4	0.01	–	0.32	0.11	0.26	–	0.33	0.31	0.02	0.62	0.09	0.27		4
5	–	–	0.05	0.26	–	–	0.20	0.01	–	0.13	0.82	0.01		5
6	0.71	–	0.09	0.12	–	–	0.43	0.10	–	0.04	0.25	–		6
7	0.01	0.81	–	–	–	–	tr	0.01	–	–	0.34	0.58		7
8	0.02	0.23	0.02	tr	0.08	–	0.15	0.11	–	1.53	0.25	0.10		8
9	0.04	0.01	–	–	–	–	–	0.06	–	0.14	0.10	0.08		9
10	0.14	–	–	–	–	0.02	–	0.23	0.02	0.07	0.08	0.14		10
11	–	0.02	0.07	–	–	–	–	0.02	–	0.11	0.02	–		11
12	0.01	0.07	–	0.01	–	tr	–	–	tr	–	0.06	–		12
13	tr	–	–	0.11	–	0.02	x	–	0.14	1.33	0.03	–		13
14	0.69	–	–	0.02	–	0.11	x	–	–	0.65	0.34	–		14
15	0.49	–	0.04	–	0.15 x	1.05	x	–	–	0.03	0.60	0.04		15
16	0.24	–	–	0.14	–	–	✓	–	–	0.15	0.15	–		16
17	0.46	0.05	–	–	✓	0.17	x 2.31	–	–	0.04	0.06	–		17
18	–	–	–	–	0.01	0.33	x	–	–	–	0.63	0.03		18
19	0.32	–	–	–	–	–	x	–	–	–	0.01	0.11		19
20	0.41	–	–	–	–	0.06	x	0.20	–	–	–	tr		20
21	0.03	0.15	0.05	–	0.01	0.12	✓	0.01	–	–	–	–		21
22	0.65	0.31	0.09	–	–	0.71	x	–	tr	–	0.67	0.01		22
23	–	–	–	0.16	–	–	x	–	–	–	0.71	–		23
24	0.60	–	0.05	0.02	–	0.40	x	tr	–	0.01	–	–		24
25	1.17 ~~0.09~~	0.10	–	0.02	–	–	x	0.14	–	0.11	0.33	tr		25
26	0.24	0.07	–	0.06	–	–	–	0.19	–	0.20	0.23	–		26
27	–	0.20	0.01	–	–	tr	0.03	0.02	–	–	0.21	–		27
28	–	0.02	–	0.17	–	0.10	0.38	–	–	–	0.66	0.07		28
29	–		–	0.03	–	0.03	0.08	–	–	0.18	0.02	–		29
30	–	✕	0.02	0.23	–	0.30	0.08	0.24	–	0.26	0.05	–		30
31	–	✕	–	✕	–	✕	0.01	0.12	✕	0.68	✕	0.03		31
TOTAL	6.91	2.04	0.96	2.34	0.54	3.42	3.99	2.63	1.21	5.68	7.07	2.01	Year's Total 38.80	
* Days with .01 in. or more.	20	12	13	17	8	13	24	18	5	18	27	15	190	"d"
* Days with .04 in. or more.	14	8	10	11	3	10	17	13	3	16	23	11	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) R H Norman M.D.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1810/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Bunts Hill, Seaton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground as before ft. .... in.

,, Ground ,, Sea Level .... ft.

229810/33

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	0.03	–	0.01	–	–	–	–	–	–				1
2	–	0.15	–	0.26	–	–	tr	–	–	–				2
3	0.02	0.58	–	0.01	–	–	–	–	–	–				3
4	tr	0.22	–	–	–	–	0.07	–	–					4
5	0.04	0.01	–	–	–	–	–	–	–					5
6	0.21	0.64	–	–	0.01	–	0.01	–	–					6
7	0.12	tr	–	–	–	–	0.05	–	–					7
8	tr	–	–	–	–	–	0.06	–	–					8
9	–	–	–	–	–	–	0.27	0.01	tr					9
10	–	–	–	–	–	–	0.40	tr	0.04					10
11	–	–	tr	tr	–	–	0.14	–	–					11
12	–	–	0.23	–	–	0.03	0.41	–	0.65					12
13	–	–	0.40	0.01	–	–	0.06	–	0.04					13
14	–	–	0.07	0.05	1.10	–	–	–	0.10					14
15	–	0.02	tr	0.11	0.57	0.01	0.14	–	0.39					15
16	–	1.04	0.65	0.12	–	–	0.08	–	0.05					16
17	–	0.03	0.40	0.01	–	–	0.03	–	–					17
18	0.08	0.36	0.23	1.41	–	–	0.12	tr	–					18
19	–	0.03	0.09	0.10	–	–	0.14	–	0.58					19
20	–	tr	0.01	0.01	–	–	–	0.01	tr					20
21	–	0.01	tr	–	0.17	–	–	–	0.03					21
22	–	0.01	0.10	0.19	–	0.42	–	–	0.06					22
23	–	0.10	0.26	0.10	0.01	–	–	–	tr					23
24	0.01	–	–	–	–	–	0.31	–	–					24
25	0.29	–	0.10	0.02	tr	0.01	–	–	–					25
26	1.04	0.46	–	0.04	0.34	–	0.01	–	–					26
27	0.29	0.10	–	–	0.32	–	0.05	–	–					27
28	0.27	0.08	–	tr	–	–	–	–	–					28
29	–	0.10	0.17	0.66	–	0.09	–	–	–					29
30	–	×	tr	0.03	tr	–	–	–	–					30
31	0.22	×	0.05	×	–	×	–	–	×		×			31
TOTAL	2.59	3.97	2.76	3.14	2.94	0.47	2.35	0.02	1.94				Year's Total ..	
* Days with .01 in. or more.	11	18	13	17	7	5	17	2	9				..	
* Days with .04 in. or more.	9	11	12	10	5	2	14	–	8				..	

Removed from Seaton to Sidmouth Devon

np

inp

WH

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. H. Norman [P.T.O.

Section **A** for the entry
AIR MINIS

Station No. 1811/5
AINFALL ORGANIZATION

FORM 1090

REG

1933
al totals corr'd 16/4/45

1811/5
SIDFORD, PACCOMBE
1933 — 39

780309

Kept at PACCOMBE, S
in the County of DEVN
Diameter of Funnel of Gauge..
Height of top of Gauge above
,, Ground ,,

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·53	·50	·10		·05	·10					·05	1·63		1
2	·37	·01	·92		·60	·34						·08		2
3	·03	·07	·30		·07	·06								3
4	·12	·01	·03		·10									4
5	·03		·33		·04									5
6	·01	·47	·02		·11					·12	-			6
7	·01	·19	·04		·12		·24							7
8	·02	·02	·03				·04			·31				8
9		·05			·06		·13			·13	·04			9
10		·37			·47		·21			·46				10
11	·13						·29							11
12	·01	·01		·20			·23	·38	·34	·05				12
13							·18			·12	·02			13
14	·06						·31	·39		·24	·51			14
15	·41		·22			·09	·34	·51		·05	·03			15
16		·01	·88				·75			·11		·14		16
17		·05	·18			·07			·01					17
18	·07	·02	·13					·02	·11		·03			18
19	·18		·17			·12					·48			19
20		·08				·04			·12		·01	·02		20
21		·05				·45		·07	·01	·08				21
22				·07		·16		·36	·41					22
23		·55		·50	·09	·03			·39	·18				23
24		·73		·37		·20			·05	·02				24
25		1·36		·32					·10	·01		·37		25
26		·33		·36	·06	·37			·02					26
27		·01			·28				~~·04~~	·34		·65		27
28		·05		·55		·02	·46		·02	·28		·15		28
29	·07			·05	·20				·02			·06		29
30	·03	×	·08				·05		·24					30
31	·06	×	·09	×		×			×		×	·02		31
TOTAL	2·14	4·94	~~3·42~~ 3·52	2·42	2·25	2·05	3·23	1·73	1·84	2·50	1·17	3·12	Year's Total ~~30·74~~	30·91
* Days with .01 in. or more.	17	21	15	8	13	13	12	6	13	15	8	9	150	
* Days with .04 in. or more.	10	14.	12	8	13	11	12	5	8	13	4	6	115	

n.p.late

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) V. Z. Cave

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations**

Station No. 1811/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1933

March & annual totals corr'd for arith. RdL. 16/4/45

Kept at PACCOMBE SIDFORD

in the County of DEVON.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·53	·50	·10		·05	·10					·05	1·63		**1**
2	·37	·01	·92		·60	·34						·08		**2**
3	·03	·07	·30		·07	·06								**3**
4	·12	·01	·03		·10									**4**
5	·03		·33		·04									**5**
6	·01	·47	·02		·11					·12				**6**
7	·01	·19	·04		·12		·24							**7**
8	·02	·02	·03				·04			·31				**8**
9		·05			·06		·13			·13	·04			**9**
10		·37			·47		·21			·46				**10**
11	·13						·29							**11**
12	·01	·01		·20			·23	·38	·34	·05				**12**
13							·18			·12	·02			**13**
14	·06						·31	·39		·24	·51			**14**
15	·41		·22			·09	·34	·51		·05	·03			**15**
16		·01	·88				·75			·11		·14		**16**
17		·05	·18			·07			·01					**17**
18	·07	·02	·13					·02	·11		·03			**18**
19	·18		·17			·12					·48			**19**
20		·08				·04			·12		·01	·02		**20**
21		·05				·45		·07	·01	·08				**21**
22				·07		·16		·36	·41					**22**
23		·55		·50	·09	·03			·39	·18				**23**
24		·73		·37		·20			·05	·02				**24**
25		1·36		·32					·10	·01		·37		**25**
26		·33		·36	·06	·37			·02					**26**
27		·01			·28				~~·21~~	·34		·65		**27**
28		·05		·55		·02	·46		·02	·28		·15		**28**
29	·07			·05	·20				·02			·06		**29**
30	·03	×	·08				·05		·24					**30**
31	·06	×	·09	×		×			×		×	·02		**31**
TOTAL	2·14	4·94	~~3·42~~ 3·52	2·42	2·25	2·05	3·23	1·73	1·84	2·50	1·17	3·12	Year's Total ~~30·74~~	n.p. Take 30·91
* Days with .01 in. or more.	17	21	15	8	13	13	12	6	13	15	8	9	150	
* Days with .04 in. or more.	10	14·	12	8	13	11	12	5	8	13	4	6	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) V. L. Cave

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1811/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Paccombe, Sidford,

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

~~April corr'd for arith~~ Jan, april, may, aug, Nov & Dec corr'd for arith, D.H. 16/4/45

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·02						·10		·14	·83		1
2	·19		·05						·81	·04	·15	·31		2
3	·03				·23			·16		·35		·32		3
4	·07		·30		·13			·11	·25	·26		·32		4
5			·08					1·01		·32	·02	·44		5
6			·31	·09	·30				·02	·57	·04	·64		6
7	·04							·10		·09	·04	·52		7
8					·19				·05		·29	·22		8
9	·05		·23							·03	·64	·13		9
10			·13	·45							·10	·29		10
11	·53		·09	·30			·03	·09				·63		11
12	·12						·02	·03				·25		12
13	·31			·42				·35			·04	·33		13
14	·15		·39	·03							·11	·28		14
15			·06		·15						·15	·32		15
16	·05		·35						·10	·33		·33		16
17				·12					·11			·37		17
18	·08		·19	·44	·08			·08	·08	·12		·29		18
19	·03		·18	·08	·02	·11						·07		19
20			·05	·15			·06		·11					20
21			·11			·19				·42		·66		21
22	·02		·12			·02		·22	·50			1·09		22
23		·02	·02	·22		·71	·04	·06	·22	·12		·46		23
24	·37	·11	·05	·17		·27		·03	·33	·23		·14		24
25	·26			·21			·12			·27		·90		25
26		·05		·13		·16			·16		·03	·15		26
27						·09	·02	·02	·04	·02		·34		27
28				·02		·06		·70	·18		·01	·85		28
29							·01	·01	·06	·07		·06		29
30		✕					·04	·05	·13	·05	·01	·27		30
31		✕		✕		✕	·07	·10	✕	·01	✕	·06		31
TOTAL	~~2·35~~ 2·30	·18	2·73	~~2·82~~ 2·83	~~1·15~~ 1·10	1·61	·41	~~3·83~~ 3·12	3·25	3·30	~~1·87~~ 1·77	~~12·77~~ 11·87	Year's Total ~~36·26~~	34·47 n.p. lake
* Days with .01 in. or more.	15	3	18	14	7	8	9	16	17	17	14	30	168	
* Days with .04 in. or more.	12	2	16	12	6	7	5	12	16	14	10	30	142	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) V. T. Cave

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1811/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1935

Oct e Dec corr'd for a sitt

Kept at Paccombe Sidford

in the County of Devon.

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.62			.30	.11		.13	.18	.09			1
2		.03	.05						.15	.37	.08	.06		2
3			.11		.16	.30			.04	.87	.15			3
4		.21			.16	.58			.04	.05	.13	.41		4
5		.29				.13			.23	.15	.03			5
6		.03		.38		.73			.16	.15	.03	.22		6
7				.30		.09				.27	.06	.05		7
8				.31		.20				.10	.31	.02		8
9				.36					.28	.56	.16			9
10	.07					.35			.13			.06		10
11	.24		.34	.03		.10				.02	.36	.02		11
12	.03	.08				.40			.28		.14			12
13	.04	.14		.36		.10			.07		.22			13
14		.08		.38		.08			.01		.88	.43		14
15				.67	.11	.12			.06		.35	.09		15
16		.04		.10		.41			.42		1.26			16
17				.03	.93			.21	.04					17
18		.18		.22		.12	.12		.21			.08		18
19		.05		.02	.50	.12	.30		.03	.15	.04			19
20		.30		.43		.02					.44			20
21		.48		.19		.01					.21			21
22		.04	.04	.05					.07	.07				22
23			.06	.02	.09			.33	.23	.04		.40		23
24		.58			.07			.73	.31	.61		.25		24
25		.26		.11	.03	.12				.05		.34		25
26	.24	.48							.13			.91		26
27		.14				.03			.05	.06	.08	.46		27
28		.08							.13	.04		.09		28
29									.13		.07	.40		29
30		×				.07		.64	.06	.12	.36	.56		30
31	.07	×		×		×		.07	×	.72	×	.42		31
TOTAL	.69	3.49	1.22	3.96	2.05	4.38	.53	1.98	3.39	~~4.60~~ 4.58	5.45	~~5.45~~ 5.27	Year's Total ~~37.19~~	n.p. late 36.99
* Days with .01 in. or more.	6	18	6	17	8	21	3	5	24	19	21	20	168	
* Days with .04 in. or more.	5	6	6	13	7	18	3	5	22	18	19	18	150	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) V. L. Carr [P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1811/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ~~Cow~~ Paccomby, Sidford

in the County of Devon

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Feb, march, august & Nov. corr'd for add

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·16	·03	·25		·24	·37					·04		1
2				·05		·09	·37	·03			·11			2
3				·72			·21		·76		·28	·01		3
4	·04		·18	·02		·07			·37		·05	·10		4
5	·29						·06	·03	·14		·03	·15		5
6	·15		·06			·01	·34				·56			6
7	·06		·50				·10		·16		·17	·03		7
8	·56		·62				·73				·30	·03		8
9	·17	·11	·15				·23				·09			9
10	·08	·16							·17		·25			10
11	·28					·08	·02				·82	·07		11
12				·10		·08	·53	·04	·03		·19			12
13	·07						·06	·05	·33	·09	·13	·75		13
14	·28					·01	·42			·04	·02	·47		14
15		·10			·06		·18		·13		·13	·25		15
16		·18			·24		·37		·12		·14	·14		16
17	·04	·69					·29		·02			·48		17
18	·15	·31	·14		·09	·59	·44					·14		18
19	·57	·02					·06	·02						19
20	·05	·28	·12			·13								20
21			·03	·20		·13			·45					21
22	·13	·47	·41	·65								·04		22
23	·09	·04			·03		·22			·04				23
24	·41	·03	·05	·20	·18		·11			·07				24
25	·21		·44				·23			·21				25
26	·16	·06	·21	·14			·18		·22	·27				26
27	·43	·09	·06				·15		·05	·02				27
28	·88		·65			·02	·33					·22		28
29	·02	·10	·03			·04				·24		·15		29
30	·22	×				·10				·17	·12			30
31	·10	×		×	·03	×	·06		×	·15	×	·57		31
TOTAL	5·48	~~1·80~~ 2·80	~~4·32~~ 3·68	2·33	·63	1·59	6·05	·17 ~~·18~~	2·95	1·30	3·39 ~~3·47~~	3·53	Year's Total ~~33·65~~ 33·90	n.p.lake
* Days with .01 in. or more.	25	15	17	9	5	13	24	5	13	10	16	17	169	
* Days with .04 in. or more.	24	30	14	8	3	10	23	2	11	9	14	14	145	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) V. C. Cave [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 1811/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pascombe Sidford

in the County of Devon.

Diameter of Funnel of Gauge................in.

Height of top of Gauge above Ground........ft.........in.

,, Ground ,, Sea Level ....ft.

Jan, Feb & Nov. corr'd for arith

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									·09		·03	·62		1
2	·10	·56	·02						·21			·08		2
3	·03	·30	·04	·59			·03							3
4	·16	·62	·13	·29								·44		4
5	·18			·13			1·08							5
6	·05	·47	·49	·05										6
7		·91	·03	·18										7
8		·04		·08	·69	·20	·09				·21			8
9	37			·15	·19		·12							9
10			·61	·19	·17	·20			·69			·63		10
11	·09		·24	·21	·45		·36					·44		11
12	·64	·39	·05	·19		·41	·16	·74	·06					12
13			·72	·26				·28	·03					13
14		·05	·21	·02			1·65	·04	·02			·06		14
15	·31	·12	·09	·37				·28	·15		·13	·29		15
16	·04	·09	·43	·18			·09		·65		·15			16
17	·52		·48						·06					17
18	·15	·14	·22			·07			·12		·18	·22		18
19	·18	·06		·22	·10						·02			19
20	·35	·07	·09	·18	·10							·54		20
21	·19	·48	·11	·06	·45					·04	·15	·06		21
22	·22		·14		·38		·10		·65	·63	·42	·06		22
23	·37	·28			·35		·16			·59	·24	·03		23
24		·70	·06						·03	·61				24
25		·60	·54		·13				·07	·27		·05		25
26		·28	·04							·03				26
27	·02	·06			·16					·48		·06		27
28		·17				·12				·22	·05			28
29										·40	·30			29
30	·77	✗				·05			·01		·24	·02		30
31	·30	✗		✗		✗			✗	·57	✗			31
TOTAL	5·04 ~~5·39~~	6·39 ~~6·85~~	4·74	3·35	3·17	1·05	3·84	1·34	2·84	3·84	~~2·00~~ 2·12	3·60	Year's Total ~~41·54~~	n.p. Tak 41·32
* Days with .01 in. or more.	21	20	20	17	11	6	10	4	14	10	12	15	161	
* Days with .04 in. or more.	19	20	18	16	11	6	9	4	10	9	10	13	135	HR

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) V.L. Cave.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1811/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~4~~38

Kept at Puccombe Sidford

in the County of Devon.

Diameter of Funnel of Gauge...............in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Jan, april, may, august and Dec corr'd for arith.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·04			·03	·29				·61		·04		1
2						·05		·06		·26		·15		2
3					·28		·01	1·14		·27	·04			3
4						·11	·15			·10	·26	·12		4
5										·44				5
6	·08					·15	·67			·07		·06		6
7	·12					·03	·35		·11	·05	·07	·15		7
8	·32					·07	·17	·03	·10	·11				8
9	·16	·06				·08						·47		9
10	·10					·02	·08					·45		10
11	·10							·31			·35	·63		11
12	·25				·25					·26				12
13	·21										·61	·65		13
14	·75				·15		·81							14
15	·09				·32		·21			·31	·12	·25		15
16	·18							·03		·04	·54	·02		16
17		·20	·02		·05				·05	·13	·04			17
18	·15				·14				·16		·50			18
19									·41		·21			19
20						·13		·04		·02	·63			20
21									·04		·36			21
22	·03			·24				·45	·14		·47	·21		22
23				·08				·01	·04		·10			23
24			·20			·10		·07	·07		·34	·04		24
25	·07				·26		·74				·63			25
26	·34	·74			·36			·38	·02	·19	·04	·22		26
27	·09				·12	·18	·55			·07	·26			27
28	·08				·13	·15		·62	·11			·04		28
29	·10				·47				·20	·37	·32			29
30	·09	✕			·02	·86	·05		·50		·07	·21		30
31	·24	✕	·02	✕	·15	✕			✕	·21	✕	·07		31
TOTAL	3·55 ~~3·59~~	1·04	·24	·32 ~~·28~~	2·73 ~~2·70~~	2·22	3·79	3·1~~5~~4	1·95	3·51	5·96	3·748	Year's Total 32·23	n.p. Take
* Days with .01 in. or more.	20	4	3	2	14	13	11	11	13	17	20	17	145	
* Days with .04 in. or more.	19	4	1	2	12	11	10	8	12	16	20	16	131	

* See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(*Signed*) V. Z. Carr.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1811/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~4~~39

Kept at Paccombe Sidford

in the County of Devon.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

April, June and Dec. corr'd for arith. June 1939, g. moved to Salcombe Hill, see encl. 3A, file A200109/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06		·13	·02			·36	·30	·06		·14			1
2				·25				·50	·92		·39			2
3	·50		·08	·64			·03	·13			·08	·38		3
4			·43	·09			·48	·06		·44	·10	·19		4
5			·06	·15	·31		·04			·10	·71			5
6	·85		·10	·08			·41			·17	·15			6
7		·59	·04								·32	·27		7
8	·03	·24			·12		·07	·23		1·66	·16	·07		8
9	·04	·02						·04		·10	·04	·16		9
10	·22					·05		·19	·04	·07		·06		10
11										·12		1·05		11
12		·07		·04										12
13				·20			·38		·14	1·17	·06			13
14	·65						·16			·04	·25			14
15	·56		·15		·20		·22				·26			15
16	·23			·09		·64	·15				·26	·05		16
17	·53				·04		·40				·05			17
18		·05	·02			·37	1·16			·04	·48	·11		18
19	·36						·08							19
20	·40					·35	·35	·37				·05		20
21	·05	·15				·18	·16							21
22	·43	·30			·13		·25				·22			22
23				·20		·52	·11				·48			23
24	·63						·12			·04				24
25	·24	·10	·07	·08		·12	·02			·11	·12			25
26	·50			·03		·36		·14			·11			26
27		·22									·17			27
28		·07		·05		·07	·12	·25			·36	·04		28
29	·02			·05		·15	·10							29
30		✕	·05	·24		·11		·14		·39	·04			30
31		✕		✕		✕		·07	✕	·59	✕			31
TOTAL	6·30	1·81	1·13	~~2·33~~ 2·21	·80	2·92 ~~3·02~~	5·17	2·42	1·16	5·04	4·95	2·43 ~~1·43~~	Year's Total ~~35·56~~	~~n.p. late~~ 36·34
* Days with .01 in. or more.	18	10	10	15	5	11	21	12	4	14	22	11	153	n.p. imp.
* Days with .04 in. or more.	16	9	9	13	5	11	19	12	4	14	22	11	145	KR

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) V. C. Carte

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1811/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Paccombe Sidford Sidmouth

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Maps Sent. 27. 4. 40.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06		·13	·02										1
2			·08	·25										2
3	·50			·64										3
4			·43	·09										4
5			·06	·15	·31									5
6	·85		·10	·08										6
7		·59	·04											7
8	·03	·24			·12									8
9	·04	·02												9
10	·22					·05								10
11														11
12		·07		·04										12
13				·20										13
14	·65													14
15	·56		·15		·20									15
16	·23			·09		·64								16
17	·53				·04									17
18		·05	·02			·37								18
19	·36													19
20	·40					·35								20
21	·05	·15				·18								21
22	·43	·30			·13									22
23				·20		·52								23
24	·63													24
25	·24	·10	·07	·08		·36								25
26	·50			·03		·12								26
27		·22												27
28		·07		·05		·07								28
29	·02			·05		·15								29
30		✕	·05	·34		·11								30
31		✕		✕		✕			✕		✕			31
TOTAL	6·30	1·81	1·13	2·33	·80	3·02							Year's Total 15·39	
* Days with .01 in. or more.	18	10	10	15	5	11								
* Days with .04 in. or more.	16	9	9	13	5	11								

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) V. C. Cave [P.T.O.

1812

Section **A** for the entry of Da

AIR MINISTRY.-

COPY FOR OFFICIAL USE.

L ORGANIZATION.

FORM 1090.

REGIST

1812

SEATON WYTHYLAKE

1931 — 40

780309

Kept at Withylake Se

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·41		·17	·04		·34	·01			1
2	·24			·57.					·48	·01		·10	2
3	·05		·88				·03		·21		1·43	·01	3
4	·02		·07		·13	·63	·29	·32	·08	·04			4
5		·39	·04	·06		·84	·05	·53		·16	·07	·19	5
6		·06		·02	·09	·18		·22		·04	·14	·57	6
7		·01			·29	·26	·09			·03	·81.	·17	7
8		·30		·22		·49		·05			·17	·02	8
9	·01	·20				·05	·03				·31	·01	9
10		·03			·04	·14		·02	·07		·68		10
11	·16	·56				·24			·03		·40		11
12		·08					·27		·08				12
13		·05			·05		·13	·04		·01			13
14	·03	·08	·03		·01	·21	·82	·15	·01		·15		14
15		·05		·04	·11.			·03				·01	15
16		·07		·05	·08	·67			·07				16
17	·03	·10		·02		·06	·43		·09				17
18	·02			·05		·25	·03	1·92			·31		18
19	·06	·05	·04	·04		·15		·02			·38		19
20		·17	·25					·27			·10		20
21	·26				·17								21
22	·38			·01	·08		·02				·34		22
23	·29		·01	·05	·79		·80	·62					23
24	·27			·44	·19		·16				·04		24
25	·19			·36	·01		·35				·21		25
26		·04		·19			·15				·69		26
27	·29	·36.			·73						·05		27
28	·08	·14.	·04		·07			·03				·03	28
29			·17.		·05		·05	·17		·02	·11	·05	29
30	·02	×		·01	·05				·01				30
31	·50	×		×	·02	×			×	·01	×	·57	31
TOTAL	2·90	2·74	1·53	2·54	2·96	4·34	3·77	4·39	1·47	·33	6·39	1·73	YEAR'S TOTAL 35·09
*Days with ·01 in. or more.	18	19	9	16	18	14	18	14	11	9	18	11	175
*Days with ·04 in. or more.	12	16	7	12	15	14	13	10	9	3	18	5	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) T. F. Tracy.

P.T.O.

1812

Section **A** for the entry of Da

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wittylake Seaton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level about 200 ft.

Station no. 1812.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·41		·17	·04		·34	·01			1
2	·24			·57.					·48	·01		·10	2
3	·05		·88				·03		·21		1·43	·01	3
4	·02		·07		·13	·63	·29	·32	·08	·04			4
5		·39	·04	·06		·84	·05	·53		·16	·07	·19	5
6		·06		·03	·09	·18		·22		·04	·14	·57	6
7		·01			·29	·26	·09			·03	·81.	·17	7
8		·30		·22		·49		·05			·17	·02	8
9	·01	·20				·05	·03				·31	·01	9
10		·03			·04	·14		·02	·07		·68		10
11	·16	·56				·24			·03		·40		11
12		·08					·27		·08				12
13		·05			·05		·13	·04		·01			13
14	·03	·08	·03		·01	·21	·82	·15	·01		·15		14
15		·05		·04	·11.			·03				·01	15
16		·07		·05	·08	·67			·07				16
17	·03	·10		·02		·06	·43		·09				17
18	·02			·05		·25	·03	1·92			·31		18
19	·06	·05	·04	·04		·15		·02			·38		19
20		·17	·25					·27			·10		20
21	·26				·17								21
22	·38			·01	·08		·02				·34		22
23	·29		·01	·05	·79		·80	·62					23
24	·27			·44	·19		·16				·04		24
25	·19			·36	·01		·35				·21		25
26		·04		·19			·15				·69		26
27	·29	·36.			·73						·05		27
28	·08	·14.	·04		·07			·03				·03	28
29			·17.		·05		·05	·17		·02	·11	·05	29
30	·02	×		·01	·05				·01				30
31	·50	×		×	·02	×			×	·01	×	·57	31
TOTAL	2·90	2·74	1·53	2·54	2·96	4·34	3·77	4·39	1·47	·33	6·39	1·73	YEAR'S TOTAL 35·09
*Days with ·01 in. or more.	18	19	9	16	18	14	18	14	11	9	18	11	175
*Days with ·04 in. or more.	12	16	7	12	15	14	13	10	9	3	18	5	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) T. F. Tracy.

P.T.O.

1812

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Withylake. Seaton.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level about 200 ft.

Station number 1812.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ~~·17~~

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·12			·02	·11			·19		1
2	·02			·16				·03	·03		·06	·32	2
3						·69	·03		·38	·04	·01	·01	3
4	·01					·30	·01	·11			·25.		4
5	·13		·03						·29				5
6	·47			·43			·01		·48				6
7	·01			·04	·06				·42	1·97			7
8			·67	·05	·22				·31	·10			8
9	·72	·01 (snow)		·22						·06			9
10	·27			·33	·02	·01				·22			10
11	·09			·06	·04					·16		·07	11
12	·51				·34				·02	·12		·05	12
13	·06			·14	·01			·30		·81		·20	13
14	·26			·31	·18		·25			·01	·08		14
15				·08	·19		·02			·03	·04	·04	15
16	·15			·06								·01	16
17				·02					·04	·04			17
18	·02				·45				·06	·52	·18		18
19	·01			·01	·29				·05				19
20			·07		1·15			·09	·01	·63	·21	·08	20
21	·02			·19				·27	·03	·31	·05	·17	21
22							·03	·01	·91	·34	·29		22
23					·03	·09	·26		·01	·60	·01	·08	23
24					·04		·65		·17	·10	·02		24
25			·50				·03		·12	·24	·01	·02	25
26			·06	·04			·34			·12	·01		26
27			·43	·43	·11		·18			·32		·14	27
28			·02	·05	·04	·08	·11					·16	28
29			·02	·06	·21	·53		·75	·60	·46	·05	·39	29
30	·01	×	·36	·02		1·36	·48	·02	·68	·04	1·64	·06	30
31		×	·03	×	·02	×	·07		×	·03	×	·60	31
TOTAL	2·77	·01	2·19	2·82	3·40	3·06	2·49	1·69	4·61	7·27	2·60	2·40	YEAR'S TOTAL 35·31.
*Days with ·01 in. or more.	17	1	10	20	17	7	15	9	18	23	16	16	169.
*Days with ·04 in. or more.	9		6	17	13	6	8	6	14	20	11	13	123.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Theo. F. Tracy.

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WITHYLAKE. SEATON -

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level about 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·71	·60	·06		·04	·05					·12	·90		1
2	·28		·96		·42	·09					·01	·02		2
3	·08	·15.	·25		·04	·18								3
4	·10	·01	·06		·11									4
5	·04	·47	·29		·01						·01			5
6					·12		·16			·09				6
7	·05	·15	·02		·06					·14				7
8	·01		·01		·07		·09							8
9		·04			·51		·27			·11				9
10		·31					·11			·36	·02			10
11	·07					·52	·22	·76						11
12				·16	·03		·18		·38			·05		12
13					·09	·05	·25	1·17		·12	·01			13
14	·02						·52	·13			·23			14
15	·56		·22			·06	·37	·01		·21	·03			15
16			·92			·03			·02	·14				16
17		·09	·22			·08		·01	·11					17
18	·04		·18			·12					·04			18
19	·11		·23					·01	·03		·52	·03		19
20		·04		·01		·27			·25		·06	·01		20
21		·04			·01	·11		·08		·07	·01			21
22				·07	·14			·44	·42	·04				22
23		·65		·56		·17			·57.	·21				23
24		·98		·40					·06	·02				24
25		1·22		·41		·36			·16	·03		·20		25
26		·34		·27	·35	·21				·02		·01		26
27		·01			·03				·02	·26	·01	·37		27
28				·28	·04		·50			·35.		·09		28
29	·17			·04								·06		29
30	·01	✕	·12				·03		·27			·07		30
31	·06	✕	·14	✕		✕			✕		✕			31
TOTAL	2·31	5·10	3·68	2·20	2·07	2·30	2·70	2·61	2·29	2·17	1·07	1·81	Year's Total 30·31	
*Days with ·01 in. or more.	15^{8}	15^{7}	16^{2}	9^{1}	16^{4}	14^{x}	11^{x}	8^{8}	11^{5}	15^{3}	12^{x}	11^{4}	~~34~~	153
*Days with .04 in. or more.	12	13	14	8	12	13	10	5	8	12	5	7	119.	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) T. F. Tracy.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Withylake, Seaton

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level about 200 ft.

NB check Aug 13th. Observer was ill & is uncertain of accuracy.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01							·59	·08		·11	1·12		1
2	·22		·03						1·07	·15	·07	·27		2
3	·05							·01		·23		·20		3 x (12 to 2 p.m.)
4	·06		·35	·04	·16			·02	·89 x	·26		·23		4
5			·10		·06			·89		·16		·44		5
6	·03		·30	·04	·27				·01	·53	·03	·70		6
7	·02							·07		·13	·02	·45		7
8					23				·05		·48	·19		8
9	·04		·25								·54	·09		9
10	·20		·10	·32				·06			·11	·14		10
11	·42		·13	·26				·06				·49		11
12	·11						·09	·25.				·22		12
13	·26			·38				~~(·07)~~ x			·04	·52		13
14	·34		·37	·02						·28	·12	·25		14
15	·06		·07								·15	·37		15
16	·08		·26		·12					·11		·25		16
17	·09			·09	·10				·18			·34		17
18	·05		·23	·33								·25.		18
19			·16	·03		·02		·04	·06			·07		19
20				·19	·01		·09		·03	·04		–		20
21			·08			·21				·40		·33		21
22	·01		·10					·11	·50			·88		22
23	·16		·01	·25		·96		03	·21	·06		·10		23
24		·11	·07	·11		·11	·09		·26	·03		·09		24
25	·27	·01		·19		·01				·20		·87		25
26	·01		·03	·19		·22			·09		·02	·02		26
27						·07			·02	·01		·32		27
28				·06		·03		·67	·22			·79		28
29								·03	·09	·02		·08		29
30		×						·02	·12	·01	·01	·37		30
31		×		×	·01	×	·11	·12	×		×	·05		31
TOTAL	2·49	·12	2·64	2·50	·96	1·63	·38	2·99 x	3·88	2·62	1·70	10·49	Year's Total. 32·38	
* Days with .01 in. or more.	20	2	17	15	8	8	4	16	16	16	11	30	163	
* Days with .04 in. or more.	15	1	14	13	6	5	4	11	13	12	8	29	131	

Aug 13th ·07 not included in total

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. F. Tracy.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WITHYLAKE. SEATON.
in the County of DEVON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
~~·06~~

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·01	·48	·02		·28	·08		·14	·08	·09	·21		1
2		·03	·04			·12			·12	·34	·08	·05		2
3		·01	·14		·11	·44			·12	1·57	·14			3
4		·21		·06	·06	·37			·05	·08	·24	·50		4
5		·29		·01		·12			·25	·08				5
6		·01		·21		1·02				·03	·18	·15		6
7				·35		·05				·27	·05	·07		7
8				·34					·38	·03	·32	·02		8
9	·08			·33		·04				·56	·35			9
10	·38			·02		·04			·21		·01	·03		10
11	·01		·03			·38			·04	·01	·38	·01		11
12	·09	·09	·15			·41					·16			12
13		·02		·34		·11					·30			13
14		·03		·32					·02		·93	·52		14
15		·39		·72	·04	·20			·19		·16	·08		15
16		·04	·02	·12		·15	·03	·22	·31		1·24			16
17				·03	·92	·33	·01		·03		·07			17
18		·06		·26	·03	·01	·12		·34	·01		·09		18
19		·15		·03	·45	·09	·14		·08	·07	·43			19
20		·28		·25	·04	·02	·02				·23			20
21		·72	·01	·06		·01	·01		·10	·03				21
22	·01	·02	·07	·02				·02	·04	·07				22
23			·10	·25	·10			·30	·19	·39		·37		23
24		·70	·01	·01	·07			·70	·38	·04		·17		24
25	·16	·35		·05	·01	·14		·01				·23		25
26	·17	·48				·04		·41	·09		·01	·95		26
27		·14						·04	·06	·06	·05	·40		27
28		·11			·01			·07	·09	·04	·01	·09		28
29								·01	·10		·05	·43		29
30	·02	✕				·03		·83	·07	·18	·99	·50		30
31		✕		✕		✕			✕	·76	✕	·46		31
TOTAL	·93	4·14	1·05	3·80	1·84	4·41	·41	2·61	3·40	4·70	6·47	5·33.	Year's Total 39·09	39·09
* Days with .01 in. or more.	9 ✓	21 ✓	10 ✓	21 ✓	11 ✓	22 ✓	7 ✓	10 ✓	23 ✓	20 ✓	23 ✓	20 ✓	197	✓
* Days with .04 in. or more.	5 ✓	14 ✓	6 ✓	14 ✓	8 ✓	18 ✓	3 ✓	7 ✓	21 ✓	15 ✓	20 ✓	17 ✓	148	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wittyshake & Hornesmead Seaton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level about 200 ~~185~~ ft.

Ack
Days Totals
Ann total confirmation.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·12	·03	·19		·38	·30				·01	·07		1
2				·04			·27	·05	·02		·10			2
3	·01			·93			·17	·01	·61		·28			3
4			·34	·01		·08	·02		·37		·07	·11		4
5	·40	·01	~~·34~~ ·05				·05	·03	·07			·21		5
6	·04		·05			·07	·22	·03	·16		·32			6
7	·11		·57				·28				·18	·04		7
8	·33		·73				·29		·02		·28	·01		8
9	·42	·03	·20				·28		·16		·15			9
10	·14	·18					·02				·23			10
11	·34	·07				·07		·01	·04		·95	·04		11
12	·03			·02	·05	·13	·65		·39		·09			12
13	·11						·05	·02	·01	·03	·17	1·14		13
14		·01				·01	·56		·09	·02	·01	x		14
15		·03			·05		·10				·13	·25		15
16	·02	·13		·05	·21		·32				·15	·23		16
17	·04	·83			·09		·33			·04	·07	·45		17
18	·09	·28	·05			·38	·34			·07		·24		18
19	·53	·02	·10	·18		·11	·02			·01				19
20	·04	·34	·08	·05		X ·06			·21					20
21		·15.	·02	·65		·13			·01					21
22	·20	·35.	·45				·20					·01		22
23	·05.	·02	·05	·15	·04		·18			·10				23
24	·35	·01	·03		·20		·06		·10	·36				24
25	·16		·40	·16		·02	·10		·06	·38				25
26	·26	·11	·18				·08		05	·04				26
27	·62	·06	·06				·31			·18				27
28	·93	·05	·67				·04			·02		·23		28
29		·03	·02							·25	·08	·23		29
30	·22	✕				·03				·29		·01		30
31	·15.	✕	·78	✕	·13	✕	·05		✕	·06	✕	·54	34·73	31
TOTAL	5·67	2·83	4·82	2·43	·77	1·47	5·29	·15	2·37	1·85	3·27	3·81.	Year's Total 34·73	✓
* Days with .01 in. or more.	25	20	20	11	7	12	26	6	16	14	17	17	191	✓
* Days with .04 in. or more.	22	12	15	9	7	9	23	1	12	10	15	14	149	✓

X Gauge moved to Hornesmead X

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Homermead. Seaton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 185 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·56		34					·20	·01	·04	1·13		1
2	·03	·26	·03	·23					·05			·08		2
3		·16	·09	·10										3
4	·16	·71						·01				·50		4
5	·25			·03			·72					·12		5
6	·11	·50	·42	·15	·02		·43							6
7		·81		·06		·02						·38		7
8		·04	·02		·90	·02	·06				·27	·11		8
9	·01		·09	·16	·17		·08		·76					9
10	·26	·04	·35	·14		·19	·01	·01				·32		10
11	·05		·09	·16	·52	·02	·41					·03		11
12	·70	·42	·01	·15		·40	·15	·86	·07			·42		12
13		·05	1·26	·35				·40	·02					13
14		·02	·20				·01		·03			·03		14
15	·30	·13	·11	·63			1·32	·01	·15			·29		15
16	·06	·07	·36	·04		·05	·06	·24	1·12		·08			16
17	·46	·10	·35					·01	·03		·19			17
18	·08	·15	·07			·07			·03		·17	·21		18
19	·64	·02	·07	·30	·06						·01	·07		19
20	·40	·11	·06	·24	·05							·44		20
21	·35	·54	·09	·10	·30		·06				·15	·03		21
22	·17		·04		·51		·30		·28	·61	·60	·08		22
23	·16	·25			·29	·48			·01	·19	·24	·03		23
24	·40	·77	·02						·03	·51		·02		24
25	·10	·42	·35		·09				·03	·43		·03		25
26		·52	·04		·20					·03	·01			26
27		{·47								·36				27
28	·35			·01						·25	·01			28
29	·05									·36	·32			29
30	·46	✕				·03			·02	·04	·30	·01		30
31	·20	✕		✕		✕			✕	1·02	✕			31
TOTAL	5·91	7·12	4·12	3·19	3·11	1·28	3·61	1·54	2·83	3·81	2·39	4·33	Year's Total 43·24	✓
* Days with .01 in. or more.	24	23	21	17	11	9	12	7	15	11	13	20	183	✓ ✓
* Days with .04 in. or more.	22	21	17	15	10	5	10	3	7	9	10	13	142	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T. J. Tracy

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1872.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Homemead Seaton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 185 ft.

A/c

Days

snow

w.f.7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·07

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·08				·28		·01		·75	·02	·08		1
2		·01			·01	·01	·09			·24	·18	·15		2
3					·17	·01	·01			·36	·20			3
4					·02	·05	·12	1·93	·01	·12		·12		4
5							·03		·02	·42		·01		5
6	·09					·08	·82		·14	·05	·03	·18		6
7	·15					·03	·35		·09	·05	·03	·09		7
8	·38					·12	·06	·03		·17				8
9	·18	·07				·04	·09			·01		·62		9
10	·14					·02						·44		10
11	·09						·03	·06			·31	·60		11
12	·37						·03	·14		·26	·09	·01		12
13	{·81				·10		·01	·01		·01	·25	·67		13
14					·11		·73							14
15	·23				·15		·28	·03		·30		·36		15
16	·12		·01		·16			·04		·05	·35	·01		16
17		·12	·03		·02				·05	·20	·04			17
18	·16				·15	·12			·05	·02	·26			18
19								·04	·47		·86			19
20											·30			20
21	·01							·02	·02		·41	·32 } snow		21
22	·03			·08		·05		·59	·07	·01	·52			22
23				·02					·01		·10			23
24	·03		·22					·01	·08		·42			24
25	·09	·33	·01		·27		·55			·02	1·69	·08		25
26	·48	·42			·34		·02			·08	·01	·17	✓	26
27	·11	·02			·11	·20	·61	·35		·18	·34			27
28	·11	·10			·21	·06		·69	·10	·36		·07 }		28
29	·16				·42				·56		·35			29
30	·11	✕			·03	·65	·02		·43		·09	·37 }		30
31	·37	✕		✕	·20	✕			✕	·30	✕			31
TOTAL	4·22	1·15	·27	·10	2·47	1·72	3·85	3·95	2·10	3·96	6·85	4·35	Year's Total 34·99	
* Days with .01 in. or more.	22	8	4	2	16	14	17	14	14	21	22	21	175	
* Days with .04 in. or more.	19	6	1	1	12	10	10	8	10	16	18	17	128	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Honiermead Homer Lane

in the County of DEVON Seaton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level (approx.) 185 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07		·06	·01	·02		·03	·27	·46		·05	·05		1
2	–			·23	·01			·42	·56		·11	·16		2
3	·60		·08	·66				·08			·22	·36		3
4	·01		·34	·11			·34	·30	·04	·63	·09	·27		4
5			·05	·26	·27		·20	·01		·14	·85	·01		5
6	·71		·09	·13			·43	·10		·05	·21			6
7	·01	·85						·01			·35	·58		7
8	·02	·22	·02		·07		·12	·11		1·64	·24	·09		8
9	·05	·02						·06		·13	·09	·09		9
10	·14					·04		·23	·01	·06	·08	·15		10
11	·01		·08					·02		·13	·02			11
12		·10				·01					·05			12
13	·01			·12		·03	·40		·14	1·37	·03			13
14	·69			·02		·10	·31				·34			14
15	·50		·03		·12	1·08	·13			·16	·58	·06		15
16	·23			·13			·02			·01	·15			16
17	·50	·05			·03	·17	·50			·03	·06			17
18					·01	·32	·36				·61	·05		18
19	·34						·04				·01	·13.		19
20	·42					·06	·05	·17				·01		20
21	·03	·14	·05		·01	·13	·03	·03						21
22	·71	·32	·09			·62	·22				·65			22
23				·14		·01	·06				·67			23
24	·61		·05	·02		·42	·13			·01				24
25	1·09	·09		·02			·06	·13		·13	·33			25
26	·03	·07		·06				·23		·20	·27			26
27		·20	·01				·03	·03			·18			27
28		·04		·16		·09	·38				·65	·11		28
29				·03			·09			·20	·02			29
30		✕	·02	·24		·27	·04	·22		·41	·05			30
31		✕		✕		✕	·01		✕	·51	✕	·01		31
TOTAL	6·78	2·10	·97	2·34	·54	3·35	3·98	2·42	1·21	5·81.	6·96	2·13	Year's Total 38·59	
* Days with .01 in. or more.	21	11	13	16	8	14	23	17	5	17	27	15	187	
* Days with .04 in. or more.	14	10	9	11	3	11	18	12	4	14	23	12	141	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Theo. F. Tracy.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Homermead Homer Lane Seaton

in the County of S Devon 7

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

,, Ground ,, Sea Level approx 185 ft.

Acs.

Days Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01		·01							·15			1
2		·15		·26							·52	·02		2
3	·04	·56		·01						·12	·75	·38		3
4	·02	·23					·06	·01		·20	·02	·03		4
5	·02									·03	·36	·15		5
6	·22	·65			·03		·02			·15	·03	·26		6
7	·12	·01					·05			·01		·09		7
8							·07			·33	·19	·37		8
9							·29	·01		·08	·52	·19		9
10							·38		·03	·05	·16	·37		10
11		·0½ snow	·01				·14				·86	·05		11
12			·22			·04	·38		·63		·16			12
13		·0½ snow	·44	·01			·07		·03	·47	1·45	·10		13
14			·11	·05	1·25				·10	·33		·68		14
15		·11 snow		·12	·52		·14		·40	·29	·35			15
16		·90	·65	·15			·08		·05	·65	·21	·02		16
17		·12	·36	·01			·05				·35			17
18	·14 snow	·31	·24	1·49			·10		·58 }	·08	·02	·03		18
19		·04	·09	·22			·14		x		·15			19
20			·02	·02				·01		·07	·03			20
21					·18				·03		·59			21
22		·01	·10	·19		·36	·01		·06		·01			22
23		·08	·26	·12		·04				·29	·02			23
24	·02						·30							24
25	·24		·11	·02	·01	·01								25
26	1·10	·49		·05	·35		·01							26
27	·30	·10			·32		·06							27
28	·29	·13		·01										28
29	·29 snow	·05	·16	·66		·09				·10		·33		29
30	·05	✕		·04						·35		·15		30
31	·01	✕	·05	✕		✕			✕	·51	✕	·52		31
TOTAL	2·86	3·96	2·42	3·44	2·66	·54	2·35	·03	1·91	4·11	6·90	3·74	Year's Total 34·92	
* Days with .01 in. or more.	14	18	14	18	7	5	18	3	9	18	21	17	162	
* Days with .04 in. or more.	10	14	12	11	5	3	15	—	6	16	15	13	120	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T. F. Tracy.

[P.T.O.

HARPFORD

Section **A** for the entry of D

AIR MINISTRY.

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

1812/5

FORM 1090.

REGIST

1.

S. Devon ?

1812/5
HARPFORD BENCHAMS
1931

780309

Kept at Benchams H

in the County of Devo

Diameter of Funnel of Gauge 9

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.27	.01	—	.53	.06	.02	.05	—	.33	.02	.10	—	1
2	—	—	—	.61	—	.01	—	—	.22	—	1.43	.11	2
3	.05	—	.70	—	—	—	—	.05	.20	—	—	.03	3
4	—	.05	.16	—	.12	.40	.02	.05	.08	—	.12	—	4
5	—	.30	.07	.03	.02	.77	.08	.88	—	—	.09	.22	5
6	—	.03	—	.01	.04	.14	—	—	—	.18	.40	.49	6
7	—	—	—	—	.16	.30	.03	.13	—	.02	.28	.12	7
8	—	.40	—	.30	—	.44	.28	.08	—	.01	.39	.05	8
9	.04	.11	—	—	—	.04	—	—	—	—	.48	.02	9
10	—	.08	—	—	—	.14	.02	—	—	—	.43	—	10
11	.16	.24	—	—	.08	.19	.03	.04	.57	—	.02	—	11
12	.02	.05	—	—	—	—	.07	—	.18	.06	—	—	12
13	—	.05	—	—	—	.01	.13	.18	—	.01	.27	—	13
14	.04	.03	—	—	—	.19	.14	.22	.04	—	.01	—	14
15	.01	.05	—	.06	.08	—	1.04	.50	—	—	—	.02	15
16	—	.20	—	.03	.15	.52	—	.04	—	—	—	—	16
17	—	.05	—	.01	.30	.01	—	—	.06	—	.25	—	17
18	.06	.05	—	.13	—	.12	.33	1.19	—	—	.09	—	18
19	—	—	.01	.12	—	.02	.03	.08	—	—	.07	—	19
20	—	.12	.05	—	—	—	.03	.20	—	—	.02	—	20
21	.17	.06	.39	—	.20	—	—	—	—	.02	—	—	21
22	.23	.04	.01	.02	.18	—	—	—	—	—	.33	—	22
23	.20	—	—	.14	.72	—	—	—	—	—	—	—	23
24	—	—	—	.38	.06	—	.78	.66	—	—	.20	—	24
25	.27	—	—	.21	.04	—	.15	.02	—	—	.61	—	25
26	—	—	—	—	—	—	.26	—	—	—	.17	—	26
27	.16	.18	—	.02	.70	—	.19	—	—	—	—	—	27
28	.05	.11	.06	.01	—	—	—	—	—	.02	.16	.08	28
29	.02		.18	—	.07	—	—	.14	—	—	.01	.19	29
30	.62	×	—	—	.04	—	.03	—	.06	—	—	—	30
31	—	×	.05	×	.09	×	—	—	×	.02	×	.43	31
TOTAL	2.29	2.21	1.68	2.61	3.21	3.34	3.79	4.46	1.74	.36	5.93	1.86	YEAR'S TOTAL 33.48
*Days with ·01 in. or more.	16	20	10	16	18	16	19	16	9	9	22	11	132
*Days with ·04 in. or more.	13	17	8	9	17	11	12	15	9	2	18	8	139

40-9999

N MR (Signed) Charles Coutts [P.T.O.

*See Instruction 2 (*f*) on other side.

X HARPFORD (1812/5)

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

S. Devon

Kept at Benchams Harpford

in the County of Devon

Diameter of Funnel of Gauge 9 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.27	.01	—	.53	.06	.02	.05	—	.33	.02	.10	—	1
2	—	—	—	.61	—	.01	—	—	.22	—	1.43	.11	2
3	.05	—	.70	—	—	—	—	.05	.20	—	—	.03	3
4	—	.05	.16	—	.12	.40	.02	.05	.08	—	.12	—	4
5	—	.30	.07	.03	.02	.77	.08	.88	—	—	.09	.22	5
6	—	.03	—	.01	.04	.14	—	—	—	.18	.40	.49	6
7	—	—	—	—	.16	.30	.03	.13	—	.02	.28	.12	7
8	—	.40	—	.30	—	.44	.28	.08	—	.01	.39	.05	8
9	.04	.11	—	—	—	.04	—	—	—	—	.48	.02	9
10	—	.08	—	—	—	.14	.02	—	—	—	.43	—	10
11	.16	.24	—	—	.08	.19	.03	.04	.57	—	.02	—	11
12	.02	.05	—	—	—	—	.07	—	.18	.06	—	—	12
13	—	.05	—	—	—	.01	.13	.18	—	.01	.27	—	13
14	.04	.03	—	—	—	.19	.14	.22	.04	—	.01	—	14
15	.01	.05	—	.06	.08	—	1.04	.50	—	—	—	.02	15
16	—	.20	—	.03	.15	.52	—	.04	—	—	—	—	16
17	—	.05	—	.01	.30	.01	—	—	.06	—	.25	—	17
18	.06	.05	—	.13	—	.12	.33	1.19	—	—	.09	—	18
19	—	—	.01	.12	—	.02	.03	.08	—	—	.07	—	19
20	—	.12	.05	—	—	—	.03	.20	—	—	.02	—	20
21	.17	.06	.39	—	.20	—	—	—	—	.02	—	—	21
22	.23	.04	.01	.02	.18	—	—	—	—	—	.33	—	22
23	.20	—	—	.14	.72	—	—	—	—	—	—	—	23
24	—	—	—	.38	.06	—	.78	.66	—	—	.20	—	24
25	.27	—	—	.21	.04	—	.15	.02	—	—	.61	—	25
26	—	—	—	—	—	—	.26	—	—	—	.17	—	26
27	.16	.18	—	.02	.70	—	.19	—	—	—	—	—	27
28	.05	.11	.06	.01	—	—	—	—	—	.02	.16	.08	28
29	.02		.18	—	.07	—	—	.14	—	—	.01	.19	29
30	.62	×	—	—	.04	—	.03	—	.06	—	—	—	30
31	—	×	.05	×	.09	×	—	—	×	.02	×	.43	31
TOTAL	2.29	2.21	1.68	2.61	3.21	3.34	3.79	4.46	1.74	.36	5.93	1.86	YEAR'S TOTAL 33.48
*Days with ·01 in. or more.	16 ~~4~~	20 ~~3~~	10 ~~2~~	16 ~~7~~	18 ~~7~~	16 ~~5~~	~~7~~ 19	~~7~~ 16	~~8~~ 9	~~7~~ 9	~~4~~ 22	~~3~~ 11	182 ~~[illegible]~~
*Days with ·04 in. or more.	13	17	8	9	17	11	12	15	9	2	18	8	139

40-9999

*See Instruction 2 (*f*) on other side.

MR (Signed) Charles Coutts

[P.T.O.